NRC Publications Archive Archives des publications du CNRC

Sub-inhibitory concentrations of different pharmaceutical products affect the meta-transcriptome of river biofilm communities cultivated in rotating annular reactors

Yergeau, Étienne; Sanschagrin, Sylvie; Waiser, Marley J.; Lawrence, John R; Greer, Charles W.

This publication could be one of several versions: author's original, accepted manuscript or the publisher's version. / La version de cette publication peut être l'une des suivantes : la version prépublication de l'auteur, la version acceptée du manuscrit ou la version de l'éditeur.

For the publisher's version, please access the DOI link below. / Pour consulter la version de l'éditeur, utilisez le lien DOI ci-dessous.

Publisher's version / Version de l'éditeur:

<https://doi.org/10.1111/j.1758-2229.2012.00341.x>

Environmental Microbiology Reports, 4, 3, pp. 350-359, 2012-06-01

NRC Publications Record / Notice d'Archives des publications de CNRC:

<https://nrc-publications.canada.ca/eng/view/object/?id=9c10e26c-8c49-48d8-84a3-dbc4c2d484dd>

<https://publications-cnrc.canada.ca/fra/voir/objet/?id=9c10e26c-8c49-48d8-84a3-dbc4c2d484dd>

Access and use of this website and the material on it are subject to the Terms and Conditions set forth at

<https://nrc-publications.canada.ca/eng/copyright>

READ THESE TERMS AND CONDITIONS CAREFULLY BEFORE USING THIS WEBSITE.

L'accès à ce site Web et l'utilisation de son contenu sont assujettis aux conditions présentées dans le site

<https://publications-cnrc.canada.ca/fra/droits>

LISEZ CES CONDITIONS ATTENTIVEMENT AVANT D'UTILISER CE SITE WEB.

Questions? Contact the NRC Publications Archive team at

PublicationsArchive-ArchivesPublications@nrc-cnrc.gc.ca. If you wish to email the authors directly, please see the first page of the publication for their contact information.

Vous avez des questions? Nous pouvons vous aider. Pour communiquer directement avec un auteur, consultez la première page de la revue dans laquelle son article a été publié afin de trouver ses coordonnées. Si vous n'arrivez pas à les repérer, communiquez avec nous à PublicationsArchive-ArchivesPublications@nrc-cnrc.gc.ca.

National Research
Council Canada

Conseil national de
recherches Canada

Canada

Sub-inhibitory concentrations of different pharmaceutical products affect the meta-transcriptome of river biofilm communities cultivated in rotating annular reactors

Journal:	<i>Environmental Microbiology and Environmental Microbiology Reports</i>
Manuscript ID:	EMI-2012-0058.R2
Manuscript Type:	EMIR - Brief report
Journal:	Environmental Microbiology Reports
Date Submitted by the Author:	n/a
Complete List of Authors:	Yergeau, Etienne; Biotechnology Research Institute, Sanschagrin, Sylvie; National Research Council of Canada, Environmental Microbiology Waiser, Marley; Environment Canada, Lawrence, John; Environment Canada, Greer, Charles; National Research Council of Canada, Environmental Microbiology
Keywords:	meta-transcriptomics, 16S rRNA gene, pharmaceutical products, river biofilms, pyrosequencing

1 Sub-inhibitory concentrations of different pharmaceutical products affect the
2 meta-transcriptome of river biofilm communities cultivated in rotating
3 annular reactors

4
5
6 Etienne Yergeau¹, Sylvie Sanschagrin¹, Marley J. Waiser², John R. Lawrence² and
7 Charles W. Greer^{1*}
8

9 ¹National Research Council of Canada, Montreal, Biotechnology Research Institute,
10 Quebec, Canada.

11 ²Environment Canada, Saskatoon, Saskatchewan, Canada.
12
13

14 Running head: Pharmaceutical products effects on river biofilms

15 Keywords: meta-transcriptomics, 16S rRNA gene, pharmaceutical products, river
16 biofilms, pyrosequencing
17

18 *Corresponding author: charles.greer@cnrc-nrc.gc.ca
19

Summary

Surface waters worldwide are contaminated by pharmaceutical products that are released into the environment from wastewater treatment plants. Here, we hypothesize that pharmaceutical products have effects on organisms as well as genes related to nutrient cycling in complex microbial communities. To test this hypothesis, biofilms were grown in reactors and subjected low concentrations of three antibiotics (erythromycin, ER, sulfamethoxazole, SL and sulfamethazine, SN) and a lipid regulator (gemfibrozil, GM). Total community RNA was extracted and sequenced together with PCR amplicons of the 16S rRNA gene using 454 pyrosequencing. Exposure to pharmaceutical products resulted in very little change in bacterial community composition at the phylum level based on 16S rRNA gene amplicons, even though some genera were significantly affected. In contrast, large shifts were observed in the active community composition based on taxonomic affiliations of mRNA sequences. Consequently, expression of gene categories related to N, P and C cycling were strongly affected by the presence of pharmaceutical products, with each treatment having specific effects. These results indicate that low pharmaceutical product concentrations rapidly provoke a variety of functional shifts in river bacterial communities. In the longer term these shifts in gene expression and microbial activity could lead to a disruption of important ecosystem processes like nutrient cycling.

42 **Introduction**

43 Surface waters worldwide are contaminated by pharmaceutical and personal care
44 products (PPCP) at very low concentrations (Daughton and Ternes, 1999; Kolpin *et al.*,
45 2002; Metcalfe *et al.*, 2003). These products typically contaminate surface waters through
46 effluent water release from wastewater treatment plants (Jones *et al.*, 2004). Since many
47 PPCP's are often specifically designed to resist degradation, it is not surprising that they
48 are relatively unaffected by the wastewater treatment process (Kolpin *et al.*, 2002;
49 Metcalfe *et al.*, 2003). Furthermore, the typically low concentrations in wastewater make
50 PPCP's difficult to remove by any means (Daughton and Ternes, 1999). Although present
51 at low concentrations, PPCP's are considered pseudo-persistent in that they are constantly
52 being added to receiving waters (Daughton and Ternes, 1999). Of great concern is their
53 role, not only in endocrine disruption (Kidd *et al.*, 2007), but in the potential development
54 of antibiotic-resistant bacteria (Costanzo *et al.*, 2005). One of the more subtle but equally
55 important effects, however, is the likelihood of PPCP's having an effect on bacterial
56 processes that are crucial for the health and integrity of aquatic ecosystems. Several
57 pharmaceutical products, like antibiotics, may act as signaling molecules in addition to
58 their role as inhibitors of microbial processes (Fajardo and Martínez, 2008). Lending
59 support to this hypothesis is the fact that the same antibiotic can trigger different
60 responses in different bacteria (Goh *et al.*, 2002). Different antibiotics are also known to
61 elicit different responses in the same organism (Lin *et al.*, 2005; Ng *et al.*, 2003). Because
62 pharmaceutical products have the ability to act as bacterial community functional
63 regulators, chronic bacterial exposure may disrupt the functioning of complex microbial

assemblages, and thereby alter ecosystem dynamics (Lawrence *et al.*, 2005; Lawrence *et al.*, 2009; Lawrence *et al.*, 2011).

Low pharmaceutical product concentrations have been shown to affect transcription in isolated bacterial strains (reviewed in Davies *et al.*, 2006). While useful, these studies did not establish if low concentrations of pharmaceutical products in aquatic environments might lead to changes in ecosystem level relevant bacterial processes (such as nutrient (N, P, C) cycling). We previously assessed the meta-transcriptomic responses of reactor-grown biofilms to various pharmaceutical products using a novel anonymous microarray approach (Yergeau *et al.*, 2010). Although this approach highlighted several dominant genes, whose expression was significantly affected by pharmaceutical products, it could not yield information about the changes in abundance of the less numerous transcripts and in the active community composition. This information is crucial in view of the potential impact on ecosystem processes or what are referred to as ecosystem services in terms of maintenance of water quality. We therefore decided to take a complementary ecological approach and sequenced the meta-transcriptome and 16S rRNA gene amplicons from nutrient-rich river biofilms to search for indications of shifts in ecosystem-related processes (nutrient cycles, photosynthesis and carbon utilization), at the level of both community composition and gene expression.

In this study, microbial biofilms grown in water from Wascana Creek, Saskatchewan, Canada, were subjected to low concentrations of erythromycin, sulfamethoxazole and sulfamethazine (three antibiotics) as well as gemfibrozil (a lipid regulator). Sequencing of 16S rRNA gene amplicons was used to determine if these pharmaceutical products caused any shifts in bacterial community composition. In

87 addition, mRNA sequencing was used to determine the potential of these pharmaceutical
88 products to change active bacterial community composition and gene expression. Our
89 results suggested that in the short term, pharmaceutical products cause relatively minor
90 changes in bacterial community composition, but large shifts in gene expression in the
91 active community. Furthermore, several gene categories (photosynthesis, carbon
92 utilization and N- and P-metabolism), crucial for ecosystem processes, showed shifts in
93 their relative expression following exposure to pharmaceutical products. Overall, the
94 results suggested that chronic exposure of aquatic ecosystems to pharmaceutical products
95 could seriously alter ecosystem processes and lead to shifts in microbial community
96 composition.

97

Results and discussion

In this study, a metagenomic and metatranscriptomic approach (Table 1) was used to test the hypothesis that exposing complex microbial biofilm communities to pharmaceutical products causes changes in the community composition and in the expression of genes related to important ecosystem processes. For biofilm development, we used rotating annular reactors (Lawrence *et al.*, 2000; Lawrence *et al.*, 2004) inoculated with water from Wascana Creek (WC), upstream from the city of Regina, SK, Canada, sewage treatment plant (50°24'587.42" N, 104°32'56.95"W). Treatments included: 1 $\mu\text{g L}^{-1}$ erythromycin (ER), 1 $\mu\text{g L}^{-1}$ gemfibrozil (GM), 0.5 $\mu\text{g L}^{-1}$ sulfamethazine (SN), and 0.5 $\mu\text{g L}^{-1}$ sulfamethoxazole (SL). Nothing was added to the control reactors (CO). All treatments were replicated independently three times and the experiment was run for 8 weeks. The rotating annular reactor approach was used to mimic the environmental conditions under which river biofilms grow, but without fluctuating water levels, temperature and nutrient inputs that are normally observed in the field. In view of the already high variability observed between replicated reactors, this approach had the major advantage of enabling us to identify significant trends in gene expression. Most of the previous literature related to the effects of pharmaceutical products on microbial communities used a similar experimental design.

Shifts in community composition

These treatments did not result in large changes to the biofilm microbial community composition at the DNA level (based on 16S rRNA gene amplicon sequencing) (Fig. 1a). The large variability between replicated reactors, as previously reported (Yergeau *et al.*,

2010), probably prevented the detection of significant trends in this dataset. This lack of large shifts at the phylum/class level (Fig. 1a) could also be related to the fact that pharmaceutical products were added at low, environmentally-relevant concentrations and the incubation time was relatively short. Results presented here contrast with other studies that used the same rotating annular reactor approach and demonstrated that biofilm architecture (thickness) and community composition at the major functional group level are highly sensitive to environmental stress (Lawrence *et al.*, 2004; Lawrence *et al.*, 2005). The antiseptic chlorhexidine and antimicrobial triclosan, for instance, were shown to significantly alter the microbial community composition of biofilms grown in rotating annular reactors at concentrations of 10-100 µg/L (Lawrence *et al.*, 2008; Lawrence *et al.*, 2009). In another study, exposure of rotating annular biofilms to four different PPCPs resulted in a significant increase in *Betaproteobacteria* (nutrient effect), and a concomitant decrease in *Gammaproteobacteria* (toxic effect) (Lawrence *et al.*, 2005). Such shifts, which have also been observed in response to the addition of carbon, nitrogen and phosphorus (CNP), are thought to be indicative of nutrient enrichment or pollution (Brümmer *et al.*, 2000; Neu *et al.*, 2005). One reason for the lack of nutrient response of the bacterial community in our study may have been the low pharmaceutical product concentration used (0.5 to 1 µg/L). Such concentrations were probably too low to significantly increase Wascana Creek nutrients, which are already significantly elevated (Waiser *et al.*, 2011a) with dissolved organic carbon levels of 15 mg/L and total dissolved N of 3 mg/L versus an addition of < 1 µg/L C and < 0.1 µg/L N by the antibiotic treatments. Another reason for the differing results obtained is that two different molecular methods were used. In the Lawrence and colleagues (2005) study *in*

144 *situ* hybridization or PCR-DGGE was utilized, while in the present study,
145 pyrosequencing of the 16S rRNA gene was used. That being said, there were some
146 genera in the Wascana study, which were particularly sensitive to low exposure levels of
147 pharmaceutical products (Table 2). Several genera were affected either positively or
148 negatively by the treatments, and these almost exclusively belonged to the
149 *Cyanobacteria*, *Planctomycetes*, and *Proteobacteria* phyla. The impact at the genus level,
150 however, was not enough to significantly change the bacterial community composition at
151 higher taxonomic levels.

152 In contrast to the small differences observed at the DNA level (16S rRNA gene
153 amplicon sequencing), the active community composition at the RNA level (taxonomic
154 affiliation of the mRNA sequences) was strongly affected by exposure to low
155 concentrations of pharmaceutical products, even at the phylum level (Fig. 1b). At the
156 phylum level, the largest changes occurred in the *Cyanobacteria* and the *Proteobacteria*
157 for ER and SL treatments. This result suggests that some phyla members modify their
158 general activity when exposed to pharmaceutical products. *Cyanobacteria*, for instance,
159 exhibited a strong decrease in activity in response to both ER and SL (Fig. 1b).
160 Interestingly, even though the general activity of *Cyanobacteria* decreased, significant
161 increases in the relative abundance of some genera (based on 16S rRNA gene amplicon
162 sequencing) were also noted (Table 2). This observation is in line with previous work
163 showing differential sensitivity of isolated *Cyanobacteria* to antibiotics (Lawrence *et al.*,
164 2009). Similarly direct biofilm imaging in another study demonstrated that exposure to
165 four different pharmaceutical products reduced *Cyanobacteria* biomass (Lawrence *et al.*,
166 2005). Results presented here suggest that *Cyanobacteria* could be used as a bioindicator

phylum for ecosystem pollution by pharmaceutical products. Of concern is that this phylum is one of the most important ones in aquatic ecosystems, being involved in both carbon and nitrogen cycling. Any decrease in the activity of this group, therefore, has the potential to disrupt aquatic nutrient cycling.

Treatments also significantly influenced the activity of the biofilm community at the organism level (Table 3). Most of the significant changes were found in the ER and the SL treatments, and organisms most significantly affected belonged to the *Proteobacteria*, the *Actinobacteria* or the *Firmicutes* (Table 3). ER caused a significant increase in the relative activity for most organisms, with the exception of two *Cyanobacteria* species that exhibited decreased activity (Table 3). Similarly, the only organism showing a significant decrease in activity following the SL treatment was the *Bacteroidetes*, *Croicebacter atlanticus* (Table 3). In contrast, the two organisms that were significantly affected by the GM treatments showed significant decreases in their activity. No significant effect of SN on any organism was observed at $P < 0.05$. Even though each treatment affected specific organisms, most of the active microorganisms were shared between the treatments (Fig. 2a). Some organisms were more or less active in the different treatments, but the majority of the organisms detected in the mRNA dataset showed some activity in all treatments. This indicates that the pharmaceutical products used elicited some common microbial responses.

Shifts in function

Large shifts in the relative abundance of different transcript categories were observed based on the functional classification of the mRNA reads (Fig. 3). These

changes were highly variable and pharmaceutical product-specific with the ER and SL treatments having the strongest effect (Fig. 3). However, as for the active microorganisms, most of the actively expressed functions were common to all treatments (Fig. 2b), suggesting that most of the differences observed between treatments were related to shifts in the relative expression of different gene categories and not to shifts in the gene categories being expressed. However, when compared to the control, several genes were uniquely expressed under specific treatments, especially the SL and ER treatments (Table 4), which led to a large difference in metabolic networks (Fig. 4). The most striking feature of this metabolic network analysis is the large number of genes uniquely expressed in the ER and SL treatments as compared to the controls, which lends support to the idea that at low concentrations, antibiotics might act as signaling molecules triggering the expression of specific genes (Fajardo and Martínez, 2008).

Because CO₂ and N₂ fixation are major ecophysiological processes that allow biofilms to be self-sufficient (Van Gemerden, 1993), our analyses also focused on C- and N-cycle related gene categories. In control biofilms, photosynthesis-related transcripts were the most abundant category (Fig. 3). In sulfamethoxazole (SL) exposed biofilms, however, this category decreased dramatically, to the point where it was no longer the most dominant ecosystem process (Fig. 3). Photosynthesis inhibition could have major consequences on ecosystem processes, as photosynthesis is the major source of fixed carbon in aquatic ecosystems. A recent laboratory study reported that the antibiotics triclosan and triclocarban, at concentrations of 10 µg/L, shifted river biofilms from an autotrophic dominated community to one controlled by heterotrophs (Lawrence *et al.*, 2009). A similar observation was recently made in a field-based study on Wascana

Creek (Waiser *et al.*, 2011a). Here the planktonic microbial community shifted from net autotrophy at a site above the Regina sewage treatment plant to net heterotrophy 0.4 km below it, based on primary production to bacterial production ratios (Waiser *et al.*, 2011a). A suite of pharmaceutical products, including the ones in this study, are regularly found at this particular creek site (Waiser *et al.*, 2011b).

We also observed shifts in transcripts related to carbohydrate metabolism (Fig. 3 and Table 4). Using BIOLOG plates, shifts in carbon utilization patterns were previously reported as a typical effect of pharmaceutical products on river biofilm communities growing in rotating annular reactors (Lawrence *et al.*, 2005; Lawrence *et al.*, 2008; Lawrence *et al.*, 2009). In our dataset, carbohydrate-related genes were mostly positively affected by exposure to pharmaceutical products (Fig. 3 and Table 4). Four different pharmaceutical products were previously observed to have significant positive effects on the utilization of carbohydrates, while most of these pharmaceutical products had negative effects on the utilization of carboxylic acids and phosphorylated compounds and no effects were observed on the utilization of polymers, esters and amino acids (Lawrence *et al.*, 2005). In contrast, general negative effects of exposure to pharmaceutical product on carbon utilization have been reported in other studies (Lawrence *et al.*, 2008; Lawrence *et al.*, 2009).

In addition to the shifts observed in carbohydrate and photosynthesis related genes, we also observed changes in genes related to N and P metabolism (Fig. 3 and Table 4). Based on previous reports (Dokianakis *et al.*, 2004; Lawrence *et al.*, 2004), Lawrence and colleagues (2009) proposed that the antibiotics triclosan and triclocarban might act on microbial communities by disrupting critical biogeochemical processes such

as the nitrogen cycle. Accordingly, most of the pharmaceutical products tested in the present study reduced the relative abundance of transcripts related to nitrite reductase and ammonia assimilation (Fig .3). In other studies, sulfamethoxazole (SL) significantly inhibited nitrite oxidation in isolated strains (Dokianakis *et al.*, 2004). Some effects on gene categories related to this process were also observed in our dataset. The observed shifts in the expression of N-cycle related genes could influence the ability of aquatic ecosystems to deal with excess nitrate and nitrate originating from sewage treatment plants. In Wascana Creek, for example, although some nitrification is occurring, the persistence of high concentrations of nitrate and nitrite for many kilometers downstream of the STP would suggest some inhibition of denitrification (Waiser *et al.*, 2011a). Whether or not this inhibition is occurring in response to chronic pharmaceutical product exposure remains to be determined.

We previously assessed the metatranscriptomic response of the current samples to pharmaceutical products using an anonymous microarray approach (Yergeau *et al.*, 2010). Although the two methods (pyrosequencing and microarrays) are highly complementary, each gave a different view of the shifts occurring following exposure of river biofilms to pharmaceutical products. Anonymous microarrays were highly effective in detecting shifts in dominant genes, but could not give a complete overview of the community. Shifts in ecosystem-related processes reported here, for instance, were missed by the anonymous microarray approach because these genes comprise only a small part of the total expressed gene pool (less than 2% for N and P metabolism and less than 5% for carbohydrates). Furthermore, classification of mRNA in the subsystem hierarchy of the MG-RAST server allowed us to sum several individual genes and carry

out tests on these sums, something not possible using anonymous microarrays. In contrast, the large amount of data involved in metatranscriptomic sequencing makes it difficult to identify particular genes that are strongly affected by pharmaceutical products as was possible with the anonymous microarray approach. Using the two approaches, we were able to highlight both shifts in ecosystem processes and large changes in the expression of individual genes. We believe that using the two approaches on a common set of samples resulted in very useful information that would not have been revealed by using either method alone.

Conclusions

In contrast to previous reports, we did not observe short-term effects of pharmaceutical products on bacterial community composition, probably because of the lower concentrations of pharmaceutical products used. Based on RNA analysis, however, a range of significant shifts in the active community composition and in the relative abundance of a range of transcript categories were observed. The data presented here demonstrates the usefulness of RNA-based studies. They appear to be especially useful, as demonstrated in this study, in detecting subtle changes in microbial communities after short-term exposure to low pharmaceutical product concentrations. The shifts observed were in line with previous reports, and suggest that low concentrations of pharmaceutical products may potentially affect critical biofilm functions in river ecosystems. One of the most significant changes observed was a decrease in *Cyanobacteria* activity and in the expression of photosynthesis-related genes after exposure to erythromycin and sulfamethoxazole. Longer-term studies are needed to understand how the pharmaceutical

product-induced shifts at the RNA-level observed in this study translate into effects on important aquatic ecosystem process rates.

Acknowledgments

Environment Canada and Health Canada provided financial support for this research.

Vijay Tumber and George Swerhone of Environment Canada are thanked for their excellent technical support.

290 **References**

- 291 Bell, T.H., Yergeau, E., Martineau, C., Juck, D., Whyte, L.G., and Greer, C.W. (2011)
 292 Identification of nitrogen-incorporating bacteria in petroleum-contaminated Arctic
 293 soils by using [^{15}N] DNA-based stable isotope probing and pyrosequencing. *Appl*
 294 *Environ Microbiol* **77**: 4163–4171.
- 295 Brümmer, I.H.M., Fehr, W., and Wagner-Döbler, I. (2000) Biofilm community structure
 296 in polluted rivers: Abundance of dominant phylogenetic groups over a complete
 297 annual cycle. *Appl Environ Microbiol* **66**: 3078–3082.
- 298 Costanzo, S.D., Murby, J., and Bates, J. (2005) Ecosystem response to antibiotics
 299 entering the aquatic environment. *Mar Pollut Bull* **51**: 218–223.
- 300 Daughton, C.G., and Ternes, T.A. (1999) Pharmaceuticals and personal care products in
 301 the environment: Agents of subtle change? *Environ Health Perspect* **107**: 907–
 302 938.
- 303 Davies, J., Spiegelman, G.B., and Yim, G. (2006) The world of subinhibitory antibiotic
 304 concentrations. *Curr Opin Microbiol* **9**: 445–453.
- 305 Dokianakis, S.N., Kornaros, M.E., and Lyberatos, G. (2004) On the effect of
 306 pharmaceuticals on bacterial nitrite oxidation. *Water Sci Technol* **50**: 341–346.
- 307 Fajardo, A., and Martínez, J.L. (2008) Antibiotics as signals that trigger specific bacterial
 308 responses. *Curr Opin Microbiol* **11**: 161–167.
- 309 Goh, E.-B., Yim, G., Tsui, W., McClure, J., Surette, M.G., and Davies, J. (2002)
 310 Transcriptional modulation of bacterial gene expression by subinhibitory
 311 concentrations of antibiotics. *Proc Natl Acad Sci USA* **99**: 17025–17030.
- 312 Jones, O.A.H., Voulvoulis, N., and Lester, J.N. (2004) Potential ecological and human
 313 health risks associated with the presence of pharmaceutically active compounds in
 314 the aquatic environment. *Crit Rev Toxicol* **34**: 335–350.
- 315 Kidd, K.A., Blanchfield, P.J., Mills, K.H., Palace, V.P., Evans, R.E., Lazorchak, J.M.,
 316 and Flick, R.W. (2007) Collapse of a fish population after exposure to a synthetic
 317 estrogen. *Proc Natl Acad Sci USA* **104**: 8897–8901.
- 318 Kolpin, D.W., Furlong, E.T., Meyer, M.T., Thurman, E.M., Zaugg, S.D., Barber, L.B.,
 319 and Buxton, H.T. (2002) Pharmaceuticals, hormones, and other organic
 320 wastewater contaminants in U.S. streams, 1999–2000: A national reconnaissance.
 321 *Environ Sci Technol* **36**: 1202–1211.
- 322 Lawrence, J.R., Swerhone, G.D.W., and Neu, T.R. (2000) A simple rotating annular
 323 reactor for replicated biofilm studies. *J Microbiol Methods* **42**: 215–224.
- 324 Lawrence, J.R., Chenier, M.R., Roy, R., Beaumier, D., Fortin, N., Swerhone, G.D.W. et
 325 al. (2004) Microscale and molecular assessment of impacts of nickel, nutrients,
 326 and oxygen level on structure and function of river biofilm communities. *Appl*
 327 *Environ Microbiol* **70**: 4326–4339.
- 328 Lawrence, J.R., Swerhone, G.D.W., Wassenaar, L.I., and Neu, T.R. (2005) Effects of
 329 selected pharmaceuticals on riverine biofilm communities. *Can J Microbiol* **51**:
 330 655–669.
- 331 Lawrence, J.R., Zhu, B., Swerhone, G.D.W., Topp, E., Roy, J., Wassenaar, L.I. et al.
 332 (2008) Community-level assessment of the effects of the broad-spectrum
 333 antimicrobial chlorhexidine on the outcome of river microbial biofilm
 334 development. *Appl Environ Microbiol* **74**: 3541–3550.

- Lawrence, J.R., Zhu, B., Swerhone, G.D.W., Roy, J., Wassenaar, L.I., Topp, E., and Korber, D.R. (2009) Comparative microscale analysis of the effects of triclosan and triclocarban on the structure and function of river biofilm communities. *Sci Total Environ* **407**: 3307-3316.
- Lawrence, J.R., Zhu, B., Swerhone, G.D.W., Roy, J., Tumber, V., Waiser, M.J. et al. (2011) Molecular and microscopic assessment of the effects of caffeine, acetaminophen, diclofenac and their mixtures on river biofilm communities. *Environ Toxicol Chem* **In press**.
- Lin, J.T., Connelly, M.B., Amolo, C., Otani, S., and Yaver, D.S. (2005) Global transcriptional response of *Bacillus subtilis* to treatment with subinhibitory concentrations of antibiotics that inhibit protein synthesis. *Antimicrob Agents Chemother* **49**: 1915-1926.
- Metcalfe, C.D., Koenig, B.G., Bennie, D.T., Servos, M., Ternes, T.A., and Hirsch, R. (2003) Occurrence of neutral and acidic drugs in the effluents of canadian sewage treatment plants. *Environ Toxicol Chem* **22**: 2872-2880.
- Meyer, F., Paarmann, D., D'Souza, M., Olson, R., Glass, E.M., Kubal, M. et al. (2008) The metagenomics RAST server - a public resource for the automatic phylogenetic and functional analysis of metagenomes. *BMC Bioinformatics* **9**: 386.
- Neu, T.R., Swerhone, G.D.W., Bockelmann, U., and Lawrence, J.R. (2005) Effect of CNP on composition and structure of lotic biofilms as detected with lectin-specific glycoconjugates. *Aquat Microb Ecol* **38**: 283-294.
- Ng, W.-L., Kazmierczak, K.M., Robertson, G.T., Gilmour, R., and Winkler, M.E. (2003) Transcriptional regulation and signature patterns revealed by microarray analyses of *Streptococcus pneumoniae* R6 challenged with sublethal concentrations of translation inhibitors. *J Bacteriol* **185**: 359-370.
- Van Gemerden, H. (1993) Microbial mats: a joint venture. *Marine Geology* **113**: 3-25.
- Waiser, M.J., Tumber, V., and Holm, J. (2011a) Effluent dominated streams Part I: Presence and effects of excess nitrogen and phosphorus in Wascana Creek, SK. *Environ Toxicol Chem* **30**: 496-507.
- Waiser, M.J., Tumber, V., and Holm, J. (2011b) Effluent dominated streams Part II: Presence and possible effects of pharmaceuticals and personal care products in Wascana Creek, SK. *Environ Toxicol Chem* **30**: 508-519.
- Yergeau, E., Bokhorst, S., Huiskes, A.H.L., Boschker, H.T.S., Aerts, R., and Kowalchuk, G.A. (2007) Size and structure of bacterial, fungal and nematode communities along an Antarctic environmental gradient. *FEMS Microbiol Ecol* **59**: 436-451.
- Yergeau, E., and Kowalchuk, G.A. (2008) Responses of Antarctic soil microbial communities and associated functions to temperature and freeze-thaw cycle frequency. *Environ Microbiol* **10**: 2223-2235.
- Yergeau, E., Lawrence, J.R., Korber, D.R., Waiser, M.J., and Greer, C.W. (2010) Meta-transcriptomic analysis of the response of river biofilms to pharmaceutical products using anonymous DNA microarrays. *Appl Environ Microbiol* **76**: 5432-5439.
- Yergeau, E., Bokhorst, S., Kang, S., Zhou, J.Z., Greer, C.W., Aerts, R., and Kowalchuk, G.A. (2012) Shifts in soil microorganisms in response to warming are consistent across a range of Antarctic environments. *ISME J* **6**: 692-702.

Table 1: Sequencing statistics (average per sample). Total DNA and RNA were simultaneously extracted from 500 mg biofilm subsamples (Yergeau *et al.*, 2007; Yergeau and Kowalchuk, 2008). Pyrosequencing of 16S rRNA gene amplicons was performed as previously described (Bell *et al.*, 2011). mRNA was enriched using the MicrobExpress kit (Ambion, Austin, TX). mRNA was then sent for cDNA generation, library construction and Roche 454 GS FLX Titanium sequencing at The Centre for Applied Genomics, The Hospital for Sick Children, Toronto, ON, Canada. Sequence data produced in the current study were deposited in the GenBank database under accession numbers XX000000 to XX000000 (16S rRNA gene amplicons) and XX000000 to XX000000 (RNA).

Raw		After <i>in silico</i> rRNA removal	
nb reads	bp	nb reads	bp
<i>16S rRNA sequencing</i>			
CO	37,979	7,675,660	
ER	19,789	4,051,123	
GM	21,959	4,527,673	
SL	26,723	5,466,712	
SN	33,300	7,088,289	
<i>RNA sequencing</i>			
CO	73,762	13,846,719	16,718
ER	76,223	18,191,920	20,619
GM	58,574	12,205,107	12,499
SL	91,372	18,655,602	34,077
SN	63,410	15,806,579	12,183

Table 2: Bacterial genera that showed significant differences between treatments and controls for their relative abundance based on 16S rRNA gene amplicons. Significance was measured using a t-test carried out with the R package. Fold change was calculated as the average for the treatment divided by the average for the control. If the fold change was lower than 1, it was reversed (1/x) and made negative. If one of the two averages used for fold change calculation was equal to zero, it was replaced by the minimal value (1 sequence detected among all replicates) and values are given as “greater than” or “lower than” the value obtained. See legend to Figure 1 for more details about 16S rRNA gene amplicon analysis.

	avg. CO	avg. treat.	Fold change	P-value	Phylum/Class	Genus/Group
ER	0.00774	0.01248	1.61	0.023	<i>Cyanobacteria</i>	GpIV
	0.00003	0.00000	<-4.76	0.036	<i>Bacteroidetes</i>	<i>Alistipes</i>
	0.00004	0.00000	<-6.97	0.048	<i>Gammaproteobacteria</i>	<i>Cellvibrio</i>
	0.00002	0.00008	4.60	0.049	<i>Deltaproteobacteria</i>	<i>Bacteriovorax</i>
GM	0.00774	0.01281	1.65	0.035	<i>Cyanobacteria</i>	GpIV
	0.00002	0.00008	3.55	0.044	<i>Alphaproteobacteria</i>	<i>Beijerinckia</i>
SL	0.00007	0.00000	<-15.11	0.013	<i>Alphaproteobacteria</i>	<i>Seohaecicola</i>
	0.00066	0.00034	-1.97	0.032	<i>Alphaproteobacteria</i>	<i>Pedomicrobium</i>
	0.00022	0.00040	1.87	0.038	<i>Planctomycetes</i>	<i>Planctomyces</i>
	0.00006	0.00000	<-13.60	0.040	<i>Planctomycetes</i>	<i>Rhodopirellula</i>
	0.00008	0.00003	-3.30	0.040	<i>Alphaproteobacteria</i>	<i>Oceanibaculum</i>
SN	0.00004	0.00000	<-9.91	0.048	<i>Gammaproteobacteria</i>	<i>Cellvibrio</i>
	0.00022	0.00051	2.36	0.013	<i>Planctomycetes</i>	<i>Planctomyces</i>
	0.00001	0.00018	13.21	0.019	<i>Gammaproteobacteria</i>	<i>Nevskia</i>
	0.00093	0.00194	2.08	0.022	<i>OD1</i>	OD1_genera_incertae_sedis
	0.00007	0.00003	-2.11	0.043	<i>Alphaproteobacteria</i>	<i>Seohaecicola</i>
	0.00032	0.00081	2.51	0.044	<i>Betaproteobacteria</i>	<i>Inhella</i>

407 **Table 3:** Bacterial species that showed significant differences between treatments and
 408 controls for their relative abundance based on classified mRNA sequences in MG-RAST
 409 v. 2.0. Significance was measured using a t-test carried out with the R package. See
 410 legend to Table 2 for details about fold change calculation. See legend to Figure 3 for
 411 more details about mRNA sequence analysis.

	avg. CO	avg. treat.	Fold change	P-value	Phylum/Class	Species
ER	0.00	0.14	>8.05	0.001	<i>Actinobacteria</i>	<i>Mycobacterium bovis</i>
	0.00	0.14	>8.05	0.001	<i>Firmicutes</i>	<i>Bacillus subtilis</i>
	0.00	0.14	>8.05	0.001	<i>Firmicutes</i>	<i>Staphylococcus aureus</i>
	0.32	0.03	-10.62	0.023	<i>Cyanobacteria</i>	<i>Synechococcus sp.</i>
	0.04	0.22	5.95	0.027	<i>Bacteroidetes</i>	<i>Flavobacteriales bacterium</i>
	0.00	0.15	>8.63	0.043	<i>Gammaproteobacteria</i>	<i>Colwellia psychrerythraea</i>
	0.00	0.07	>4.31	0.043	<i>Gammaproteobacteria</i>	<i>Alteromonas macleodii</i>
	0.00	0.07	>4.31	0.043	<i>Gammaproteobacteria</i>	<i>Pseudomonas resinovorans</i>
	0.00	0.06	>3.74	0.048	<i>Chloroflexi</i>	<i>Dehalococcoides sp.</i>
	0.00	0.06	>3.74	0.048	<i>Gammaproteobacteria</i>	<i>Shewanella putrefaciens</i>
	5.23	2.35	-2.23	0.049	<i>Cyanobacteria</i>	<i>Prochlorococcus marinus</i>
GM	0.43	0.06	-6.66	0.022	<i>Bacteroidetes</i>	<i>Croceibacter atlanticus</i>
	0.32	0.04	-8.19	0.019	<i>Gammaproteobacteria</i>	<i>Xanthomonas campestris</i>
SL	0.05	0.51	11.06	0.004	<i>Gammaproteobacteria</i>	<i>Actinobacillus actinomycetemcomitans</i>
	0.09	0.98	10.55	0.004	<i>Deltaproteobacteria</i>	<i>Desulfococcus oleovorans</i>
	0.00	0.04	>2.44	0.004	<i>Firmicutes</i>	<i>Bacillus clausii</i>
	0.00	0.04	>2.44	0.004	<i>Firmicutes</i>	<i>Bacillus thuringiensis</i>
	0.00	0.04	>2.44	0.004	<i>Alphaproteobacteria</i>	<i>Wolbachia sp.</i>
	0.00	0.04	>2.44	0.004	<i>Gammaproteobacteria</i>	<i>Yersinia enterocolitica</i>
	0.00	0.04	>2.44	0.004	<i>Gammaproteobacteria</i>	<i>Acinetobacter sp.</i>
	0.00	0.04	>2.44	0.004	<i>Gammaproteobacteria</i>	<i>Vibrio vulnificus</i>
	0.00	0.13	>7.32	0.004	<i>Thermotogae</i>	<i>Petrogoga mobilis</i>
	0.00	0.08	>4.88	0.004	<i>Acidobacteria</i>	<i>Acidobacteria bacterium</i>
	0.00	0.08	>4.88	0.004	<i>Gammaproteobacteria</i>	<i>Yersinia intermedia</i>
	0.00	0.08	>4.88	0.004	<i>Deltaproteobacteria</i>	<i>Sorangium cellulosum</i>
	1.01	4.16	4.11	0.009	<i>Epsilonproteobacteria</i>	<i>Campylobacter coli</i>
	0.41	1.11	2.73	0.010	<i>Deltaproteobacteria</i>	<i>Bdellovibrio bacteriovorus</i>
	0.00	0.16	>9.45	0.016	<i>Actinobacteria</i>	<i>Mycobacterium tuberculosis</i>
	0.04	0.26	7.01	0.019	<i>Alphaproteobacteria</i>	<i>Oceanicola batsensis</i>
	0.00	0.43	>25.01	0.020	<i>Alphaproteobacteria</i>	<i>Mesorhizobium sp.</i>
	0.04	0.42	11.36	0.022	<i>Betaproteobacteria</i>	<i>Dechloromonas aromatica</i>
	0.08	0.32	3.81	0.023	<i>Actinobacteria</i>	marine actinobacterium
	0.00	0.12	>7.01	0.023	<i>Firmicutes</i>	<i>Listeria innocua</i>
	0.00	0.12	>7.01	0.023	<i>Firmicutes</i>	<i>Thermoanaerobacter pseudethanolicus</i>
	0.00	0.24	>14.03	0.023	<i>Gammaproteobacteria</i>	<i>Xylella fastidiosa</i>
	0.05	0.30	6.55	0.025	<i>Alphaproteobacteria</i>	<i>Oceanicaulis alexandrii</i>
	0.00	0.13	>7.63	0.030	<i>Gammaproteobacteria</i>	<i>Pseudomonas aeruginosa</i>
	0.35	0.53	1.50	0.032	<i>Chloroflexi</i>	<i>Roseiflexus sp.</i>

0.04	0.29	7.86	0.034	<i>Actinobacteria</i>	<i>Streptomyces coelicolor</i>
0.04	0.39	10.38	0.037	<i>Epsilonproteobacteria</i>	<i>Campylobacter hominis</i>
0.00	0.08	>4.57	0.038	<i>Alphaproteobacteria</i>	<i>Sphingomonas wittichii</i>
0.08	0.29	3.50	0.039	<i>Bacteroidetes</i>	<i>Gramella forsetii</i>
0.05	0.29	6.20	0.040	<i>Spirochaetes</i>	<i>Borrelia garinii</i>
0.00	0.09	>5.19	0.042	<i>Firmicutes</i>	<i>Candidatus Desulforudis audaxviator</i>
0.00	0.18	>10.37	0.042	<i>Gammaproteobacteria</i>	<i>Xanthomonas campestris</i>
0.43	0.10	-4.08	0.042	<i>Bacteroidetes</i>	<i>Croceibacter atlanticus</i>
0.07	0.40	5.32	0.043	<i>Alphaproteobacteria</i>	<i>Gluconobacter oxydans</i>
0.04	0.21	5.61	0.044	<i>Actinobacteria</i>	<i>Propionibacterium acnes</i>
0.04	0.18	4.91	0.045	<i>Alphaproteobacteria</i>	<i>Roseobacter sp.</i>
0.00	0.19	>11.28	0.047	<i>Alphaproteobacteria</i>	<i>Sinorhizobium meliloti</i>
0.00	0.23	>13.12	0.049	<i>Betaproteobacteria</i>	<i>Polaromonas sp.</i>

412

413

414

415 **Table 4:** Subsystems that showed significant differences between treatments and controls
416 for their relative abundance based on classified mRNA sequences in MG-RAST v. 2.0.
417 Significance was measured using a t-test carried out with the R package. Subsystems
418 related to carbohydrate metabolism are in boldface. Details about the individual reads
419 classified in each subsystem are available in supplementary Table S1. See legend to
420 Table 2 for details about fold change calculation. See legend to Figure 3 for more details
421 about mRNA sequence analysis.

	avg CO	avg treat	Fold change	P	Subsystem Name
ER	0.00	0.32	>11.42	0.0195	Bacterial Cell Division
	0.07	0.36	5.46	0.0323	Maltose and Maltodextrin Utilization
	0.00	0.12	>4.18	0.0385	Lipid A modifications
	0.00	0.12	>4.18	0.0385	Pyrimidine utilization
	0.13	0.42	3.19	0.0409	Sucrose Metabolism
GM	0.44	0.00	<-13.32	0.0128	Beta-lactamase
SL	0.00	0.37	>13.47	0.0045	Bacterial Cell Division
	0.06	0.65	10.09	0.0047	Acetyl-CoA fermentation to Butyrate
	0.00	0.06	>2.29	0.0090	Glutamine synthetases
	0.00	0.06	>2.29	0.0090	D-galactarate, D-glucarate and D-glycerate catabolism
	0.00	0.06	>2.29	0.0090	Di-Inositol-Phosphate biosynthesis
	0.00	0.06	>2.29	0.0090	Lipid A modifications
	0.00	0.06	>2.29	0.0090	Major Outer Membrane Proteins
	0.00	0.06	>2.29	0.0090	Transport of Molybdenum
	0.00	0.06	>2.29	0.0090	Two-component sensor regulator linked to Carbon Starvation Protein A
	0.00	0.13	>4.59	0.0090	Arginine and Ornithine Degradation
	0.00	0.13	>4.59	0.0090	Choline Transport
	0.00	0.19	>6.88	0.0090	Pterin metabolism 3
	0.00	0.25	>8.88	0.0115	Branched chain amino acid degradation regulons
	0.06	0.46	7.14	0.0143	Glycerolipid and Glycerophospholipid Metabolism in Bacteria
	0.07	0.48	7.17	0.0166	Maltose and Maltodextrin Utilization
	0.00	0.18	>6.59	0.0187	Benzoate transport and degradation cluster
	0.00	0.18	>6.59	0.0187	Resistance to fluoroquinolones
	0.00	0.30	>10.88	0.0245	Pyoverdine biosynthesis
	0.00	0.26	>9.46	0.0283	Synthesis of osmoregulated periplasmic glucans
	0.00	0.20	>7.17	0.0344	Glycerol and Glycerol-3-phosphate Uptake and Utilization
	0.07	0.36	5.39	0.0358	Type IV pilus
	0.00	0.29	>10.59	0.0426	Serine Biosynthesis
	0.58	0.14	-4.03	0.0444	Transcription factors cyanobacterial RpoD-like sigma factors
	0.84	0.27	-3.08	0.0460	Terminal cytochrome C oxidases
	0.25	0.88	3.53	0.0465	Cobalt-zinc-cadmium resistance
	0.00	0.18	>6.30	0.0488	Phenylacetate pathway of aromatic compound degradation
SN	0.64	0.10	-6.46	0.0472	Copper homeostasis

422

Figure legends

Figure 1: Bacterial community composition for the controls (CO) and the erythromycin (ER), gemfibrozil (GM), sulfamethoxazole (SL) and sulfamethazine (SN) treatments. Community composition was calculated based on the relative abundance of phylum-classified 16S rRNA genes sequences (a) or the relative abundance of the phylum-classified mRNA sequences (b). Analysis of the 16S rRNA gene amplicons was carried out essentially as previously described (Bell *et al.*, 2011; Yergeau *et al.*, 2012). Sequence data were analyzed mainly by using the RDP pyrosequencing pipeline (<http://pyro.cme.msu.edu/>). The sequences were then deconvoluted and binned according to their multiplex tags, and the tag was trimmed by using the Pipeline Initial Process tool. Datasets were individually classified using the RDP Classifier tool with a 50% bootstrap cutoff.

Figure 2: Venn diagram showing the overlap in the detection of organisms (a) and subsystems (b) in the erythromycin (ER), gemfibrozil (GM), sulfamethoxazole (SL) and sulfamethazine (SN) treatments. Diagrams were drawn using VENNY (<http://bioinfogp.cnb.csic.es/tools/venny/index.html>) based on presence-absence of the subsystems or the organisms in the datasets pooled for each treatment following analysis in MG-RAST v. 2.0. See legend of Figure 3 for more details about mRNA sequences analysis.

Figure 3: Functional microbial community composition for the controls (CO) and the erythromycin (ER), gemfibrozil (GM), sulfamethoxazole (SL) and sulfamethazine (SN) treatments. The sequences were deconvoluted and binned according to their MID tags, and the MID was trimmed using custom made Perl scripts. Sequences from each sample

446 were then compared against a database containing representative bacterial and archaeal
447 16S and 23S and fungal and algal 18S and 28S sequences using the local NCBI blastall
448 program (blastn option). All sequences having significant hits to the database (e-value of
449 10^{-5} or less) were removed from the dataset, leaving mostly mRNA sequences. The
450 sequences were then annotated using the MG-RAST server version 2.0 (Meyer *et al.*,
451 2008). The maximum e-value for a significant match was set to 10^{-5} and the minimum
452 alignment length was set to 50 bp.

453 **Figure 4:** Metabolic network analysis for (a) controls, (b) erythromycin and (c)
454 sulfamethoxazole. The pathways detected are highlighted in blue. The metabolic network
455 analyses were carried out in MG-RAST v 3.0 using the KEGG mapper tool. The
456 maximum e-value for a significant match was set to 10^{-5} and the minimum alignment
457 length was set to 50 bp. See legend to Figure 3 for more details about mRNA sequence
458 analysis.

459

460 **Supplementary material legend**

461 Supplementary Table S1: Subsystems that showed significant differences between
462 treatments and controls for their relative abundance based on classified mRNA sequences
463 in MG-RAST v. 2.0. Significance was measured using a t-test carried out with the R
464 package. Details about the individual reads classified in each subsystem are given.

For Peer Review Only

Bacterial community composition for the controls (CO) and the erythromycin (ER), gemfibrozil (GM), sulfamethoxazole (SL) and sulfamethazine (SN) treatments. Community composition was calculated based on the relative abundance of phylum-classified 16S rRNA genes sequences (a) or the relative abundance of the phylum-classified mRNA sequences (b). Analysis of the 16S rRNA gene amplicons was carried out essentially as previously described (Bell et al., 2011; Yergeau et al., 2012). Sequence data were analyzed mainly by using the RDP pyrosequencing pipeline (<http://pyro.cme.msu.edu/>). The sequences were then deconvoluted and binned according to their multiplex tags, and the tag was trimmed by using the Pipeline Initial Process tool. Datasets were individually classified using the RDP Classifier tool with a 50% bootstrap cutoff.

138x223mm (600 x 600 DPI)

a

b

Venn diagram showing the overlap in the detection of organisms (a) and subsystems (b) in the erythromycin (ER), gemfibrozil (GM), sulfamethoxazole (SL) and sulfamethazine (SN) treatments. Diagrams were drawn using VENNY (<http://bioinfogp.cnb.csic.es/tools/venny/index.html>) based on presence-absence of the subsystems or the organisms in the datasets pooled for each treatment following analysis in MG-RAST v. 2.0. See legend of Figure 3 for more details about mRNA sequences analysis.

86x171mm (300 x 300 DPI)

Functional microbial community composition for the controls (CO) and the erythromycin (ER), gemfibrozil (GM), sulfamethoxazole (SL) and sulfamethazine (SN) treatments. The sequences were deconvoluted and binned according to their MID tags, and the MID was trimmed using custom made Perl scripts. Sequences from each sample were then compared against a database containing representative bacterial and archaeal 16S and 23S and fungal and algal 18S and 28S sequences using the local NCBI blastall program (blastn option). All sequences having significant hits to the database (e-value of 10⁻⁵ or less) were removed from the dataset, leaving mostly mRNA sequences. The sequences were then annotated using the MG-RAST server version 2.0 (Meyer et al., 2008). The maximum e-value for a significant match was set to 10⁻⁵ and the minimum alignment length was set to 50 bp.

121x83mm (300 x 300 DPI)

Metabolic network analysis for (a) controls, (b) erythromycin and (c) sulfamethoxazole. The pathways detected are highlighted in blue. The metabolic network analyses were carried out in MG-RAST v 3.0 using the KEGG mapper tool. The maximum e-value for a significant match was set to 10^{-5} and the minimum alignment length was set to 50 bp. See legend to Figure 3 for more details about mRNA sequence analysis.

180x330mm (300 x 300 DPI)

Treatment	P-value	Subsystem Hierarchy 1
ER	0.0195	Cell Division and Cell Cycle

ER	0.0323	Carbohydrates
----	--------	---------------

ER	0.0385	Cell Wall and Capsule
----	--------	-----------------------

ER	0.0385	Nucleosides and Nucleotides
----	--------	-----------------------------

ER	0.0409 Carbohydrates
GM	0.0128 Virulence
SL	0.0045 Cell Division and Cell Cycle

For Peer Review Only

For Peer Review Only

SL	0.0048 Clustering-based subsystems
SL	0.0090 Amino Acids and Derivatives

SL	0.0090 Carbohydrates
----	----------------------

SL	0.0090 Carbohydrates
SL	0.0090 Cell Wall and Capsule
SL	0.0090 Cell Wall and Capsule

SL	0.0090 Clustering-based subsystems
SL	0.0090 Membrane Transport

SL	0.0090 Unclassified
SL	0.0090 Amino Acids and Derivatives

SL 0.0090 Membrane Transport

SL 0.0090 Cofactors, Vitamins, Prosthetic Groups, Pigments

SL 0.0115 Unclassified

For Peer Review Only

SL

0.0143 Fatty Acids and Lipids

For Peer Review Only

SL 0.0166 Carbohydrates

SL 0.0187 Metabolism of Aromatic Compounds

SL 0.0187 Virulence

SL	0.0231 Clustering-based subsystems
----	------------------------------------

SL	0.0245 Virulence
----	------------------

SL	0.0283 Stress Response
----	------------------------

SL	0.0296 Clustering-based subsystems
----	------------------------------------

SL	0.0309 Clustering-based subsystems
----	------------------------------------

SL

0.0344 Carbohydrates

SL

0.0358 Virulence

SL 0.0426 Amino Acids and Derivatives

SL 0.0444 RNA Metabolism

SL 0.0460 Respiration

SL 0.0465 Virulence

SL	0.0465 Protein Metabolism
----	---------------------------

For Peer Review Only

SL	0.0488 Metabolism of Aromatic Compounds
SN	0.0472 Stress Response

Subsystem Hierarchy 2

Cell cycle in Prokaryota

Di- and oligosaccharides

Capsular and extracellular polysacchrides

Pyrimidines

Di- and oligosaccharides
Resistance to antibiotics and toxic compounds
Cell cycle in Prokaryota

For Peer Review Only

Fermentation

For Peer Review Only

Fatty acid metabolic cluster

Glutamine, glutamate, aspartate, asparagine; ammonia assimilation

Monosaccharides

Sugar alcohols

Capsular and extracellular polysacchrides

Gram-Negative cell wall components

Sarcosine oxidase

Unclassified

Unclassified

Arginine; urea cycle, polyamines

Unclassified

Folate and pterines

Unclassified

For Peer Review Only

Phospholipids

For Peer Review Only

Di- and oligosaccharides

Unclassified

Resistance to antibiotics and toxic compounds

For Peer Review Only

Cytochrome biogenesis

Iron Scavenging Mechanisms

Osmotic stress

Putative associate of RNA polymerase sigma-54 factor rpoN

Tricarboxylate transporter

Sugar alcohols

Type III, Type IV, ESAT secretion systems

For Peer Review Only

Alanine, serine, and glycine

Transcription

Electron accepting reactions

Resistance to antibiotics and toxic compounds

For Peer Review Only

Protein biosynthesis

For Peer Review Only

Metabolism of central aromatic intermediates

Unclassified

Subsystem Name	CONTROL Relative abundance
Bacterial Cell Division	0.00
Maltose and Maltodextrin Utilization	0.07
Lipid A modifications	0.00
Pyrimidine utilization	0.00

Sucrose Metabolism	0.13
Beta-lactamase	0.44
Bacterial Cell Division	0.00

For Peer Review Only

For Peer Review Only

CBSS-218491.3.peg.427	0.06
Glutamine synthetases	0.00

D-galactarate, D-glucarate and D-glycerate catabolism	0.00
---	------

Di-Inositol-Phosphate biosynthesis	0.00
Lipid A modifications	0.00
Major Outer Membrane Proteins	0.00

CBSS-188.1.peg.6170	0.00
Transport of Molybdenum	0.00

Two-component sensor regulator linked to Carbon Starvation Protein A	0.00
Arginine and Ornithine Degradation	0.00

Choline Transport	0.00
-------------------	------

Pterin metabolism 3	0.00
---------------------	------

Branched chain amino acid degradation regulons	0.00
--	------

For Peer Review Only

For Peer Review Only

Maltose and Maltodextrin Utilization	0.07
--------------------------------------	------

Benzoate transport and degradation cluster	0.00
--	------

Resistance to fluoroquinolones	0.00
--------------------------------	------

CBSS-196164.1.peg.1690	0.13
------------------------	------

Pyoverdine biosynthesis new	0.00
-----------------------------	------

Synthesis of osmoregulated periplasmic glucans	0.00
--	------

CBSS-316057.3.peg.1308	0.13
------------------------	------

CBSS-49338.1.peg.459	0.00
----------------------	------

Glycerol and Glycerol-3-phosphate Uptake and Utilization	0.00
--	------

Type IV pilus	0.07
---------------	------

Serine Biosynthesis 0.00

Transcription factors cyanobacterial RpoD-like sigma factors 0.58

Terminal cytochrome C oxidases	0.84
--------------------------------	------

Cobalt-zinc-cadmium resistance	0.25
--------------------------------	------

Ribosome SSU bacterial	2.06
------------------------	------

For Peer Review Only

Phenylacetate pathway of aromatic compound degradation	0.00
Copper homeostasis	0.64

fragment	organism
None	

NA

None

None

--

NA
NA
None

For Peer Review Only

NA

For Peer Review Only

NA
None
None
None
None
None
None
None
None
None
None
None

None

None

None

For Peer Review Only

4451548.3 GLP7T0L01AO7AP Clostridium botulinum (strain Alaska E43 / Type E3)

For Peer Review Only

NA

None

None

For Peer Review Only

NA

None

None

None

None

None

4451547.3 GLP7T0L01C2E4W	Anabaena variabilis ATCC 29413
4451547.3 GLP7T0L01BC61H	Trichodesmium erythraeum IMS101
4451547.3 GLP7T0L01CW8DA	Cyanothece sp. PCC 8801
4451547.3 GLP7T0L01CW8DA	Cyanothece sp. PCC 8801
4451547.3 GLP7T0L01BI96X	Thermosynechococcus elongatus BP-1
4451548.3 GLP7T0L01C7MDW	Nostoc punctiforme PCC 73102
4451548.3 GLP7T0L01C4CO9	Anabaena variabilis ATCC 29413
4451548.3 GLP7T0L01DO9Z9	Trichodesmium erythraeum IMS101
4451547.3 GLP7T0L01BEHPR	Anabaena variabilis ATCC 29413

None

4451546.3 GLP7T0L01DGH06	Crocospaera watsonii WH 8501
4451547.3 GLP7T0L01A1CAI	Thermosynechococcus elongatus BP-1
4451547.3 GLP7T0L01EYMX8	Trichodesmium erythraeum IMS101
4451547.3 GLP7T0L01D4G1B	Maribacter sp. HTCC2170
4451548.3 GLP7T0L01DE2TI	Synechococcus elongatus PCC 7942

4451548.3 GLP7T0L01AL1I2	Synechococcus elongatus PCC 7942
4451548.3 GLP7T0L01D1I7N	Cyanothece sp. PCC 7424
4451547.3 GLP7T0L01A1CAI	Cyanothece sp. PCC 7424
<hr/>	
4451547.3 GLP7T0L01C3Q0E	Microcystis aeruginosa NIES-843
4451547.3 GLP7T0L01EQFSU	Chitinophaga pinensis DSM 2588
4451548.3 GLP7T0L01DPFP4	Geobacter metallireducens (strain GS-15 / ATCC 53774 / DSM 7210)

NA

For Peer Review Only

4451547.3 GLP7T0L01C0P3T	<i>Thermosynechococcus elongatus</i> BP-1
4451547.3 GLP7T0L01CM0UL	<i>Mycoplasma bovis</i> PG45
4451547.3 GLP7T0L01BLIF5	<i>Syntrophobacter fumaroxidans</i> MPOB
4451547.3 GLP7T0L01B162W	<i>Polaromonas</i> sp. JS666
4451547.3 GLP7T0L01AWTD0	<i>Anabaena variabilis</i> ATCC 29413
4451547.3 GLP7T0L01BQXAI	<i>Anabaena variabilis</i> ATCC 29413
4451547.3 GLP7T0L01BQXAI	<i>Anabaena variabilis</i> ATCC 29413
4451547.3 GLP7T0L01CQ\$56	<i>Flavobacterium psychrophilum</i> JIP02/86
4451548.3 GLP7T0L01D58NM	<i>Bacteroides thetaiotaomicron</i> VPI-5482
4451548.3 GLP7T0L01D7IDN	<i>Odontella sinensis</i> (Marine centric diatom) (<i>Biddulphia sinensis</i>)
4451548.3 GLP7T0L01CLEFI	<i>Moorella thermoacetica</i> ATCC 39073
4451548.3 GLP7T0L01A4P52	<i>Idiomarina loihiensis</i> L2TR
4451548.3 GLP7T0L01DKEK6	<i>Cyanothece</i> sp. PCC 7425
4451548.3 GLP7T0L01EOQB4	<i>Synechocystis</i> sp. PCC 6803
4451548.3 GLP7T0L01E4M7U	<i>Cyanothece</i> sp. PCC 8801
4451546.3 GLP7T0L01DXVN9	<i>Anabaena variabilis</i> ATCC 29413
4451546.3 GLP7T0L01CNFZ2	<i>Streptococcus pyogenes</i> MGAS9429 (serotype M12)

None

4451547.3 GLP7T0L01BB1GN	<i>Methylobacillus flagellatus</i> KT
4451547.3 GLP7T0L01BNN00	<i>Lactobacillus gasseri</i> ATCC 33323

SEED ID

For Peer Review Only

For Peer Review Only

For Peer Review Only

For Peer Review Only

For Peer Review Only

For Peer Review Only

fig|508767.4.peg.1922

For Peer Review Only

For Peer Review Only

For Peer Review Only

For Peer Review Only

fig|240292.3.peg.1529
fig|203124.1.peg.4584
fig|41431.3.peg.337
fig|41431.3.peg.337
fig|197221.1.peg.122
fig|63737.4.peg.707
fig|240292.3.peg.883
fig|203124.1.peg.4675
fig|240292.3.peg.883

For Peer Review Only

fig|165597.1.peg.4227
fig|197221.1.peg.264
fig|203124.1.peg.5211
fig|313603.3.peg.757
fig|1140.3.peg.881

fig|269084.3.peg.123

fig|65393.5.peg.2897

fig|65393.5.peg.2897

fig|449447.3.peg.2110

fig|485918.5.peg.3066

fig|269799.3.peg.279

For Peer Review Only

fig|197221.1.peg.94
fig|347257.4.peg.550
fig|335543.6.peg.2185
fig|296591.1.peg.2817
fig|240292.3.peg.2134
fig|240292.3.peg.2134
fig|240292.3.peg.2134
fig|402612.4.peg.449
fig|226186.1.peg.2785
fig|2839.1.peg.138
fig|264732.9.peg.2496
fig|283942.3.peg.432
fig|395961.4.peg.1270
fig|1148.1.peg.747
fig|41431.3.peg.1896
fig|240292.3.peg.1205
fig|370553.3.peg.46

fig|265072.7.peg.638
fig|324831.10.peg.1704

function

For Peer Review Only

For Peer Review Only

For Peer Review Only

For Peer Review Only

For Peer Review Only

Alcohol dehydrogenase (EC 1.1.1.1); Acetaldehyde dehydrogenase (EC 1.2.1.10)

For Peer Review Only

For Peer Review Only

For Peer Review Only

For Peer Review Only

Multimodular transpeptidase-transglycosylase (EC 2.4.1.129) (EC 3.4.-.)
Multimodular transpeptidase-transglycosylase (EC 2.4.1.129) (EC 3.4.-.)
Multimodular transpeptidase-transglycosylase (EC 2.4.1.129) (EC 3.4.-.)
Multimodular transpeptidase-transglycosylase (EC 2.4.1.129) (EC 3.4.-.)
Type IV fimbrial assembly, ATPase PilB
Type IV pilin PilA
Type IV pilus biogenesis protein PilE
Type IV pilin PilA
Type IV pilus biogenesis protein PilE

For Peer Review Only

Cyanobacteria-specific RpoD-like sigma factor, type-7

Cyanobacteria-specific RpoD-like sigma factor, type-2 @ Group 2 RNA polymerase sigma factor

Cyanobacteria-specific RpoD-like sigma factor, type-2 @ Group 2 RNA polymerase sigma factor

RNA polymerase sigma factor RpoD

Cyanobacteria-specific RpoD-like sigma factor, type-2 @ Group 2 RNA polymerase sigma factor

Group 2 RNA polymerase sigma factor @ Cyanobacteria-specific RpoD-like sigma factor, type-7
Cyanobacteria-specific RpoD-like sigma factor, type-3 @ Group 2 RNA polymerase sigma factor
Cyanobacteria-specific RpoD-like sigma factor, type-3 @ Group 2 RNA polymerase sigma factor

Cytochrome c oxidase polypeptide II (EC 1.9.3.1)
Alternative cytochrome c oxidase polypeptide CoxP (EC 1.9.3.1)
Cytochrome c oxidase polypeptide I (EC 1.9.3.1)

For Peer Review Only

SSU ribosomal protein S8p (S15Ae)
SSU ribosomal protein S13p (S18e)
SSU ribosomal protein S1p
SSU ribosomal protein S1p
SSU ribosomal protein S7p (S5e)
SSU ribosomal protein S7p (S5e)
SSU ribosomal protein S7p (S5e)
SSU ribosomal protein S2p (SAe)
SSU ribosomal protein S15p (S13e)
SSU ribosomal protein S2p (SAe), chloroplast
SSU ribosomal protein S7p (S5e)
SSU ribosomal protein S7p (S5e)
SSU ribosomal protein S3p (S3e)
SSU ribosomal protein S11p (S14e)
SSU ribosomal protein S20p
SSU ribosomal protein S11p (S14e)
SSU ribosomal protein S10p (S20e)

Type cbb3 cytochrome oxidase biogenesis protein Ccol; Copper-translocating P-type ATPase (EC 3.6.3.4)
Lead, cadmium, zinc and mercury transporting ATPase (EC 3.6.3.3) (EC 3.6.3.5); Copper-translocating P-type ATPase

e-value	score	identity	TREATMENT	
			Relative abundance	fragment
0.32			4451573.3	GLP7T0L02F99RW
			4451573.3	GLP7T0L02GKWRV
			4451573.3	GLP7T0L02HIW05
			4451573.3	GLP7T0L02GL8X6
			4451573.3	GLP7T0L02JPP6J
			4451573.3	GLP7T0L02GR7FO
			4451573.3	GLP7T0L02G8E5S
			4451573.3	GLP7T0L02JOWOB
			4451573.3	GLP7T0L02IWQIW
			4451573.3	GLP7T0L02JF07F
			4451573.3	GLP7T0L02JNJH9
			4451573.3	GLP7T0L02FQ6NK
			4451573.3	GLP7T0L02FUJQG
			4451573.3	GLP7T0L02GOE23
			4451573.3	GLP7T0L02FM077
			4451573.3	GLP7T0L02HSUAM
			4451573.3	GLP7T0L02GV9NK
			4451573.3	GLP7T0L02FIG8Q
			4451573.3	GLP7T0L02IIUQ3
			4451573.3	GLP7T0L02HFJIV
			4451573.3	GLP7T0L02IMRSO
			4451573.3	GLP7T0L02HDOUO
			4451573.3	GLP7T0L02FRU33
			4451582.3	GLP7T0L01DKD9O
0.36			4451573.3	GLP7T0L02FV9YC
			4451573.3	GLP7T0L02IK662
			4451573.3	GLP7T0L02I4UCJ
			4451573.3	GLP7T0L02IOTLK
			4451573.3	GLP7T0L02I3Y94
			4451573.3	GLP7T0L02IYK62
			4451573.3	GLP7T0L02GF03U
			4451573.3	GLP7T0L02HIPEX
			4451574.3	GLP7T0L02JJOUN
			4451574.3	GLP7T0L02FHUU9
0.12			4451573.3	GLP7T0L02HTXK5
			4451573.3	GLP7T0L02I5870
			4451573.3	GLP7T0L02JS4ZN
			4451573.3	GLP7T0L02I5870
			4451573.3	GLP7T0L02I5870
0.12			4451573.3	GLP7T0L02F13E8
			4451573.3	GLP7T0L02HGFKJ
			4451573.3	GLP7T0L02HD7P8
			4451573.3	GLP7T0L02GI6OX
			4451573.3	GLP7T0L02FX84H

0.42	4451573.3	GLP7T0L02HAWUX
0.00	None	
0.37	4451579.3	GLP7T0L02F3ZGO
	4451579.3	GLP7T0L02ILC7F
	4451579.3	GLP7T0L02GGF1N
	4451579.3	GLP7T0L02IQRDF
	4451579.3	GLP7T0L02FXMTR
	4451579.3	GLP7T0L02HGPA4
	4451579.3	GLP7T0L02HP1FO
	4451579.3	GLP7T0L02IGMOE
	4451579.3	GLP7T0L02GIDSO
	4451579.3	GLP7T0L02GZX8G
	4451579.3	GLP7T0L02IXO01
	4451579.3	GLP7T0L02ISPI9
	4451579.3	GLP7T0L02I6MZS
	4451579.3	GLP7T0L02FOVTS
	4451579.3	GLP7T0L02GJKKT
	4451579.3	GLP7T0L02IGE76
	4451579.3	GLP7T0L02FYDPN
	4451579.3	GLP7T0L02IM372
	4451579.3	GLP7T0L02FVM5W
	4451579.3	GLP7T0L02JCRXU
	4451579.3	GLP7T0L02J1QLM
	4451579.3	GLP7T0L02J0H9R
	4451579.3	GLP7T0L02FP6AB
	4451579.3	GLP7T0L02GH6QD
	4451579.3	GLP7T0L02FX9S7
	4451579.3	GLP7T0L02GOBFM
	4451579.3	GLP7T0L02JMWVN
	4451579.3	GLP7T0L02IISLO
	4451579.3	GLP7T0L02JQ7EG
	4451579.3	GLP7T0L02IWDSC
	4451579.3	GLP7T0L02HUPVM
	4451579.3	GLP7T0L02FRAJC
	4451579.3	GLP7T0L02HN3R6
	4451579.3	GLP7T0L02J2J3G
	4451579.3	GLP7T0L02HJ8MJ
	4451579.3	GLP7T0L02JC1VU
	4451578.3	GLP7T0L02GT0FJ
	4451578.3	GLP7T0L02GVQQS
	4451578.3	GLP7T0L02GK32V
	4451578.3	GLP7T0L02IIFQA
	4451578.3	GLP7T0L02G1HIK
	4451578.3	GLP7T0L02H730I
	4451578.3	GLP7T0L02HFDTY
	4451578.3	GLP7T0L02FWM0J

4451578.3 GLP7T0L02IW5AV
4451578.3 GLP7T0L02GHJLS
4451578.3 GLP7T0L02H9J4Y

0.65 4451579.3 GLP7T0L02HRPX1
4451579.3 GLP7T0L02I7J49
4451579.3 GLP7T0L02HHDWU
4451579.3 GLP7T0L02IXZB9
4451579.3 GLP7T0L02I3H1I
4451579.3 GLP7T0L02HW47T
4451579.3 GLP7T0L02H8YMP
4451579.3 GLP7T0L02GQVQU
4451579.3 GLP7T0L02GSWIT
4451579.3 GLP7T0L02I1OS5
4451579.3 GLP7T0L02ISMGN
4451579.3 GLP7T0L02HZXP0
4451579.3 GLP7T0L02IKCZR
4451579.3 GLP7T0L02HKO1U
4451579.3 GLP7T0L02HCP4D
4451579.3 GLP7T0L02GS6R2
4451579.3 GLP7T0L02H3ISM
4451579.3 GLP7T0L02GS6UJ
4451579.3 GLP7T0L02IRE0Q
4451579.3 GLP7T0L02JJHDR
4451579.3 GLP7T0L02F6D91
4451579.3 GLP7T0L02FQI7C
4451579.3 GLP7T0L02G03J0
4451579.3 GLP7T0L02IGZME
4451579.3 GLP7T0L02IYSLG
4451579.3 GLP7T0L02FLJ5B
4451579.3 GLP7T0L02FUB68
4451579.3 GLP7T0L02FO4M1
4451579.3 GLP7T0L02IJE2O
4451579.3 GLP7T0L02JD02A
4451579.3 GLP7T0L02HH96T
4451579.3 GLP7T0L02GLD0O
4451579.3 GLP7T0L02GIY3C
4451579.3 GLP7T0L02J1JJE
4451579.3 GLP7T0L02HEV6D
4451579.3 GLP7T0L02HIYOE
4451579.3 GLP7T0L02JGRMC
4451579.3 GLP7T0L02G2U1E
4451579.3 GLP7T0L02JA1NY
4451579.3 GLP7T0L02HDOJO
4451579.3 GLP7T0L02G6HTY
4451579.3 GLP7T0L02J31NG
4451579.3 GLP7T0L02GDULC
4451579.3 GLP7T0L02GA70Y

For Peer Review

	4451578.3 GLP7T0L02IVMN3
	4451578.3 GLP7T0L02IFHQ9
	4451578.3 GLP7T0L02GFJEZ
	4451578.3 GLP7T0L02F80JW
	4451578.3 GLP7T0L02JJ1HR
	4451578.3 GLP7T0L02FS6PG
0.66	NA
0.06	4451579.3 GLP7T0L02I27RF
	4451579.3 GLP7T0L02F7V18
	4451579.3 GLP7T0L02JL6HI
	4451579.3 GLP7T0L02HB7LA
	4451579.3 GLP7T0L02JAPWO
	4451578.3 GLP7T0L02G8IGL
	4451578.3 GLP7T0L02IXK06
0.06	4451579.3 GLP7T0L02JCNRK
	4451579.3 GLP7T0L02GTK29
	4451579.3 GLP7T0L02I0CIQ
	4451578.3 GLP7T0L02GCQA3
0.06	NA
0.06	NA
0.06	4451578.3 GLP7T0L02IMZZB
	4451579.3 GLP7T0L02IR2OC
	4451579.3 GLP7T0L02HQDNO
	4451579.3 GLP7T0L02H5SDJ
	4451578.3 GLP7T0L02IMZZB
	4451579.3 GLP7T0L02HQDNO
0.06	NA
0.06	4451579.3 GLP7T0L02FY8OQ
	4451579.3 GLP7T0L02GVP03
	4451579.3 GLP7T0L02JZQ9H
	4451579.3 GLP7T0L02IJM2S
	4451578.3 GLP7T0L02HK9HC
0.06	NA
0.13	4451579.3 GLP7T0L02I5GIA
	4451579.3 GLP7T0L02F4ENP
	4451579.3 GLP7T0L02IVF4Q
	4451579.3 GLP7T0L02GG53S
	4451579.3 GLP7T0L02IGEUG
	4451579.3 GLP7T0L02IEZMT
	4451579.3 GLP7T0L02IZVQP
	4451579.3 GLP7T0L02JFOBJ
	4451579.3 GLP7T0L02JRDRC
	4451579.3 GLP7T0L02IRZY6
	4451579.3 GLP7T0L02GUGMQ
	4451579.3 GLP7T0L02HY81R
	4451579.3 GLP7T0L02IZLJ7
	4451579.3 GLP7T0L02H6T6D

	4451579.3 GLP7T0L02HDL9J
	4451579.3 GLP7T0L02JV8CC
	4451579.3 GLP7T0L02GLJ23
	4451579.3 GLP7T0L02H2K1X
	4451579.3 GLP7T0L02JV807
	4451579.3 GLP7T0L02GHPVT
	4451578.3 GLP7T0L02JAF5Z
	4451578.3 GLP7T0L02IABKA
	4451578.3 GLP7T0L02JH0GT
	4451578.3 GLP7T0L02I8BNQ
	4451578.3 GLP7T0L02G6XOV
0.13	4451579.3 GLP7T0L02G21EW
	4451579.3 GLP7T0L02ITZ5D
	4451578.3 GLP7T0L02HNMM9
0.19	4451579.3 GLP7T0L02JQZD2
	4451579.3 GLP7T0L02JR5ZM
	4451579.3 GLP7T0L02GES7O
	4451579.3 GLP7T0L02IVU7E
	4451579.3 GLP7T0L02HK0ZA
	4451579.3 GLP7T0L02FMLZR
	4451579.3 GLP7T0L02JQ8PB
	4451579.3 GLP7T0L02I75TG
	4451579.3 GLP7T0L02JLZA6
	4451579.3 GLP7T0L02JIT3P
	4451579.3 GLP7T0L02F9PB5
	4451579.3 GLP7T0L02FF5QS
	4451579.3 GLP7T0L02G5RC3
	4451579.3 GLP7T0L02I93CS
	4451579.3 GLP7T0L02FMGV7
	4451579.3 GLP7T0L02FVP7W
	4451579.3 GLP7T0L02GWDR4
	4451579.3 GLP7T0L02JC30F
	4451579.3 GLP7T0L02GWDR4
	4451579.3 GLP7T0L02HZOE9
	4451579.3 GLP7T0L02F5ARG
	4451579.3 GLP7T0L02IX4YT
	4451579.3 GLP7T0L02FWVYI
	4451579.3 GLP7T0L02FJU5Z
	4451578.3 GLP7T0L02JKHZS
	4451578.3 GLP7T0L02JME7W
	4451578.3 GLP7T0L02ICSE1
	4451578.3 GLP7T0L02HJ3QO
	4451578.3 GLP7T0L02GXWQW
	4451578.3 GLP7T0L02JTAHL
0.25	4451578.3 GLP7T0L02H3AHZ
	4451578.3 GLP7T0L02IAHO2
	4451578.3 GLP7T0L02H1FF3

4451578.3 GLP7T0L02F80JW
4451578.3 GLP7T0L02H37L8
4451579.3 GLP7T0L02IEAIZ
4451579.3 GLP7T0L02IO1G2
4451579.3 GLP7T0L02H0B0N
4451579.3 GLP7T0L02HMK0L
4451579.3 GLP7T0L02HHDWU
4451579.3 GLP7T0L02IXZB9
4451579.3 GLP7T0L02GES7O
4451579.3 GLP7T0L02FO4LO
4451579.3 GLP7T0L02H4HF0
4451579.3 GLP7T0L02HSGO9
4451579.3 GLP7T0L02H8YMP
4451579.3 GLP7T0L02I1OS5
4451579.3 GLP7T0L02JMPN5
4451579.3 GLP7T0L02INK7U
4451579.3 GLP7T0L02JICBV
4451579.3 GLP7T0L02IME7X
4451579.3 GLP7T0L02HKO1U
4451579.3 GLP7T0L02IN339
4451579.3 GLP7T0L02FP7T6
4451579.3 GLP7T0L02IQYL8
4451579.3 GLP7T0L02HA8JM
4451579.3 GLP7T0L02JJHDR
4451579.3 GLP7T0L02G4QRY
4451579.3 GLP7T0L02HAFET
4451579.3 GLP7T0L02IFRWK
4451579.3 GLP7T0L02IYSLG
4451579.3 GLP7T0L02JV1QS
4451579.3 GLP7T0L02GYKE8
4451579.3 GLP7T0L02I93CS
4451579.3 GLP7T0L02JD02A
4451579.3 GLP7T0L02GBDEI
4451579.3 GLP7T0L02HZDE8
4451579.3 GLP7T0L02GLD0O
4451579.3 GLP7T0L02HVRD9
4451579.3 GLP7T0L02HEV6D
4451579.3 GLP7T0L02F80KS
4451579.3 GLP7T0L02G2U1E
4451579.3 GLP7T0L02JTBAU
4451579.3 GLP7T0L02H3E1U
4451579.3 GLP7T0L02I1I2C
4451579.3 GLP7T0L02H5Q56
4451579.3 GLP7T0L02HK3KD
4451579.3 GLP7T0L02G9ZV9
4451579.3 GLP7T0L02G0GVS
4451579.3 GLP7T0L02GT09D

			4451579.3 GLP7T0L02F8TCC
			4451579.3 GLP7T0L02F8DGZ
			4451579.3 GLP7T0L02G2AIL
			4451579.3 GLP7T0L02G2F2O
3.00E-07	53 bits (138)	30/41 (73%)	0.46 4451579.3 GLP7T0L02IA07V
			4451579.3 GLP7T0L02INR2Q
			4451579.3 GLP7T0L02HEF4J
			4451579.3 GLP7T0L02FT5BV
			4451579.3 GLP7T0L02H0ESE
			4451579.3 GLP7T0L02J4P3T
			4451579.3 GLP7T0L02INZBT
			4451579.3 GLP7T0L02HGNQA
			4451579.3 GLP7T0L02HZVFO
			4451579.3 GLP7T0L02F0L4G
			4451579.3 GLP7T0L02GSB7F
			4451579.3 GLP7T0L02H834B
			4451579.3 GLP7T0L02G1QR8
			4451579.3 GLP7T0L02IB1YB
			4451579.3 GLP7T0L02GZQUS
			4451579.3 GLP7T0L02GPK8A
			4451579.3 GLP7T0L02GLRP0
			4451579.3 GLP7T0L02G65DX
			4451579.3 GLP7T0L02GIIZD
			4451579.3 GLP7T0L02HOFYO
			4451579.3 GLP7T0L02H0UJZ
			4451579.3 GLP7T0L02G3JSK
			4451579.3 GLP7T0L02I3T4G
			4451579.3 GLP7T0L02JL9K5
			4451579.3 GLP7T0L02HBEBR
			4451579.3 GLP7T0L02HRA9H
			4451579.3 GLP7T0L02IXDNI
			4451579.3 GLP7T0L02GTAAV
			4451579.3 GLP7T0L02I246N
			4451579.3 GLP7T0L02GU83I
			4451579.3 GLP7T0L02F1KDY
			4451579.3 GLP7T0L02HY5A2
			4451579.3 GLP7T0L02GZ644
			4451579.3 GLP7T0L02HX15R
			4451579.3 GLP7T0L02H7JO1
			4451579.3 GLP7T0L02HC4FR
			4451579.3 GLP7T0L02H4U1S
			4451579.3 GLP7T0L02JAO9M
			4451578.3 GLP7T0L02GWN1G
			4451578.3 GLP7T0L02GPELO
			4451578.3 GLP7T0L02IOFF2
			4451578.3 GLP7T0L02FLIND
			4451578.3 GLP7T0L02FJGKI

4451578.3 GLP7T0L02GEFHQ

0.48 4451579.3 GLP7T0L02HQQXR

4451579.3 GLP7T0L02HNYJY

4451579.3 GLP7T0L02JEYON

4451579.3 GLP7T0L02I3MR2

4451579.3 GLP7T0L02F6D79

4451579.3 GLP7T0L02H6AEK

4451579.3 GLP7T0L02HWE9Q

4451579.3 GLP7T0L02I1E1H

4451579.3 GLP7T0L02IG5QT

4451579.3 GLP7T0L02FRRNI

4451579.3 GLP7T0L02IL8AG

4451579.3 GLP7T0L02F8CJ2

4451579.3 GLP7T0L02GSPBL

4451579.3 GLP7T0L02FJPYU

4451579.3 GLP7T0L02H0ROM

4451579.3 GLP7T0L02JEH64

4451579.3 GLP7T0L02GZAEP

0.18 4451579.3 GLP7T0L02I66XH

4451579.3 GLP7T0L02FT98Z

4451579.3 GLP7T0L02HHLUG

4451579.3 GLP7T0L02JTD4B

4451579.3 GLP7T0L02H0SC2

4451579.3 GLP7T0L02G4O6N

4451579.3 GLP7T0L02IZHUH

4451579.3 GLP7T0L02FYRYZ

4451579.3 GLP7T0L02GI59K

4451579.3 GLP7T0L02JTBAU

4451579.3 GLP7T0L02GIIM1

4451579.3 GLP7T0L02G4Z81

4451579.3 GLP7T0L02G2F2O

4451578.3 GLP7T0L02GG61Y

4451578.3 GLP7T0L02HJZC8

4451578.3 GLP7T0L02JMY18

0.18 4451579.3 GLP7T0L02IZGAD

4451579.3 GLP7T0L02IP0BU

4451579.3 GLP7T0L02H2591

4451579.3 GLP7T0L02GFZCU

4451579.3 GLP7T0L02GGLA5

4451579.3 GLP7T0L02G2SU2

4451579.3 GLP7T0L02FX06S

4451579.3 GLP7T0L02I413I

4451579.3 GLP7T0L02FL5WC

4451579.3 GLP7T0L02FHL82

4451579.3 GLP7T0L02H6V9Z

4451579.3 GLP7T0L02GSLWF

4451579.3 GLP7T0L02F5PFY

	4451579.3 GLP7T0L02JNIIV
	4451579.3 GLP7T0L02JC8XX
	4451579.3 GLP7T0L02F15W5
	4451579.3 GLP7T0L02HAZBW
	4451578.3 GLP7T0L02HBA8H
	4451578.3 GLP7T0L02G86XH
	4451578.3 GLP7T0L02I3Y81
	4451578.3 GLP7T0L02I1N3A
0.47	4451579.3 GLP7T0L02GLY2B
	4451579.3 GLP7T0L02F9XSV
	4451579.3 GLP7T0L02IHV2Z
	4451579.3 GLP7T0L02FFD5V
	4451579.3 GLP7T0L02HS1ZB
	4451579.3 GLP7T0L02GKUTA
	4451579.3 GLP7T0L02IH8X7
	4451579.3 GLP7T0L02GAL2H
	4451578.3 GLP7T0L02GTLQD
	4451578.3 GLP7T0L02I4FQV
0.30	NA
0.26	4451579.3 GLP7T0L02FW0R5
	4451579.3 GLP7T0L02INOHF
	4451579.3 GLP7T0L02F0KE8
	4451579.3 GLP7T0L02FM0TR
	4451579.3 GLP7T0L02FMEOG
	4451579.3 GLP7T0L02I5BU0
	4451579.3 GLP7T0L02H0TTS
	4451579.3 GLP7T0L02JVWQM
	4451579.3 GLP7T0L02FGFNO
	4451579.3 GLP7T0L02IIH8Y
	4451578.3 GLP7T0L02IVK4Y
	4451578.3 GLP7T0L02JK69I
0.76	4451579.3 GLP7T0L02F9LXF
	4451579.3 GLP7T0L02IZE19
	4451579.3 GLP7T0L02GOBSJ
	4451579.3 GLP7T0L02HCUF6
	4451579.3 GLP7T0L02HXP04
	4451579.3 GLP7T0L02ISKBC
	4451579.3 GLP7T0L02JATHH
	4451579.3 GLP7T0L02ISI9S
	4451579.3 GLP7T0L02I3K3Z
	4451579.3 GLP7T0L02GZKBQ
	4451579.3 GLP7T0L02F1NTL
	4451578.3 GLP7T0L02FWMOC
	4451578.3 GLP7T0L02JA2X9
0.46	4451579.3 GLP7T0L02IYXG5
	4451579.3 GLP7T0L02I86QL
	4451579.3 GLP7T0L02JLFN5

4451579.3 GLP7TOL02JP44K
 4451579.3 GLP7TOL02ITIXI
 4451579.3 GLP7TOL02ITF4W
 4451579.3 GLP7TOL02HA4L1
 4451579.3 GLP7TOL02FZERU
 4451578.3 GLP7TOL02IYXLU
 4451578.3 GLP7TOL02H6VJE
 4451578.3 GLP7TOL02I60XF
 4451578.3 GLP7TOL02IJQXO

0.20 4451578.3 GLP7TOL02HRTSQ
 4451578.3 GLP7TOL02HZJ5C
 4451578.3 GLP7TOL02GPELO
 4451578.3 GLP7TOL02IOFF2
 4451579.3 GLP7TOL02H0ESE
 4451579.3 GLP7TOL02J4P3T
 4451579.3 GLP7TOL02JH08A
 4451579.3 GLP7TOL02HZVFO
 4451579.3 GLP7TOL02HK339
 4451579.3 GLP7TOL02IB1YB
 4451579.3 GLP7TOL02JRIR3
 4451579.3 GLP7TOL02I6SK4
 4451579.3 GLP7TOL02JFTUV
 4451579.3 GLP7TOL02G65DX
 4451579.3 GLP7TOL02GQFNY
 4451579.3 GLP7TOL02II2LI
 4451579.3 GLP7TOL02II2LI
 4451579.3 GLP7TOL02G7920
 4451579.3 GLP7TOL02G3JSK
 4451579.3 GLP7TOL02JL9K5
 4451579.3 GLP7TOL02HBEBR
 4451579.3 GLP7TOL02JAX5I
 4451579.3 GLP7TOL02JGDZQ
 4451579.3 GLP7TOL02IMO1B
 4451579.3 GLP7TOL02H4QKU
 4451579.3 GLP7TOL02J17P3
 4451579.3 GLP7TOL02IRT25
 4451579.3 GLP7TOL02HX15R

3.00E-03 40 bits (103) 19/21 (90%)
 1.00E-38 158 bits (407) 74/104 (71%)
 6.00E-05 46 bits (118) 21/27 (78%)
 6.00E-05 46 bits (118) 21/27 (78%)
 2.00E-47 187 bits (481) 93/104 (89%)
 4.00E-13 73 bits (188) 36/51 (71%)
 5.00E-09 59 bits (153) 33/36 (92%)
 4.00E-05 46 bits (119) 22/29 (76%)
 3.00E-07 53 bits (138) 27/39 (69%)

0.36 4451579.3 GLP7TOL02JS3VO
 4451579.3 GLP7TOL02JPYD3
 4451579.3 GLP7TOL02FK7LK
 4451579.3 GLP7TOL02JTQDL
 4451579.3 GLP7TOL02H1ALW
 4451579.3 GLP7TOL02F75RC
 4451579.3 GLP7TOL02G23UY
 4451579.3 GLP7TOL02H4K36
 4451579.3 GLP7TOL02FHLCE
 4451579.3 GLP7TOL02GRDMG

			4451579.3 GLP7T0L02FZJT9
			4451579.3 GLP7T0L02H42E4
			4451579.3 GLP7T0L02HIOUI
			4451579.3 GLP7T0L02JJHCS
			4451579.3 GLP7T0L02H0M52
			4451579.3 GLP7T0L02IENTM
			4451579.3 GLP7T0L02FTCTG
			4451579.3 GLP7T0L02IZ81I
			4451579.3 GLP7T0L02HL2KS
			4451579.3 GLP7T0L02IJFVC
			4451579.3 GLP7T0L02I4DMS
			4451579.3 GLP7T0L02IDKJJ
			4451579.3 GLP7T0L02HG1BI
			4451579.3 GLP7T0L02FRBDZ
			4451579.3 GLP7T0L02G37I6
			4451578.3 GLP7T0L02FTB1C
			4451578.3 GLP7T0L02JHX3M
<hr/>			
	0.29		4451579.3 GLP7T0L02HIHNM
			4451579.3 GLP7T0L02JP54Z
			4451579.3 GLP7T0L02H3C2K
			4451579.3 GLP7T0L02GHTRS
			4451579.3 GLP7T0L02I5R57
			4451579.3 GLP7T0L02I1MIX
			4451579.3 GLP7T0L02G6UCP
			4451579.3 GLP7T0L02H5ABV
			4451579.3 GLP7T0L02FUG54
			4451579.3 GLP7T0L02H932O
			4451579.3 GLP7T0L02GUDOS
			4451579.3 GLP7T0L02IUY86
			4451579.3 GLP7T0L02GXALY
			4451579.3 GLP7T0L02IVV1X
			4451579.3 GLP7T0L02HOUMA
			4451579.3 GLP7T0L02F4CLU
			4451579.3 GLP7T0L02GF9P7
			4451579.3 GLP7T0L02IQO56
			4451579.3 GLP7T0L02H3C2K
			4451579.3 GLP7T0L02IPY5K
			4451579.3 GLP7T0L02IIGKL
			4451579.3 GLP7T0L02G1N2L
			4451579.3 GLP7T0L02H4Z4Z
			4451578.3 GLP7T0L02HWQKK
			4451578.3 GLP7T0L02G6IQ1
<hr/>			
6.00E-03	39 bits (101)	21/28 (75%)	0.14 4451579.3 GLP7T0L02JIAZO
3.00E-17	86 bits (223)	44/70 (63%)	4451579.3 GLP7T0L02IZGBD
5.00E-10	62 bits (161)	32/38 (84%)	4451579.3 GLP7T0L02GI3O5
2.00E-40	163 bits (421)	85/97 (88%)	4451579.3 GLP7T0L02GOOLU
6.00E-09	59 bits (152)	30/47 (64%)	4451579.3 GLP7T0L02JZDBE

7.00E-06	49 bits (126)	25/31 (81%)		4451579.3	GLP7T0L02HCFLA
2.00E-30	130 bits (336)	61/80 (76%)		4451579.3	GLP7T0L02HJ3FG
4.00E-14	76 bits (196)	38/57 (67%)		4451579.3	GLP7T0L02GMO2P
				4451579.3	GLP7T0L02FPYRC
				4451579.3	GLP7T0L02H68QS
				4451578.3	GLP7T0L02GUMTK
				4451578.3	GLP7T0L02G6T20
3.00E-17	86 bits (223)	37/52 (71%)	0.27	4451578.3	GLP7T0L02HIFL4
8.00E-07	52 bits (134)	23/30 (77%)		4451578.3	GLP7T0L02HRZ8B
3.00E-04	43 bits (112)	18/26 (69%)		4451578.3	GLP7T0L02FGWW3
				4451579.3	GLP7T0L02GQPO6
				4451579.3	GLP7T0L02G9QJR
				4451579.3	GLP7T0L02JMS0F
				4451579.3	GLP7T0L02F93YH
				4451579.3	GLP7T0L02JTC8T
				4451579.3	GLP7T0L02IIE5I
				4451579.3	GLP7T0L02JQ080
				4451579.3	GLP7T0L02GTXGW
				4451579.3	GLP7T0L02ICNVI
				4451579.3	GLP7T0L02H4TC1
				4451579.3	GLP7T0L02GROTZ
				4451579.3	GLP7T0L02FQPID
				4451579.3	GLP7T0L02IV9AT
			0.88	4451578.3	GLP7T0L02GH7VJ
				4451578.3	GLP7T0L02JRQ6Q
				4451578.3	GLP7T0L02JNN9H
				4451578.3	GLP7T0L02JM5NE
				4451578.3	GLP7T0L02G6XSP
				4451579.3	GLP7T0L02JVYSA
				4451579.3	GLP7T0L02FEYUP
				4451579.3	GLP7T0L02G9ADP
				4451579.3	GLP7T0L02G2J36
				4451579.3	GLP7T0L02HNWQQ
				4451579.3	GLP7T0L02JL4M1
				4451579.3	GLP7T0L02I8NIP
				4451579.3	GLP7T0L02JBL7R
				4451579.3	GLP7T0L02I3UNU
				4451579.3	GLP7T0L02FM3R7
				4451579.3	GLP7T0L02I5FK3
				4451579.3	GLP7T0L02HXNFJ
				4451579.3	GLP7T0L02FHBXG
				4451579.3	GLP7T0L02IW9CR
				4451579.3	GLP7T0L02GZ26A
				4451579.3	GLP7T0L02JH87N
				4451579.3	GLP7T0L02FR3PN
				4451579.3	GLP7T0L02G25RI
				4451579.3	GLP7T0L02ITCX3

			4451579.3 GLP7T0L02IDYFM
			4451579.3 GLP7T0L02JZLAO
			4451579.3 GLP7T0L02H5IYL
			4451579.3 GLP7T0L02GOVA8
			4451579.3 GLP7T0L02GP1R1
3.00E-29	126 bits (326)	60/82 (73%)	0.75 4451578.3 GLP7T0L02IOOYZ
7.00E-16	82 bits (211)	38/48 (79%)	4451578.3 GLP7T0L02H401Y
4.00E-10	63 bits (162)	29/49 (59%)	4451578.3 GLP7T0L02HT8ZC
1.00E-04	44 bits (115)	23/23 (100%)	4451578.3 GLP7T0L02FG8V5
2.00E-23	107 bits (276)	50/78 (64%)	4451578.3 GLP7T0L02H MJED
2.00E-06	51 bits (131)	23/38 (61%)	4451578.3 GLP7T0L02FQUUP
2.00E-06	51 bits (131)	23/38 (61%)	4451578.3 GLP7T0L02I67KW
6.00E-22	102 bits (263)	53/93 (57%)	4451578.3 GLP7T0L02JU3K8
3.00E-13	73 bits (189)	36/62 (58%)	4451578.3 GLP7T0L02GW0DG
7.00E-22	102 bits (262)	49/65 (75%)	4451578.3 GLP7T0L02JSFOF
2.00E-11	67 bits (173)	35/50 (70%)	4451578.3 GLP7T0L02IUJRY
9.00E-04	42 bits (108)	21/27 (78%)	4451579.3 GLP7T0L02HL6EZ
6.00E-26	115 bits (298)	54/57 (95%)	4451579.3 GLP7T0L02I3I40
3.00E-15	80 bits (206)	42/44 (95%)	4451579.3 GLP7T0L02FZ5UR
3.00E-03	40 bits (103)	21/29 (72%)	4451579.3 GLP7T0L02I2EWO
6.00E-26	115 bits (298)	59/65 (91%)	4451579.3 GLP7T0L02GO8V0
9.00E-23	105 bits (270)	52/56 (93%)	4451579.3 GLP7T0L02GYU2W
			4451579.3 GLP7T0L02GS36Z
			4451579.3 GLP7T0L02IX6BF
			4451579.3 GLP7T0L02JKYP5
			4451579.3 GLP7T0L02GEPN2
			4451579.3 GLP7T0L02JCYYX
			4451579.3 GLP7T0L02IRVTF
			4451579.3 GLP7T0L02IJP7R
			4451579.3 GLP7T0L02G13MH
			4451579.3 GLP7T0L02FG4UM
			4451579.3 GLP7T0L02HJDVY
			4451579.3 GLP7T0L02G81KI
			4451579.3 GLP7T0L02H2XZ3
			4451579.3 GLP7T0L02I1XW4
			4451579.3 GLP7T0L02JKD3M
			4451579.3 GLP7T0L02FVOCZ
			4451579.3 GLP7T0L02I8V0V
			4451579.3 GLP7T0L02IFJCU
			4451579.3 GLP7T0L02F3CHD
			4451579.3 GLP7T0L02H9KSP
			4451579.3 GLP7T0L02I8GY7
			4451579.3 GLP7T0L02G4V7O
			0.18 NA
2.00E-04	44 bits (114)	23/36 (64%)	0.10 NA
1.00E-07	55 bits (141)	28/53 (53%)	

organism

Geobacter uraniumreducens Rf4
 Trichodesmium erythraeum IMS101
 Anabaena variabilis ATCC 29413
 Dinoroseobacter shibae DFL 12
 Cyanothece sp. PCC 8801
 Cyanothece sp. CCY0110
 Trichodesmium erythraeum IMS101
 Shewanella woodyi ATCC 51908
 Nostoc punctiforme PCC 73102
 Rubrobacter xylanophilus DSM 9941
 Nostoc punctiforme PCC 73102
 Xanthomonas campestris pv. campestris 8004 (Beijing)
 Treponema pallidum subsp. pallidum SS14
 Mesorhizobium loti MAFF303099
 Trichodesmium erythraeum IMS101
 Cytophaga hutchinsonii ATCC 33406
 Hahella chejuensis KCTC 2396
 Cyanothece sp. CCY0110
 Methylophilum inferorum V4
 Sinorhizobium meliloti 1021
 Thermoanaerobacter tengcongensis MB4(T)
 Gluconobacter oxydans 621H
 Xanthomonas campestris pv. campestris B100
 Magnetospirillum magneticum (strain AMB-1 / ATCC 700264)

Sphingopyxis alaskensis RB2256
 Anabaena sp. PCC 7120 (Nostoc sp. PCC 7120)
 Solibacter usitatus Ellin6076
 Bacteroides thetaiotaomicron VPI-5482
 Moorella thermoacetica ATCC 39073
 marine actinobacterium PHSC20C1
 Sphingopyxis alaskensis RB2256
 Acidovorax sp. JS42
 Thermosynechococcus elongatus BP-1
 Methylococcus capsulatus Bath

Sulfitobacter sp. EE-36
 Brucella suis 1330
 Anabaena variabilis ATCC 29413
 Brucella suis
 Brucella suis

Aurantimonas sp. SI85-9A1
 Methylobacterium sp. 4-46
 Pseudomonas fluorescens SBW25
 Rhodobacter sphaeroides ATCC 17025
 Methylobacterium extorquens PA1

Cyanothece sp. PCC 8802

Xanthomonas oryzae pv. oryzae KACC10331
Rhodospirillum centenum SW
Sulfitobacter sp. EE-36
Microcystis aeruginosa NIES-843
Maricaulis maris MCS10
Microcystis aeruginosa NIES-843
Porphyromonas gingivalis ATCC 33277
Parabacteroides distasonis ATCC 8503
Bordetella parapertussis 12822
Synechococcus sp. (strain WH7805)
Bacillus cereus ATCC 14579
Caulobacter crescentus NA1000
Brucella melitensis bv. 1 16M
Xanthomonas campestris pv. campestris B100
Ralstonia solanacearum GMI1000
Salmonella enterica subsp. enterica serovar Typhi Ty2
Xylella fastidiosa M23
Xylella fastidiosa M23
Jonesia denitrificans DSM 20603
Parvibaculum lavamentivorans DS-1
Leptothrix cholodni SP-6
Alkalilimnicola ehrlichei MLHE-1
Rhodobacter sphaeroides ATCC 17029
Cyanobacteria bacterium Yellowstone B-Prime (Synechococcus sp. JA- 2-3B'a(2-13))
Anabaena sp. PCC 7120 (Nostoc sp. PCC 7120)
Trichodesmium erythraeum IMS101
Methylobacterium sp. 4-46
Polaromonas sp. JS666
Bacteriovorax marinus (strain ATCC BAA-682 / DSM 15412 / SJ)
Methylobacterium sp. 4-46
Pseudomonas entomophila L48
Bordetella parapertussis 12822
Thermoanaerobacter tengcongensis MB4(T)
Xanthomonas oryzae pv. oryzae MAFF 311018
Opitutus terrae PB90-1
Ralstonia solanacearum GMI1000
Anaeromyxobacter dehalogenans 2CP-C
Prochlorococcus marinus NATL2A
Rhodopirellula baltica SH 1 (Pirellula sp. strain 1)
Xylella fastidiosa subsp. sandyi Ann-1
Saccharopolyspora erythraea NRRL 2338
Rhodobacter sphaeroides ATCC 17029
Stenotrophomonas maltophilia K279a
Opitutus terrae PB90-1

Nostoc punctiforme PCC 73102
Nostoc punctiforme PCC 73102
Pseudomonas putida F1

Photorhabdus luminescens subsp. laumondii TTO1
Deinococcus radiodurans R1
Burkholderia pseudomallei 668
Leptothrix cholodnii SP-6
Magnetospirillum magnetotacticum
Hyphomonas neptunium ATCC 15444
Sphaerobacter thermophilus DSM 20745
Bradyrhizobium sp. ORS278
Mycobacterium avium subsp. paratuberculosis k10
Cupriavidus metallidurans CH34
Desulfitobacterium hafniense DCB-2
Rhodoferax ferrireducens T118 (DSM 15236)
Herpetosiphon aurantiacus ATCC 23779
Methylibium petroleiphilum PM1
Burkholderia sp. 383
Syntrophus aciditrophicus SB
Sorangium cellulosum So ce 56
Sphaerobacter thermophilus DSM 20745
Rhodoferax ferrireducens T118 (DSM 15236)
Haliangium ochraceum DSM 14365
Brucella abortus 9-941 (biovar 1)
marine actinobacterium PHSC20C1
Nocardia farcinica IFM 10152
Rhodospirillum rubrum ATCC 11170
Parvularcula bermudensis HTCC2503
Solibacter usitatus Ellin6076
Silicibacter pomeroyi DSS-3
Caulobacter sp. K31
Methylobacterium sp. 4-46
Chloroherpeton thalassium ATCC 35110
Bacillus halodurans C-125
Sorangium cellulosum So ce 56
Rhodoferax ferrireducens T118 (DSM 15236)
Acinetobacter baumannii AB307-0294
Azoarcus sp. BH72
Janibacter sp. HTCC2649
Acinetobacter baumannii AB307-0294
Marinobacter aquaeolei VT8
Roseovarius sp. 217
Xanthomonas campestris pv. campestris ATCC 33913
Burkholderia pseudomallei K96243
Geobacillus thermodenitrificans NG80-2
Xanthomonas oryzae pv. oryzae KACC10331
Actinobacillus actinomycetemcomitans HK1651

Burkholderia xenovorans LB400
 Mycobacterium sp. JLS
 Mycobacterium leprae Br4923
 Pseudoalteromonas atlantica T6c
 Methylobacterium sp. 4-46
 Rhizobium leguminosarum bv. viciae 3841

Herpetosiphon aurantiacus ATCC 23779
 Prochlorococcus marinus MIT 9515
 Xanthomonas campestris pv. campestris ATCC 33913
 Photobacterium profundum SS9
 Thiomicrospira crunogena XCL-2
 Myxococcus xanthus DK 1622
 Synechococcus elongatus PCC6301

Acidovorax sp. JS42
 Burkholderia cenocepacia AU 1054
 Polaromonas sp. JS666
 Burkholderia vietnamiensis (strain G4 / LMG 22486) (Burkholderia cepacia (strain R1808))

Delftia acidovorans SPH-1
 Pectobacterium wasabiae WPP163
 Delftia acidovorans SPH-1
 Shewanella amazonensis SB2B
 Delftia acidovorans (strain DSM 14801 / SPH-1)
 Delftia acidovorans (strain DSM 14801 / SPH-1)

Brucella suis ATCC 23445
 Rhodospirillum centenum SW
 Rhodothermus marinus DSM 4252
 Ralstonia eutropha JMP134
 Bordetella bronchiseptica (Alcaligenes bronchisepticus)

Chitinophaga pinensis DSM 2588
 Anaeromyxobacter dehalogenans 2CP-C
 Burkholderia dolosa AUO158
 Rhodobacter sphaeroides 2.4.1
 Rhodospirillum rubrum ATCC 11170
 Photorhabdus luminescens subsp. laumondii TTO1
 Pseudomonas syringae pv. phaseolicola 1448A
 Sphingopyxis alaskensis RB2256
 Cytophaga hutchinsonii ATCC 33406
 Hyphomonas neptunium ATCC 15444
 Thermus thermophilus HB8
 Chloroflexus aggregans DSM 9485
 Chloroflexus aggregans DSM 9485
 Mesorhizobium loti MAFF303099

Cyanothece sp. PCC 7425
 Novosphingobium aromaticivorans DSM 12444
 Leptothrix cholodni SP-6
 Cyanothece sp. PCC 7425
 Blastopirellula marina DSM 3645
 Photorhabdus luminescens subsp. laumondii TTO1
 Acidovorax avenae subsp. citrulli AAC00-1
 Bacteroides fragilis YCH46
 Brucella suis 1330
 Vibrio vulnificus CMCP6
 Nitrococcus mobilis Nb-231
 Rhodobacter sphaeroides 2.4.1
 Ralstonia eutropha JMP134
 Roseobacter sp. GAI101
 Xylella fastidiosa M23
 Methylibium petroleiphilum PM1
 Oceanicola batsensis HTCC2597
 Solibacter usitatus Ellin6076
 Ralstonia solanacearum GMI1000
 Polaromonas sp. JS666
 Delftia acidovorans SPH-1
 Delftia acidovorans SPH-1
 Neisseria meningitidis MC58 (serogroup B)
 Rhodospirillum centenum SW
 Pseudomonas syringae pv. tomato DC3000
 Delftia acidovorans SPH-1
 Burkholderia cenocepacia HI2424
 Verminephrobacter eiseniae EF01-2
 Rhodospirillum centenum SW
 Methylocella silvestris BL2
 Azoarcus sp. BH72
 Leptothrix cholodnii SP-6
 Azoarcus sp. BH72
 Pseudomonas syringae pv. syringae B728a
 Methylibium petroleiphilum PM1
 Aromatoleum aromaticum EbN1
 Cupriavidus metallidurans CH34
 Flavobacterium psychrophilum JIP02/86
 Rhodothermus marinus DSM 4252
 Flavobacterium johnsoniae UW101
 Roseobacter sp. MED193
 Parvibaculum lavamentivorans DS-1
 Synechocystis sp. PCC 6803
 Synechococcus elongatus PCC 7942
 Mycobacterium smegmatis MC2 155
 Burkholderia ambifaria MC40-6
 Aeropyrum pernix K1

Pseudoalteromonas atlantica T6c
Anaeromyxobacter sp. K
Roseiflexus castenholzii DSM 13941
Alkalilimnicola ehrlichii MLHE-1
Burkholderia pseudomallei 1710b
Mycobacterium vanbaalenii PYR-1
Burkholderia pseudomallei 668
Leptothrix cholodnii SP-6
Oceanicola batsensis HTCC2597
Rhodoferrax ferrireducens T118 (DSM 15236)
Polaromonas sp. JS666
Dechloromonas aromatica RCB
Sphaerobacter thermophilus DSM 20745
Leptothrix cholodni SP-6
Burkholderia vietnamiensis G4
Cupriavidus metallidurans CH34
Oceanicaulis alexandrii HTCC2633
Sorangium cellulosum So ce 56
Methylobium petroleiphilum PM1
Burkholderia cenocepacia HI2424
Bordetella parapertussis 12822
Rhodoferrax ferrireducens T118 (DSM 15236)
Psychrobacter sp. PRwf-1
Haliangium ochraceum DSM 14365
Mycobacterium smegmatis MC2 155
Verminephrobacter eiseniae EF01-2
Maricaulis maris MCS10
Parvularcula bermudensis HTCC2503
Sphingomonas wittichii RW1
Ruegeria sp. TM1040
Verminephrobacter eiseniae EF01-2
Chloroherpeton thalassium ATCC 35110
Pseudoalteromonas haloplanktis TAC125
Pseudomonas mendocina ymp
Sorangium cellulosum So ce 56
Acidovorax sp. JS42
Azoarcus sp. BH72
Acidovorax sp. JS42
Marinobacter aquaeolei VT8
Myxococcus xanthus DK 1622
Mycobacterium smegmatis MC2 155
Rhodospirillum rubrum ATCC 11170
Haliangium ochraceum DSM 14365
Bacillus halodurans C-125
Dechloromonas aromatica RCB
Leptothrix cholodni SP-6
Chloroflexus sp. Y-400-fl

Congregibacter litoralis KT71
 Ruegeria sp. TM1040
 Polaromonas sp. JS666
 Leeuwenhoekiella blandensis (strain CECT 7118 / CCUG 51940 / MED217) (Flavobacterium sp. (strain MED217))
 Polaromonas sp. JS666
 Polaromonas sp. JS666
 Xanthomonas campestris pv. vesicatoria 85-10
 Clostridium difficile 630 (PCR-ribotype 012)
 Deinococcus radiodurans R1
 Rhodoferax ferrireducens T118 (DSM 15236)
 Methylibium petroleiphilum PM1
 Nocardioides sp. JS614
 Rubrobacter xylanophilus DSM 9941
 Ralstonia solanacearum GMI1000
 Ralstonia eutropha JMP134
 Ralstonia eutropha JMP134
 Acidovorax sp. JS42
 Flavobacteria bacterium (strain BBFL7)
 Pseudomonas fluorescens Pf-5
 Microcystis aeruginosa NIES-843
 Rhodobacter sphaeroides ATCC 17029
 Sphaerobacter thermophilus DSM 20745
 Verminephrobacter eiseniae EF01-2
 Aurantimonas sp. SI85-9A1
 Bacillus licheniformis ATCC 14580
 Novosphingobium aromaticivorans DSM 12444
 Sorangium cellulosum So ce 56
 Rhodospirillum centenum SW
 Mycobacterium sp. MCS
 Methylibium petroleiphilum PM1
 Caulobacter crescentus NA1000
 Sphingopyxis alaskensis RB2256
 Burkholderia xenovorans LB400
 Cyanothece sp. ATCC 51142
 Rhodoferax ferrireducens T118 (DSM 15236)
 Methylibium petroleiphilum PM1
 Microcystis aeruginosa NIES-843
 Leptothrix cholodnii SP-6
 Citrobacter koseri ATCC BAA-895
 Sphaerobacter thermophilus DSM 20745
 Sorangium cellulosum So ce 56
 Serratia proteamaculans 568
 Halorhodospira halophila SL1
 Myxococcus xanthus DK 1622
 Symbiobacterium thermophilum IAM14863
 Solibacter usitatus Ellin6076
 Verminephrobacter eiseniae EF01-2

Hyphomonas neptunium ATCC 15444

Azorhizobium caulinodans ORS 571

Myxococcus xanthus DK 1622

Rhizobium leguminosarum bv. *viciae* 3841

Mannheimia haemolytica

Xanthomonas axonopodis pv. *citri* 306

Rhodococcus jostii RHA1

Shewanella sp. MR-4

Clavibacter michiganensis subsp. *michiganensis* NCPPB 382

Dinoroseobacter shibae DFL 12

Opitutus terrae PB90-1

Burkholderia cepacia AMMD

Herpetosiphon aurantiacus ATCC 23779

Burkholderia xenovorans LB400

Anabaena variabilis ATCC 29413

Clavibacter michiganensis subsp. *michiganensis* NCPPB 382

Syntrophus aciditrophicus SB

Sulfolobus tokodaii strain7

Rhodopseudomonas palustris CGA009

Leptothrix cholodni SP-6

Bradyrhizobium sp. BTAi1

Nostoc punctiforme PCC 73102

Leptothrix cholodni SP-6

Anabaena sp. PCC 7120 (*Nostoc* sp. PCC 7120)

Verminephrobacter eiseniae EF01-2

Rhodopseudomonas palustris CGA009

Burkholderia xenovorans LB400

Myxococcus xanthus DK 1622

Leptothrix cholodnii SP-6

Bradyrhizobium japonicum USDA110

Leeuwenhoekiella blandensis (strain CECT 7118 / CCUG 51940 / MED217) (*Flavobacterium* sp. (strain MED217))

Catenulispora acidiphila DSM 44928

Haliangium ochraceum DSM 14365

Burkholderia xenovorans LB400

Oceanicaulis alexandrii HTCC2633

Xanthomonas campestris pv. *campestris* B100

Synechococcus sp. CC9605

Methylibium petroleiphilum PM1

Chlamydia trachomatis D/UW-3/CX (serovar D)

Methylibium petroleiphilum PM1

Rickettsia typhi Wilmington (ATCC VR-144)

Cyanothece sp. PCC 8801

Polaromonas sp. JS666

Gloeobacter violaceus PCC7421

Shewanella piezotolerans WP3

Thioalkalivibrio sp. HL-EbGR7

Yersinia pestis Z176003

Polaromonas sp. JS666
Thermotoga petrophila RKU-1
Bordetella pertussis Tohama I
Anabaena variabilis ATCC 29413
Alteromonas macleodii Deep ecotype
Trichodesmium erythraeum IMS101
Actinobacillus actinomycetemcomitans HK1651
Sorangium cellulosum So ce 56

Colwellia psychrerythraea 34H
Burkholderia cepacia AMMD
Novosphingobium aromaticivorans
Anabaena variabilis ATCC 29413
Anabaena variabilis ATCC 29413
Sphingomonas wittichii RW1
Methylobium petroleiphilum PM1
Bacteroides fragilis YCH46
Methylobacillus flagellatus KT
Chromohalobacter salexigens DSM 3043

Minibacterium massiliensis (*Janthinobacterium* sp. Marseille)
Magnetospirillum gryphiswaldense MSR-1
Nitrospira multiformis ATCC 25196
Nitrospira multiformis ATCC 25196
Pseudomonas putida W619
Anaeromyxobacter dehalogenans 2CP-C
Minibacterium massiliensis (*Janthinobacterium* sp. Marseille)
Aeromonas salmonicida subsp. *salmonicida* A449
Nitrosomonas eutropha C91
Aeromonas salmonicida subsp. *salmonicida* A449
Anaeromyxobacter sp. K
Candidatus Methanosphaerula palustris E1-9c

Minibacterium massiliensis (*Janthinobacterium* sp. Marseille)
Brucella suis ATCC 23445
Pseudomonas fluorescens Pf0-1
Rhizobium leguminosarum bv. *viciae* 3841
Ralstonia solanacearum GMI1000
Burkholderia pseudomallei 1710b
Caulobacter crescentus NA1000
Candidatus Desulfococcus oleovorans Hxd3
Solibacter usitatus Ellin6076
Xanthomonas axonopodis pv. *citri* 306
Caulobacter crescentus NA1000
Burkholderia pseudomallei 1106a
Shewanella frigidimarina NCIMB 400

Rhodospirillum rubrum ATCC 11170
Polaromonas sp. JS666
Dinoroseobacter shibae DFL 12

Brucella suis ATCC 23445
Bordetella pertussis Tohama I
Rhodothermus marinus DSM 4252
Polaromonas sp. JS666
Leptothrix cholodni SP-6
Dinoroseobacter shibae DFL 12
Leptothrix cholodni SP-6
Maritimibacter alkaliphilus HTCC2654
Cupriavidus metallidurans CH34

Cytophaga hutchinsonii ATCC 33406
Delftia acidovorans SPH-1
Myxococcus xanthus DK 1622
Symbiobacterium thermophilum IAM14863
Deinococcus radiodurans R1
Rhodoferrax ferrireducens T118 (DSM 15236)
Deinococcus radiodurans R1
Rubrobacter xylanophilus DSM 9941
Erythrobacter sp. NAP1
Flavobacteria bacterium (strain BBFL7)
Polaromonas sp. JS666
Oceanicola batsensis HTCC2597
Staphylococcus aureus subsp. *aureus* MRSA252, methicillin-resistant
Sphaerobacter thermophilus DSM 20745
Ralstonia eutropha JMP134
Ralstonia eutropha JMP134
Ralstonia eutropha JMP134
Rhodobacter sphaeroides ATCC 17029
Novosphingobium aromaticivorans DSM 12444
Rhodospirillum centenum SW
Mycobacterium sp. MCS
Pseudomonas syringae pv. *syringae* B728a
Leptothrix cholodnii SP-6
Sphaerobacter thermophilus DSM 20745
Hyphomonas neptunium ATCC 15444
Bordetella avium 197N
Rhodopseudomonas palustris CGA009
Leptothrix cholodnii SP-6

Dichelobacter nodosus VCS1703A
Desulfitobacterium hafniense Y51
Pelobacter carbinolicus DSM 2380
Burkholderia pseudomallei MSHR346
Geobacter uraniumreducens Rf4
Aromatoleum aromaticum EbN1
Geobacter metallireducens GS-15
Geobacter bemidjensis Bem
Blastopirellula marina DSM 3645
Acidothermus cellulolyticus 11B

Geobacter bemidjiensis Bem
Burkholderia pseudomallei 1710b
Acidovorax sp. JS42
Xylella fastidiosa M23
Geobacter metallireducens GS-15
Sorangium cellulosum So ce 56
Stenotrophomonas maltophilia K279a
Rhodospirillum rubrum
Pelobacter carbinolicus DSM 2380
Methylobium petroleiphilum PM1
Verminephrobacter eiseniae EF01-2
Cytophaga hutchinsonii ATCC 33406
Leptothrix cholodni SP-6
Desulfitobacterium hafniense Y51
Erythrobacter litoralis HTCC2594
Haliangium ochraceum DSM 14365
Thermosynechococcus elongatus BP-1

Veillonella parvula DSM 2008
Colwellia psychrerythraea 34H
Polaromonas sp. JS666
Sphingomonas wittichii RW1
Pseudomonas putida GB-1
Coxiella burnetii CbuK_Q154
Synechococcus elongatus PCC 7942
Crocospaera watsonii WH 8501
Rhizobium leguminosarum bv. *viciae* 3841
Cyanothece sp. PCC 8801
Sorangium cellulosum So ce 56
Mesoplasma florum L1
Burkholderia xenovorans LB400
Roseiflexus castenholzii DSM 13941
Roseovarius nubinhibens ISM
Parvibaculum lavamentivorans DS-1
Acidiphilium cryptum JF-5
Anaeromyxobacter dehalogenans 2CP-C
Polaromonas sp. JS666
Polaromonas sp. JS666
Rhodospirillum rubrum ATCC 11170
Bradyrhizobium japonicum USDA110
Delftia acidovorans SPH-1
Candidatus Desulfococcus oleovorans Hxd3
Flavobacterium psychrophilum JIP02/86

Porphyromonas gingivalis W83
Brucella abortus 9-941 (biovar 1)
Blastopirellula marina DSM 3645
Rickettsia prowazekii Madrid E
Rhodoferax ferrireducens T118 (DSM 15236)

Cyanothece sp. PCC 7424
Cyanobacteria bacterium Yellowstone A-Prime (Synechococcus sp. JA- 3-3Ab)
Hyphomonas neptunium ATCC 15444
Rhodoferax ferrireducens T118 (DSM 15236)
Cyanobacteria bacterium Yellowstone A-Prime (Synechococcus sp. JA- 3-3Ab)
Cyanothece sp. PCC 7425
Haliangium ochraceum DSM 14365

Cafeteria roenbergensis
Planctomyces limnophilus DSM 3776
Cyanobacteria bacterium Yellowstone B-Prime (Synechococcus sp. JA- 2-3B'a(2-13))
Shewanella sp. MR-7
Bradyrhizobium sp. BTAi1
Rickettsia conorii Malish 7
Cyanothece sp PCC 7425
Blastopirellula marina DSM 3645
Ralstonia solanacearum GMI1000
Polaribacter sp. MED152
Erythrobacter litoralis HTCC2594
Polaromonas sp. JS666
Acidovorax ebreus TPSY
Acidovorax ebreus TPSY
Acidovorax ebreus TPSY
Mesorhizobium sp. BNC1

Syntrophobacter fumaroxidans MPOB
Bacteroides vulgatus ATCC 8482
Burkholderia xenovorans LB400
Rhodopseudomonas palustris CGA009
Anabaena sp. PCC 7120 (Nostoc sp. PCC 7120)
Legionella pneumophila Paris
Acidovorax sp. JS42
Geobacter metallireducens GS-15
Symbiobacterium thermophilum IAM14863
Methylibium petroleiphilum PM1
Delftia acidovorans SPH-1
Azotobacter vinelandii DJ
Gramella forsetii KT0803
Acidithiobacillus ferrooxidans ATCC 53993
Anaeromyxobacter sp. Fw109-5
Anaeromyxobacter sp. Fw109-5
Rhodoferax ferrireducens T118 (DSM 15236)
Parvibaculum lavamentivorans DS-1
Idiomarina loihiensis L2TR
Methylococcus capsulatus Bath
Campylobacter curvus 525.92
Dyadobacter fermentans DSM 18053
Magnetospirillum magneticum AMB-1
Solibacter usitatus Ellin6076

Anaeromyxobacter sp. Fw109-5
 Myxococcus xanthus DK 1622
 Methylibium petroleiphilum PM1
 Blastopirellula marina DSM 3645
 Dyadobacter fermentans DSM 18053

Trichodesmium erythraeum IMS101
 Syntrophus aciditrophicus SB
 Paracoccus denitrificans PD1222
 Chitinophaga pinensis DSM 2588
 Anabaena sp. PCC 7120 (Nostoc sp. PCC 7120)
 Desulfitobacterium hafniense Y51
 Bacteroides thetaiotaomicron VPI-5482
 Bacillus amyloliquefaciens FZB42
 Staphylococcus aureus subsp. aureus USA300_TCH1516, community- acquired meticillin-susceptible
 Shewanella sp. W3-18-1
 Crocosphaera watsonii WH 8501
 Delftia acidovorans SPH-1
 Haliangium ochraceum DSM 14365
 Geobacter sulfurreducens PCA
 Gramella forsetii KT0803
 Methylocella silvestris BL2
 Leuconostoc mesenteroides subsp. mesenteroides ATCC 8293
 Novosphingobium aromaticivorans DSM 12444
 Burkholderia dolosa AUO158
 Denitrovibrio acetiphilus DSM 12809
 Zymomonas mobilis subsp. mobilis ZM4
 Xylella fastidiosa M23
 Chloroflexus aggregans DSM 9485
 Thermosynechococcus elongatus BP-1
 Candidatus Amoebophilus asiaticus 5a2
 Anabaena sp. PCC 7120 (Nostoc sp. PCC 7120)
 Meiothermus silvanus DSM 9946
 Cyanothece sp. PCC 8801
 Nocardia farcinica IFM 10152
 Leptospira interrogans serovar Copenhageni Fiocruz L1-130
 Magnetospirillum magneticum AMB-1
 Anaeromyxobacter sp. K
 Kytococcus sedentarius DSM 20547
 Anaeromyxobacter sp. K
 Idiomarina loihiensis L2TR
 Opitutus terrae PB90-1
 Aliivibrio salmonicida LFI1238
 Verminephrobacter eiseniae EF01-2

SEED ID
fig 351605.4.peg.1904
fig 203124.1.peg.983
fig 240292.3.peg.4095
fig 398580.3.peg.2459
fig 41431.3.peg.3511
fig 391612.3.peg.3441
fig 203124.1.peg.2791
fig 392500.3.peg.4583
fig 63737.4.peg.5027
fig 266117.6.peg.21
fig 63737.4.peg.5027
fig 314565.3.peg.142
fig 243276.1.peg.994
fig 266835.1.peg.7301
fig 203124.1.peg.2179
fig 269798.12.peg.618
fig 349521.5.peg.4687
fig 391612.3.peg.3441
fig 481448.4.peg.1775
fig 266834.1.peg.4485
fig 273068.3.peg.1621
fig 290633.1.peg.1632
fig 509169.3.peg.3643
fig 342108.5.peg.3159
fig 317655.9.peg.164
fig 103690.1.peg.4178
fig 234267.9.peg.1707
fig 226186.1.peg.4688
fig 264732.9.peg.1861
fig 312284.3.peg.1283
fig 317655.9.peg.553
fig 232721.5.peg.644
fig 197221.1.peg.2078
fig 243233.4.peg.2476
fig 204722.1.peg.3121
fig 240292.3.peg.820
fig 204722.1.peg.3121
fig 204722.1.peg.3121
YP_001768292.1
YP_002873494.1
YP_001167657.1
YP_001639208.1

fig|395962.3.peg.4273

fig|360094.3.peg.1048

fig|414684.4.peg.583

fig|52598.3.peg.1426

fig|449447.3.peg.2430

fig|394221.5.peg.2127

fig|449447.3.peg.2430

fig|431947.6.peg.261

fig|435591.10.peg.1900

fig|257311.1.peg.1631

fig|59931.3.peg.1458

fig|226900.1.peg.4962

fig|190650.1.peg.3200

fig|224914.1.peg.1285

fig|509169.3.peg.1576

fig|267608.1.peg.2841

fig|99287.1.peg.3260

fig|183190.1.peg.1788

fig|183190.1.peg.1788

fig|471856.4.peg.414

fig|402881.6.peg.2384

fig|395495.3.peg.492

fig|187272.6.peg.2096

fig|349101.4.peg.862

fig|321332.10.peg.320

fig|103690.1.peg.2064

fig|203124.1.peg.2084

fig|426117.3.peg.1310

fig|296591.1.peg.3411

fig|97084.1.peg.2886

fig|426117.3.peg.5834

fig|384676.6.peg.3890

fig|257311.1.peg.1631

fig|273068.3.peg.163

fig|342109.7.peg.3156

fig|452637.4.peg.2735

fig|267608.4.peg.873

fig|290397.13.peg.111

fig|59920.3.peg.1629

fig|243090.1.peg.2068

fig|155920.1.peg.895

fig|405948.6.peg.1010

fig|349101.4.peg.846

fig|40324.1.peg.225

fig|452637.4.peg.2749

fig|63737.4.peg.5074
fig|63737.4.peg.5074
fig|351746.4.peg.4341

fig|243265.1.peg.1128
fig|243230.1.peg.1438
fig|320373.3.peg.4481
fig|395495.3.peg.154
fig|188.1.peg.4084
fig|228405.5.peg.3143
fig|479434.4.peg.1067
fig|114615.3.peg.2314
fig|262316.1.peg.3651
fig|266264.4.peg.513
fig|272564.4.peg.3834
fig|338969.3.peg.3893
fig|316274.3.peg.4489
fig|420662.8.peg.1227
fig|269483.3.peg.3183
fig|56780.10.peg.2629
fig|448385.11.peg.46
fig|479434.4.peg.1768
fig|338969.3.peg.2772
fig|502025.5.peg.4466
fig|430066.3.peg.794
fig|312284.3.peg.1834
fig|247156.1.peg.2162
fig|1085.1.peg.1473
fig|314260.3.peg.1455
fig|234267.9.peg.5419
fig|246200.3.peg.1877
fig|366602.3.peg.4050
fig|426117.3.peg.2904
fig|517418.3.peg.549
fig|272558.1.peg.3799
fig|448385.11.peg.572
fig|338969.3.peg.3893
fig|557600.3.peg.583
fig|62928.7.peg.2536
fig|313589.3.peg.3193
fig|557600.3.peg.583
fig|351348.5.peg.1780
fig|314264.3.peg.2974
fig|314565.3.peg.3049
fig|334803.3.peg.962
fig|420246.5.peg.3191
fig|360094.3.peg.2712
fig|714.2.peg.789

fig|36873.1.peg.4341
fig|164757.7.peg.4828
fig|272631.1.peg.1272
fig|342610.3.peg.3365
fig|426117.3.peg.2100
fig|216596.6.peg.329

fig|316274.3.peg.4118
fig|167542.6.peg.1026
fig|314565.3.peg.680
fig|298386.1.peg.5677
fig|317025.3.peg.1345
fig|246197.19.peg.800
fig|269084.3.peg.2007

fig|232721.5.peg.2066
fig|331272.3.peg.5611
fig|296591.1.peg.592
fig|269482.4.peg.4472

fig|398578.3.peg.2842
fig|218491.3.peg.2057
fig|398578.3.peg.2842
fig|326297.7.peg.3113
fig|398578.3.peg.2842
fig|398578.3.peg.2842

fig|483179.3.peg.2223
fig|414684.4.peg.2152
fig|518766.5.peg.1112
fig|264198.3.peg.1122
fig|257313.1.peg.2737

fig|485918.5.peg.6899
fig|290397.13.peg.828
fig|350701.3.peg.4900
fig|272943.3.peg.1355
fig|1085.1.peg.512
fig|243265.1.peg.2964
fig|264730.3.peg.2766
fig|317655.9.peg.1131
fig|269798.12.peg.615
fig|228405.5.peg.580
fig|300852.3.peg.1397
fig|326427.3.peg.2417
fig|326427.3.peg.2417
fig|266835.1.peg.3767

fig|395961.4.peg.3872
fig|48935.1.peg.1694
fig|395495.3.peg.2021
fig|395961.4.peg.3872
fig|314230.3.peg.1160
fig|243265.1.peg.2963
fig|397945.5.peg.2839
fig|817.1.peg.485
fig|483179.3.peg.770
fig|216895.1.peg.3992
fig|314278.3.peg.809
fig|272943.3.peg.2744
fig|264198.3.peg.5382
fig|2433.3.peg.3836
fig|183190.1.peg.633
fig|420662.8.peg.2464
fig|252305.3.peg.4307
fig|234267.9.peg.3959
fig|267608.1.peg.156
fig|296591.1.peg.3768
fig|398578.3.peg.2164
fig|398578.3.peg.4425
fig|122586.1.peg.1629
fig|414684.4.peg.3257
fig|223283.1.peg.2301
fig|398578.3.peg.4426
fig|331272.3.peg.1068
fig|391735.5.peg.2947
fig|414684.4.peg.2440
fig|395965.4.peg.3379
fig|62928.7.peg.3725
fig|395495.3.peg.2013
fig|62928.7.peg.3725
fig|205918.4.peg.3620
fig|420662.8.peg.1239
fig|76114.4.peg.4036
fig|266264.7.peg.52
fig|402612.4.peg.223
fig|518766.5.peg.2891
fig|376686.6.peg.726
fig|314262.3.peg.305
fig|402881.6.peg.169
fig|1148.1.peg.2437
fig|1140.3.peg.905
fig|246196.1.peg.4702
fig|339670.3.peg.1802
fig|272557.1.peg.1198

fig|342610.3.peg.3365
fig|447217.4.peg.1121
fig|383372.4.peg.1503
fig|187272.6.peg.2472
fig|320372.3.peg.1408
fig|350058.5.peg.342
fig|320373.3.peg.4481
fig|395495.3.peg.154
fig|252305.3.peg.4307
fig|338969.3.peg.4027
fig|296591.1.peg.2699
fig|159087.4.peg.193
fig|479434.4.peg.1067
fig|395495.3.peg.4002
fig|269482.4.peg.1779
fig|266264.4.peg.4519
fig|314254.3.peg.2843
fig|448385.11.peg.8505
fig|420662.8.peg.1227
fig|331272.3.peg.4506
fig|257311.1.peg.4120
fig|338969.3.peg.2798
fig|349106.5.peg.332
fig|502025.5.peg.4466
fig|246196.1.peg.6912
fig|391735.5.peg.2452
fig|394221.5.peg.1696
fig|314260.3.peg.1455
fig|392499.4.peg.2399
fig|292414.1.peg.2841
fig|391735.5.peg.2947
fig|517418.3.peg.549
fig|326442.4.peg.1044
fig|399739.6.peg.2603
fig|448385.11.peg.572
fig|232721.5.peg.3159
fig|62928.7.peg.2536
fig|232721.5.peg.3759
fig|351348.5.peg.1780
fig|246197.19.peg.3334
fig|246196.1.peg.6912
fig|1085.1.peg.2827
fig|502025.5.peg.367
fig|272558.1.peg.214
fig|159087.4.peg.190
fig|395495.3.peg.4002
fig|324602.4.peg.1988

fig|314285.3.peg.173
fig|292414.1.peg.702
fig|296591.1.peg.827
fig|313593.3.peg.1860
fig|296591.1.peg.5195
fig|296591.1.peg.5195
fig|316273.3.peg.375
fig|1496.1.peg.2655
fig|243230.1.peg.2110
fig|338969.3.peg.3722
fig|420662.8.peg.1857
fig|196162.6.peg.3653
fig|266117.6.peg.981
fig|267608.1.peg.1049
fig|264198.3.peg.2205
fig|264198.3.peg.2205
fig|232721.5.peg.2671
fig|156586.3.peg.2547
fig|220664.3.peg.128
fig|449447.3.peg.4506
fig|349101.4.peg.1329
fig|479434.4.peg.869
fig|391735.5.peg.2530
fig|314269.3.peg.614
fig|279010.5.peg.2795
fig|48935.1.peg.1026
fig|448385.11.peg.3650
fig|414684.4.peg.247
fig|164756.6.peg.3355
fig|420662.8.peg.462
fig|190650.1.peg.3554
fig|317655.9.peg.1739
fig|36873.1.peg.2881
fig|43989.3.peg.2665
fig|338969.3.peg.2720
fig|420662.8.peg.1243
fig|449447.3.peg.4506
fig|395495.3.peg.3637
fig|290338.6.peg.3661
fig|479434.4.peg.1733
fig|448385.11.peg.3650
fig|399741.3.peg.3081
fig|349124.5.peg.959
fig|246197.19.peg.6030
fig|292459.1.peg.1148
fig|234267.9.peg.361
fig|391735.5.peg.756

fig|228405.5.peg.3338
fig|438753.3.peg.4391
fig|246197.19.peg.4804
fig|216596.5.peg.183
fig|75985.2.peg.663
fig|190486.1.peg.2552
fig|101510.15.peg.1465
fig|60480.16.peg.1683
fig|443906.9.peg.1432
fig|398580.3.peg.1408
fig|452637.4.peg.903
fig|339670.3.peg.3988
fig|316274.3.peg.1163
fig|36873.1.peg.3186
fig|240292.3.peg.294
fig|443906.9.peg.1432
fig|56780.10.peg.1004
fig|273063.1.peg.2175
fig|258594.1.peg.658
fig|395495.3.peg.3484
fig|288000.5.peg.6460
fig|63737.4.peg.5221
fig|395495.3.peg.3489
fig|103690.1.peg.5110
fig|391735.5.peg.707
fig|258594.1.peg.658
fig|36873.1.peg.5722
fig|246197.19.peg.3334
fig|395495.3.peg.3491
fig|224911.1.peg.1076
fig|313593.3.peg.1860
fig|479433.4.peg.6294
fig|502025.5.peg.2959
fig|36873.1.peg.830
fig|314254.3.peg.1723
fig|509169.3.peg.4
fig|110662.3.peg.2534
fig|420662.8.peg.2108
fig|272561.1.peg.191
fig|420662.8.peg.2108
fig|257363.1.peg.211
fig|41431.3.peg.1422
fig|296591.1.peg.4800
fig|251221.1.peg.3082
fig|225849.3.peg.19
fig|396588.3.peg.4
fig|386656.4.peg.2484

fig|296591.1.peg.4975
fig|390874.10.peg.95
fig|257313.1.peg.824
fig|240292.3.peg.1414
fig|314275.6.peg.7
fig|203124.1.peg.5093
fig|714.2.peg.469
fig|448385.11.peg.4114

fig|167879.3.peg.972
fig|339670.3.peg.2959
fig|48935.1.peg.3669
fig|240292.3.peg.1307
fig|240292.3.peg.1307
fig|392499.4.peg.3074
fig|420662.8.peg.2971
fig|295405.3.peg.729
fig|265072.7.peg.245
fig|290398.4.peg.1225

fig|375286.6.peg.1976
fig|431944.4.peg.3233
fig|323848.3.peg.1293
fig|323848.3.peg.1293
fig|390235.3.peg.2127
fig|290397.13.peg.3174
fig|375286.6.peg.1976
fig|382245.6.peg.3006
fig|335283.5.peg.1967
fig|382245.6.peg.3006
fig|447217.4.peg.3339
fig|521011.3.peg.651

fig|375286.6.peg.1938
fig|470137.3.peg.1513
fig|205922.3.peg.2809
fig|216596.1.peg.4152
fig|267608.1.peg.2544
fig|320372.3.peg.4016
fig|190650.1.peg.3573
fig|96561.3.peg.506
fig|234267.9.peg.3280
fig|190486.1.peg.2925
fig|190650.1.peg.388
fig|243160.4.peg.1461
fig|318167.10.peg.805

fig|1085.1.peg.3714
fig|296591.1.peg.4113
fig|398580.3.peg.1034

fig|470137.3.peg.2576
fig|257313.1.peg.3615
fig|518766.5.peg.1711
fig|296591.1.peg.591
fig|395495.3.peg.3074
fig|398580.8.peg.51
fig|395495.3.peg.310
fig|314271.3.peg.4038
fig|266264.4.peg.4599

fig|269798.12.peg.961
fig|398578.3.peg.5450
fig|246197.19.peg.6030
fig|292459.1.peg.1148
fig|243230.1.peg.2110
fig|338969.3.peg.3722
fig|243230.1.peg.113
fig|266117.6.peg.981
fig|237727.3.peg.1783
fig|156586.3.peg.2547
fig|296591.1.peg.2881
fig|252305.3.peg.1531
fig|282458.1.peg.1204
fig|479434.4.peg.869
fig|264198.3.peg.2738
fig|264198.3.peg.2738
fig|264198.3.peg.2738
fig|349101.4.peg.3948
fig|48935.1.peg.1026
fig|414684.4.peg.247
fig|164756.6.peg.3355
fig|205918.4.peg.4941
fig|395495.3.peg.3215
fig|479434.4.peg.866
fig|228405.5.peg.882
fig|360910.3.peg.1919
fig|258594.1.peg.123
fig|395495.3.peg.3637

fig|246195.3.peg.430
fig|272564.4.peg.883
fig|338963.3.peg.157
fig|334803.3.peg.663
fig|351605.4.peg.2632
fig|76114.4.peg.1047
fig|269799.3.peg.230
fig|404380.3.peg.80
fig|314230.3.peg.5266
fig|351607.5.peg.1317

fig|404380.3.peg.187
fig|320372.3.peg.5227
fig|232721.5.peg.866
fig|405440.3.peg.1913
fig|269799.3.peg.1235
fig|448385.11.peg.5772
fig|40324.1.peg.1076
fig|1085.1.peg.1173
fig|338963.3.peg.157
fig|420662.8.peg.1698
fig|391735.5.peg.2644
fig|269798.12.peg.1803
fig|395495.3.peg.4188
fig|272564.4.peg.883
fig|314225.3.peg.753
fig|502025.5.peg.842
fig|197221.1.peg.122

fig|479436.4.peg.359
fig|167879.3.peg.2411
fig|296591.1.peg.1616
fig|392499.4.peg.4694
fig|76869.3.peg.342
fig|434924.4.peg.306
fig|1140.3.peg.266
fig|165597.1.peg.2131
fig|216596.1.peg.4090
fig|41431.3.peg.2525
fig|448385.11.peg.5073
fig|265311.3.peg.93
fig|36873.1.peg.7068
fig|383372.4.peg.597
fig|89187.3.peg.1833
fig|402881.6.peg.2432
fig|349163.4.peg.3109
fig|290397.13.peg.2736
fig|296591.1.peg.1616
fig|296591.1.peg.1616
fig|1085.1.peg.3267
fig|224911.1.peg.6687
fig|398578.3.peg.5950
fig|96561.3.peg.2806
fig|402612.4.peg.65

fig|242619.1.peg.522
fig|262698.3.peg.1380
fig|314230.3.peg.4419
fig|272947.1.peg.810
fig|338969.3.peg.3304

fig|65393.5.peg.2897
fig|321327.20.peg.2010
fig|228405.5.peg.2767
fig|338969.3.peg.3304
fig|321327.20.peg.2010
fig|395961.4.peg.1491
fig|502025.5.peg.2204
fig|33653.1.peg.4
fig|521674.4.peg.4050
fig|321332.10.peg.2698
fig|94122.5.peg.2172
fig|288000.5.peg.2848
fig|272944.1.peg.553
fig|395961.4.peg.1183
fig|314230.3.peg.718
fig|267608.1.peg.1280
fig|313598.3.peg.635
fig|314225.3.peg.2538
fig|296591.1.peg.2014
fig|232721.5.peg.1211
fig|232721.5.peg.1211
fig|232721.5.peg.1212
fig|266779.1.peg.1323
fig|335543.6.peg.2511
fig|435590.6.peg.1912
fig|36873.1.peg.8399
fig|258594.1.peg.217
fig|103690.3.peg.126
fig|297246.3.peg.2858
fig|232721.5.peg.4018
fig|269799.3.peg.1388
fig|292459.1.peg.3144
fig|420662.8.peg.2011
fig|398578.3.peg.18
fig|354.1.peg.3946
fig|411154.5.peg.1222
fig|380394.3.peg.1157
fig|404589.4.peg.3503
fig|404589.4.peg.3503
fig|338969.3.peg.4288
fig|402881.6.peg.2440
fig|283942.3.peg.1357
fig|243233.4.peg.1447
fig|360105.6.peg.1558
fig|471854.4.peg.3873
fig|342108.5.peg.2245
fig|234267.9.peg.16

fig|404589.4.peg.3503
fig|246197.19.peg.455
fig|420662.8.peg.1533
fig|314230.3.peg.3185
fig|471854.4.peg.5298
fig|203124.1.peg.2488
fig|56780.10.peg.1574
fig|318586.4.peg.705
fig|485918.5.peg.1970
fig|103690.1.peg.4509
fig|272564.4.peg.3014
fig|226186.1.peg.2709
fig|326423.3.peg.140
fig|93062.4.peg.1045
fig|351745.7.peg.161
fig|165597.1.peg.209
fig|398578.3.peg.4930
fig|502025.5.peg.3163
fig|243231.1.peg.898
fig|411154.5.peg.2659
fig|395965.4.peg.117
fig|203120.4.peg.217
fig|48935.1.peg.1944
fig|350701.3.peg.3044
fig|522772.4.peg.1185
fig|264203.3.peg.1878
fig|405440.3.peg.1452
fig|326427.3.peg.3118
fig|197221.1.peg.1746
fig|452471.3.peg.675
fig|103690.1.peg.3044
fig|526227.4.peg.2251
fig|395962.3.peg.1579
fig|247156.1.peg.4784
fig|267671.1.peg.2775
fig|431944.4.peg.3772
fig|455488.3.peg.2472
fig|478801.4.peg.2308
fig|455488.3.peg.2472
fig|283942.3.peg.1850
fig|452637.4.peg.242
fig|316275.9.peg.599
fig|391735.5.peg.2893

function

Cell division protein FtsX
 Cell division protein FtsQ
 Septum site-determining protein MinD
 rRNA small subunit methyltransferase H # 16S rRNA m(4) C1402 methyltransferase
 Cell division topological specificity factor MinE
 Cell division trigger factor (EC 5.2.1.8)
 Septum site-determining protein MinC
 Cell division protein FtsH (EC 3.4.24.-)
 Cell division protein FtsW
 Cell division protein FtsI [Peptidoglycan synthetase] (EC 2.4.1.129)
 Cell division protein FtsW
 Rod shape-determining protein MreB
 Cell division protein FtsK
 Cell division protein MraZ
 Cell division protein FtsI [Peptidoglycan synthetase] (EC 2.4.1.129)
 Signal recognition particle receptor protein FtsY (=alpha subunit) (TC 3.A.5.1.1)
 Rod shape-determining protein MreB
 Cell division trigger factor (EC 5.2.1.8)
 Cytoplasmic axial filament protein CafA and Ribonuclease G (EC 3.1.4.-)
 Cell division protein FtsK
 Cell division protein FtsZ (EC 3.4.24.-)
 Cell division protein FtsH (EC 3.4.24.-)
 Cell division protein FtsZ (EC 3.4.24.-)
 Rod shape-determining protein MreB

Maltodextrin glucosidase (EC 3.2.1.20)
 4-alpha-glucanotransferase (amylomaltase) (EC 2.4.1.25)
 Alpha-glucosidase (EC 3.2.1.20)
 Cytoplasmic alpha-amylase (EC 3.2.1.1)
 Neopullulanase (EC 3.2.1.135)
 Alpha-glucosidase (EC 3.2.1.20)
 Transcriptional regulator of maltose utilization, LacI family
 Glucoamylase (EC 3.2.1.3)
 Glycogen phosphorylase (EC 2.4.1.1)
 Glycogen phosphorylase (EC 2.4.1.1)

Lipid A export ATP-binding/permease protein MsbA (EC 3.6.3.25)
 Lipid A export ATP-binding/permease protein MsbA
 Lipid A export ATP-binding/permease protein MsbA (EC 3.6.3.25)
 Lipid A export ATP-binding/permease protein MsbA (EC 3.6.3.25)

allantoate amidohydrolase
 phenylhydantoinase
 dihydropyrimidine dehydrogenase
 luciferase family protein

Fructokinase (EC 2.7.1.4)

Cell division protein FtsZ (EC 3.4.24.-)

Cell division protein FtsW

Signal recognition particle receptor protein FtsY (=alpha subunit) (TC 3.A.5.1.1)

Cell division protein FtsZ (EC 3.4.24.-)

Chromosome partitioning protein ParA

Cell division protein FtsZ (EC 3.4.24.-)

Signal recognition particle receptor protein FtsY (=alpha subunit) (TC 3.A.5.1.1)

Cytoplasmic axial filament protein CafA and Ribonuclease G (EC 3.1.4.-)

Cytoplasmic axial filament protein CafA and Ribonuclease G (EC 3.1.4.-)

Cell division protein FtsH (EC 3.4.24.-)

Cell division transporter, ATP-binding protein FtsE (TC 3.A.5.1.1)

Cell division protein FtsH (EC 3.4.24.-)

GTP-binding protein Era

Cytoplasmic axial filament protein CafA and Ribonuclease G (EC 3.1.4.-)

Cell division protein FtsQ

Rod shape-determining protein MreB

Cell division protein FtsA

Cell division protein FtsA

Cytoplasmic axial filament protein CafA and Ribonuclease G (EC 3.1.4.-)

Cell division protein FtsI [Peptidoglycan synthetase] (EC 2.4.1.129)

Cell division protein FtsI [Peptidoglycan synthetase] (EC 2.4.1.129)

Cell division protein FtsI [Peptidoglycan synthetase] (EC 2.4.1.129)

Cell division protein FtsA

Septum site-determining protein MinD

Cell division protein FtsX

Cell division protein FtsI [Peptidoglycan synthetase] (EC 2.4.1.129)

Cell division protein FtsK

Rod shape-determining protein MreC

Rod shape-determining protein MreB

GTP-binding protein Era

Cell division protein FtsI [Peptidoglycan synthetase] (EC 2.4.1.129)

Cytoplasmic axial filament protein CafA and Ribonuclease G (EC 3.1.4.-)

Rod shape-determining protein MreB

Cell division protein FtsJ / Ribosomal RNA large subunit methyltransferase E (EC 2.1.1.-)

Cell division protein FtsI [Peptidoglycan synthetase] (EC 2.4.1.129)

Cell division protein FtsK

Rod shape-determining protein MreB

Cell division topological specificity factor MinE

Cell division protein FtsK

Cell division protein FtsQ

Cell division transporter, ATP-binding protein FtsE (TC 3.A.5.1.1)

rRNA small subunit methyltransferase H # 16S rRNA m(4) C1402 methyltransferase

Cell division protein BolA

Cell division protein FtsZ (EC 3.4.24.-)

Cell division protein FtsH (EC 3.4.24.-)
 Cell division protein FtsH (EC 3.4.24.-)
 rRNA small subunit methyltransferase H # 16S rRNA m(4) C1402 methyltransferase

Butyryl-CoA dehydrogenase (EC 1.3.99.2)
 Butyryl-CoA dehydrogenase (EC 1.3.99.2)
 Electron transfer flavoprotein, alpha subunit
 Electron transfer flavoprotein-ubiquinone oxidoreductase (EC 1.5.5.1)
 3-hydroxybutyryl-CoA dehydrogenase (EC 1.1.1.157)
 Butyryl-CoA dehydrogenase (EC 1.3.99.2)
 Enoyl-CoA hydratase [isoleucine degradation] (EC 4.2.1.17) / 3-hydroxyacyl-CoA dehydrogenase (EC 1.1.1.35)
 3-ketoacyl-CoA thiolase (EC 2.3.1.16) @ Acetyl-CoA acetyltransferase (EC 2.3.1.9)
 Butyryl-CoA dehydrogenase (EC 1.3.99.2)
 Isovaleryl-CoA dehydrogenase (EC 1.3.99.10); Butyryl-CoA dehydrogenase (EC 1.3.99.2)
 Probable electron transfer flavoprotein-quinone oxidoreductase FixC (EC 1.5.5.-)
 3-ketoacyl-CoA thiolase (EC 2.3.1.16) @ Acetyl-CoA acetyltransferase (EC 2.3.1.9)
 Butyryl-CoA dehydrogenase (EC 1.3.99.2)
 Electron transfer flavoprotein, alpha subunit
 3-hydroxybutyryl-CoA dehydrogenase (EC 1.1.1.157)
 3-ketoacyl-CoA thiolase (EC 2.3.1.16) @ Acetyl-CoA acetyltransferase (EC 2.3.1.9)
 Enoyl-CoA hydratase (EC 4.2.1.17) / Delta(3)-cis-delta(2)-trans-enoyl-CoA isomerase (EC 5.3.3.8) / 3-hydroxyacyl-CoA dehydrogenase (EC 1.1.1.35)
 Butyryl-CoA dehydrogenase (EC 1.3.99.2)
 Enoyl-CoA hydratase (EC 4.2.1.17) / 3,2-trans-enoyl-CoA isomerase (EC 5.3.3.8) / 3-hydroxyacyl-CoA dehydrogenase (EC 1.1.1.35)
 Electron transfer flavoprotein, beta subunit
 Butyryl-CoA dehydrogenase (EC 1.3.99.2)
 Enoyl-CoA hydratase (EC 4.2.1.17)
 Butyryl-CoA dehydrogenase (EC 1.3.99.2)
 Acetoacetyl-CoA reductase (EC 1.1.1.36)
 Enoyl-CoA hydratase [isoleucine degradation] (EC 4.2.1.17) / 3-hydroxyacyl-CoA dehydrogenase (EC 1.1.1.35) / 3-hydroxybutyryl-CoA dehydrogenase (EC 1.1.1.157); 3-hydroxyacyl-CoA dehydrogenase (EC 1.1.1.35)
 3-hydroxybutyryl-CoA dehydrogenase (EC 1.1.1.157); 3-hydroxyacyl-CoA dehydrogenase (EC 1.1.1.35)
 Enoyl-CoA hydratase (EC 4.2.1.17)
 3-ketoacyl-CoA thiolase (EC 2.3.1.16); Acetyl-CoA acetyltransferase (EC 2.3.1.9)
 Electron transfer flavoprotein-ubiquinone oxidoreductase (EC 1.5.5.1)
 Butyryl-CoA dehydrogenase (EC 1.3.99.2)
 Electron transfer flavoprotein, alpha subunit
 3-ketoacyl-CoA thiolase (EC 2.3.1.16) @ Acetyl-CoA acetyltransferase (EC 2.3.1.9)
 3-ketoacyl-CoA thiolase (EC 2.3.1.16) @ Acetyl-CoA acetyltransferase (EC 2.3.1.9)
 Electron transfer flavoprotein, alpha subunit
 3-ketoacyl-CoA thiolase (EC 2.3.1.16) @ Acetyl-CoA acetyltransferase (EC 2.3.1.9)
 3-ketoacyl-CoA thiolase (EC 2.3.1.16) @ Acetyl-CoA acetyltransferase (EC 2.3.1.9)
 Electron transfer flavoprotein, alpha subunit
 Butyryl-CoA dehydrogenase (EC 1.3.99.2)
 Enoyl-CoA hydratase (EC 4.2.1.17)
 Enoyl-CoA hydratase (EC 4.2.1.17)
 3-hydroxybutyryl-CoA dehydrogenase (EC 1.1.1.157)
 Enoyl-CoA hydratase (EC 4.2.1.17) / 3,2-trans-enoyl-CoA isomerase (EC 5.3.3.8) / 3-hydroxyacyl-CoA dehydrogenase (EC 1.1.1.35)
 Acetyl-CoA acetyltransferase (EC 2.3.1.9)

Enoyl-CoA hydratase (EC 4.2.1.17)

Acetyl-CoA acetyltransferase (EC 2.3.1.9) @ Beta-ketoadipyl CoA thiolase (EC 2.3.1.-)

Enoyl-CoA hydratase (EC 4.2.1.17)

Electron transfer flavoprotein, alpha subunit

Enoyl-CoA hydratase (EC 4.2.1.17)

Acetyl-CoA C-acyltransferase (EC 2.3.1.16) @ Acetyl-CoA acetyltransferase (EC 2.3.1.9)

Glutamine synthetase type I (EC 6.3.1.2)

Glutamine synthetase type I (EC 6.3.1.2)

Glutamine synthetase type I (EC 6.3.1.2)

Glutamine synthetase type I (EC 6.3.1.2)

Glutamine synthetase type I (EC 6.3.1.2)

Glutamine synthetase type I (EC 6.3.1.2)

Glutamine synthetase type I (EC 6.3.1.2)

D-galactarate dehydratase (EC 4.2.1.42)

D-galactarate dehydratase (EC 4.2.1.42)

D-galactarate dehydratase (EC 4.2.1.42)

Glucarate dehydratase (EC 4.2.1.40)

Osmolarity sensory histidine kinase EnvZ

Two-component system response regulator OmpR

Osmolarity sensory histidine kinase EnvZ

Two-component system response regulator OmpR

Osmolarity sensory histidine kinase EnvZ

Osmolarity sensory histidine kinase EnvZ

Molybdenum transport system permease protein ModB (TC 3.A.1.8.1)

Molybdenum transport ATP-binding protein ModC (TC 3.A.1.8.1)

Molybdenum ABC transporter, periplasmic molybdenum-binding protein ModA (TC 3.A.1.8.1)

Molybdenum transport system permease protein ModB (TC 3.A.1.8.1)

Molybdenum ABC transporter, periplasmic molybdenum-binding protein ModA (TC 3.A.1.8.1)

Agmatine deiminase (EC 3.5.3.12)

Delta-1-pyrroline-5-carboxylate dehydrogenase (EC 1.5.1.12)

Histidine ABC transporter, ATP-binding protein HisP (TC 3.A.1.3.1)

Proline dehydrogenase (EC 1.5.99.8) (Proline oxidase) / Delta-1-pyrroline-5-carboxylate dehydrogenase (EC 1.5.1.1)

Ornithine cyclodeaminase (EC 4.3.1.12)

Succinylglutamic semialdehyde dehydrogenase (EC 1.2.1.71)

Ornithine decarboxylase (EC 4.1.1.17) / Arginine decarboxylase (EC 4.1.1.19)

Ornithine decarboxylase (EC 4.1.1.17)

Ornithine aminotransferase (EC 2.6.1.13)

Ornithine carbamoyltransferase (EC 2.1.3.3)

Ornithine carbamoyltransferase (EC 2.1.3.3)

Ornithine carbamoyltransferase (EC 2.1.3.3)

Ornithine carbamoyltransferase (EC 2.1.3.3)

Agmatinase (EC 3.5.3.11)

Biosynthetic arginine decarboxylase (EC 4.1.1.19)
 N-carbamoylputrescine amidase (3.5.1.53)
 Arginase (EC 3.5.3.1)
 Biosynthetic arginine decarboxylase (EC 4.1.1.19)
 NADP-specific glutamate dehydrogenase (EC 1.4.1.4)
 Succinylarginine dihydrolase (EC 3.5.3.23)
 Transcriptional repressor of PutA and PutP / Proline dehydrogenase (EC 1.5.99.8) (Proline oxidase) / Delta-1-pyrro
 Biosynthetic arginine decarboxylase (EC 4.1.1.19)
 Agmatinase (EC 3.5.3.11)
 Proline dehydrogenase (EC 1.5.99.8) (Proline oxidase) / Delta-1-pyrroline-5-carboxylate dehydrogenase (EC 1.5.1.1
 NAD-specific glutamate dehydrogenase (EC 1.4.1.2); NADP-specific glutamate dehydrogenase (EC 1.4.1.4)

 Choline-sulfatase (EC 3.1.6.6)
 Choline-sulfatase (EC 3.1.6.6)
 Choline-sulfatase (EC 3.1.6.6)

 COGs COG3146
 GTP cyclohydrolase I (EC 3.5.4.16) type 2
 Acetoacetyl-CoA synthetase (EC 6.2.1.16)
 4-hydroxyphenylpyruvate dioxygenase (EC 1.13.11.27)
 FolM Alternative dihydrofolate reductase 1
 COGs COG3146
 Aromatic-amino-acid aminotransferase (EC 2.6.1.57)
 4-hydroxyphenylpyruvate dioxygenase (EC 1.13.11.27)
 Dihydropteroate synthase (EC 2.5.1.15)
 Phenylalanine-4-hydroxylase (EC 1.14.16.1)
 4-hydroxyphenylpyruvate dioxygenase (EC 1.13.11.27)
 4-hydroxyphenylpyruvate dioxygenase (EC 1.13.11.27)
 Homogentisate 1,2-dioxygenase (EC 1.13.11.5)
 Acetoacetyl-CoA synthetase (EC 6.2.1.16)
 Fumarylacetoacetase (EC 3.7.1.2)
 Fumarylacetoacetate hydrolase family protein
 Maleylacetoacetate isomerase (EC 5.2.1.2) @ Glutathione S-transferase, zeta (EC 2.5.1.18)
 Maleylacetoacetate isomerase (EC 5.2.1.2) @ Glutathione S-transferase, zeta (EC 2.5.1.18)
 Maleylacetoacetate isomerase (EC 5.2.1.2) @ Glutathione S-transferase, zeta (EC 2.5.1.18)
 Fumarylacetoacetase (EC 3.7.1.2)
 Maleylacetoacetate isomerase (EC 5.2.1.2) / Glutathione S-transferase
 COGs COG3146
 Fumarylacetoacetate hydrolase family protein
 Homogentisate 1,2-dioxygenase (EC 1.13.11.5)
 Fumarylacetoacetate hydrolase family protein
 4-hydroxyphenylpyruvate dioxygenase (EC 1.13.11.27)
 FolM Alternative dihydrofolate reductase 1
 Fumarylacetoacetate hydrolase family protein
 GTP cyclohydrolase I (EC 3.5.4.16) type 1
 COGs COG3146

 Branched-chain alpha-keto acid dehydrogenase, E1 component, alpha subunit (EC 1.2.4.4)
 Branched-chain alpha-keto acid dehydrogenase, E1 component, beta subunit (EC 1.2.4.4)
 Branched-chain alpha-keto acid dehydrogenase, E1 component, beta subunit (EC 1.2.4.4)

Electron transfer flavoprotein, alpha subunit
 Branched-chain amino acid aminotransferase (EC 2.6.1.42)
 Branched-chain amino acid aminotransferase (EC 2.6.1.42)
 Dihydrolipoamide acyltransferase component of branched-chain alpha-keto acid dehydrogenase complex (EC 2.3.1.16)
 Branched-chain alpha-keto acid dehydrogenase, E1 component, beta subunit (EC 1.2.4.4)
 Methylcrotonyl-CoA carboxylase biotin-containing subunit (EC 6.4.1.4)
 Electron transfer flavoprotein, alpha subunit
 Electron transfer flavoprotein-ubiquinone oxidoreductase (EC 1.5.5.1)
 Acetoacetyl-CoA synthetase (EC 6.2.1.16)
 Isovaleryl-CoA dehydrogenase (EC 1.3.99.10)
 Succinyl-CoA:3-ketoacid-coenzyme A transferase subunit A (EC 2.8.3.5)
 Methylcrotonyl-CoA carboxylase biotin-containing subunit (EC 6.4.1.4)
 Enoyl-CoA hydratase [isoleucine degradation] (EC 4.2.1.17) / 3-hydroxyacyl-CoA dehydrogenase (EC 1.1.1.35)
 Isovaleryl-CoA dehydrogenase (EC 1.3.99.10); Acyl-CoA dehydrogenase, short-chain specific (EC 1.3.99.2)
 Methylcrotonyl-CoA carboxylase carboxyl transferase subunit (EC 6.4.1.4)
 Branched-chain alpha-keto acid dehydrogenase, E1 component, beta subunit (EC 1.2.4.4)
 Methylmalonate-semialdehyde dehydrogenase (EC 1.2.1.27)
 Isovaleryl-CoA dehydrogenase (EC 1.3.99.10)
 Electron transfer flavoprotein, alpha subunit
 Dihydrolipoamide acyltransferase component of branched-chain alpha-keto acid dehydrogenase complex (EC 2.3.1.16)
 Predicted transcriptional regulator LiuR of leucine degradation pathway, MerR family
 Branched-chain alpha-keto acid dehydrogenase, E1 component, beta subunit (EC 1.2.4.4)
 Methylmalonate-semialdehyde dehydrogenase (EC 1.2.1.27)
 Electron transfer flavoprotein, beta subunit
 Methylmalonate-semialdehyde dehydrogenase (EC 1.2.1.27)
 Succinyl-CoA:3-ketoacid-coenzyme A transferase subunit B (EC 2.8.3.5)
 Methylcrotonyl-CoA carboxylase carboxyl transferase subunit (EC 6.4.1.4)
 Enoyl-CoA hydratase [isoleucine degradation] (EC 4.2.1.17) / 3-hydroxyacyl-CoA dehydrogenase (EC 1.1.1.35) / 3-hydroxyisovaleryl-CoA dehydrogenase (EC 1.1.1.36)
 Methylcrotonyl-CoA carboxylase biotin-containing subunit (EC 6.4.1.4)
 Methylcrotonyl-CoA carboxylase biotin-containing subunit (EC 6.4.1.4)
 Acetoacetyl-CoA synthetase (EC 6.2.1.16)
 Electron transfer flavoprotein-ubiquinone oxidoreductase (EC 1.5.5.1)
 Branched-chain acyl-CoA dehydrogenase (EC 1.3.99.12)
 Methylcrotonyl-CoA carboxylase biotin-containing subunit (EC 6.4.1.4)
 Electron transfer flavoprotein, alpha subunit
 Hydroxymethylglutaryl-CoA lyase (EC 4.1.3.4)
 Electron transfer flavoprotein, alpha subunit
 Methylcrotonyl-CoA carboxylase biotin-containing subunit (EC 6.4.1.4)
 Electron transfer flavoprotein, alpha subunit
 Methylglutaconyl-CoA hydratase (EC 4.2.1.18)
 Methylmalonate-semialdehyde dehydrogenase (EC 1.2.1.27)
 Methylmalonate-semialdehyde dehydrogenase (EC 1.2.1.27)
 Methylcrotonyl-CoA carboxylase biotin-containing subunit (EC 6.4.1.4)
 Branched-chain alpha-keto acid dehydrogenase, E1 component, beta subunit (EC 1.2.4.4)
 Hydroxymethylglutaryl-CoA lyase (EC 4.1.3.4)
 Isovaleryl-CoA dehydrogenase (EC 1.3.99.10); Acyl-CoA dehydrogenase, short-chain specific (EC 1.3.99.2)
 Methylcrotonyl-CoA carboxylase carboxyl transferase subunit (EC 6.4.1.4)

Isovaleryl-CoA dehydrogenase (EC 1.3.99.10)
 Succinyl-CoA:3-ketoacid-coenzyme A transferase subunit B (EC 2.8.3.5)
 Methylcrotonyl-CoA carboxylase biotin-containing subunit (EC 6.4.1.4)
 Methylglutaconyl-CoA hydratase (EC 4.2.1.18)

Aldehyde dehydrogenase (EC 1.2.1.3)
 Aldehyde dehydrogenase (EC 1.2.1.3)
 Cardiolipin synthetase (EC 2.7.8.-)
 Aldehyde dehydrogenase (EC 1.2.1.3)
 Glycerol kinase (EC 2.7.1.30)
 Glycerol-3-phosphate dehydrogenase (EC 1.1.5.3)
 Phosphatidate cytidyltransferase (EC 2.7.7.41)
 Aldehyde dehydrogenase (EC 1.2.1.3)
 Glycerol-3-phosphate dehydrogenase (EC 1.1.5.3)
 Phosphate:acyl-ACP acyltransferase PlsX
 Cardiolipin synthetase (EC 2.7.8.-)
 Cardiolipin synthetase (EC 2.7.8.-)
 CDP-diacylglycerol--glycerol-3-phosphate 3-phosphatidyltransferase (EC 2.7.8.5)
 Glycerol-3-phosphate dehydrogenase [NAD(P)+] (EC 1.1.1.94)
 Phosphatidate cytidyltransferase (EC 2.7.7.41)
 Alcohol dehydrogenase (EC 1.1.1.1); Acetaldehyde dehydrogenase (EC 1.2.1.10)
 Phosphate:acyl-ACP acyltransferase PlsX
 Glycerol kinase (EC 2.7.1.30)
 CDP-diacylglycerol--glycerol-3-phosphate 3-phosphatidyltransferase (EC 2.7.8.5)
 Aldehyde dehydrogenase (EC 1.2.1.3)
 Alcohol dehydrogenase (EC 1.1.1.1)
 Glycerol-3-phosphate dehydrogenase [NAD(P)+] (EC 1.1.1.94)
 Alcohol dehydrogenase (EC 1.1.1.1)
 Glycerol kinase (EC 2.7.1.30)
 Possible Glycerol-3-phosphate dehydrogenase (EC 1.1.5.3)
 1-acyl-sn-glycerol-3-phosphate acyltransferase (EC 2.3.1.51)
 Aldehyde dehydrogenase B (EC 1.2.1.22)
 Aldehyde dehydrogenase B (EC 1.2.1.22)
 Phosphate:acyl-ACP acyltransferase PlsX
 Diacylglycerol kinase (EC 2.7.1.107)
 Alcohol dehydrogenase (EC 1.1.1.1)
 Acyl carrier protein (ACP1)
 Alcohol dehydrogenase (EC 1.1.1.1); Acetaldehyde dehydrogenase (EC 1.2.1.10)
 Glycerol-3-phosphate dehydrogenase [NAD(P)+] (EC 1.1.1.94)
 Alcohol dehydrogenase (EC 1.1.1.1)
 Phosphate:acyl-ACP acyltransferase PlsX
 Alcohol dehydrogenase (EC 1.1.1.1)
 Aldehyde dehydrogenase (EC 1.2.1.3), PaaZ
 Cardiolipin synthetase (EC 2.7.8.-)
 Glycerol kinase (EC 2.7.1.30)
 Glycerol kinase (EC 2.7.1.30)
 Cardiolipin synthetase (EC 2.7.8.-)
 Aldehyde dehydrogenase B (EC 1.2.1.22)

Alcohol dehydrogenase (EC 1.1.1.1)

Maltose/maltodextrin transport ATP-binding protein MalK (EC 3.6.3.19)

Maltose/maltodextrin ABC transporter, permease protein MalF

Maltose/maltodextrin transport ATP-binding protein MalK (EC 3.6.3.19)

Glycogen phosphorylase (EC 2.4.1.1)

Transcriptional regulator of maltose utilization, LacI family

Glycogen phosphorylase (EC 2.4.1.1)

Transcriptional regulator of maltose utilization, LacI family

Glycogen phosphorylase (EC 2.4.1.1)

Maltose/maltodextrin ABC transporter, permease protein MalG

4-alpha-glucanotransferase (amylomaltase) (EC 2.4.1.25)

4-alpha-glucanotransferase (amylomaltase) (EC 2.4.1.25)

Glycogen phosphorylase (EC 2.4.1.1)

Glycogen phosphorylase (EC 2.4.1.1)

Glycogen phosphorylase (EC 2.4.1.1)

Glycogen phosphorylase (EC 2.4.1.1)

Glycogen phosphorylase (EC 2.4.1.1)

Glucoamylase (EC 3.2.1.3)

Benzoate-CoA ligase (EC 6.2.1.25)

Benzoate transport, inner-membrane translocator precursor # FIG predicted

Benzoate-CoA ligase (EC 6.2.1.25)

Periplasmic aromatic aldehyde oxidoreductase, FAD binding subunit YagS @ 4-hydroxybenzoyl-CoA reductase, bet
P-hydroxylaminobenzoate lyase

Predicted 2-keto-4-pentenoate hydratase/2-oxohepta-3-ene-1,7-dioic acid hydratase

Benzoyl-CoA oxygenase component A

Benzoate-CoA ligase (EC 6.2.1.25)

Benzoyl-CoA oxygenase component B

Methylglutaconyl-CoA hydratase (EC 4.2.1.18)

benzoyl-CoA-dihydrodiol lyase (BoxC)

Regulatory protein of benzoate catabolism # HTH-XRE-family like protein/AroE I homolog

Methylglutaconyl-CoA hydratase (EC 4.2.1.18)

Benzoyl-CoA oxygenase component B

Benzoyl-CoA oxygenase component B

benzoyl-CoA-dihydrodiol lyase (BoxC)

DNA gyrase subunit A (EC 5.99.1.3)

DNA gyrase subunit B (EC 5.99.1.3)

DNA gyrase subunit A (EC 5.99.1.3)

DNA gyrase subunit A (EC 5.99.1.3)

DNA gyrase subunit A (EC 5.99.1.3)

DNA gyrase subunit A (EC 5.99.1.3)

Topoisomerase IV subunit B (EC 5.99.1.-)

DNA gyrase subunit B (EC 5.99.1.3)

Topoisomerase IV subunit A (EC 5.99.1.-)

DNA gyrase subunit A (EC 5.99.1.3)

DNA gyrase subunit B (EC 5.99.1.3)

DNA gyrase subunit B (EC 5.99.1.3)

DNA gyrase subunit A (EC 5.99.1.3)

DNA gyrase subunit B (EC 5.99.1.3)
 DNA gyrase subunit B (EC 5.99.1.3)
 DNA gyrase subunit A (EC 5.99.1.3)
 DNA gyrase subunit A (EC 5.99.1.3)
 DNA gyrase subunit B (EC 5.99.1.3)
 DNA gyrase subunit B (EC 5.99.1.3) @ intein-containing
 DNA gyrase subunit B (EC 5.99.1.3)
 Topoisomerase IV subunit B (EC 5.99.1.-)

 ABC-type multidrug transport system, permease component
 ABC-type multidrug transport system, permease component
 Iron-sulfur cluster assembly protein SufB
 Iron-sulfur cluster assembly protein SufB
 Iron-sulfur cluster assembly protein SufB
 Iron-sulfur cluster assembly ATPase protein SufC
 Heme O synthase, protoheme IX farnesyltransferase (EC 2.5.1.-) COX10-CtaB
 Iron-sulfur cluster assembly ATPase protein SufC
 ABC-type multidrug transport system, permease component
 Iron-sulfur cluster assembly protein SufB

Cyclic beta-1,2-glucan synthase (EC 2.4.1.-)
 Cyclic beta-1,2-glucan synthase (EC 2.4.1.-)
 Cyclic beta-1,2-glucan synthase (EC 2.4.1.-)
 Cyclic beta-1,2-glucan synthase (EC 2.4.1.-)
 Cyclic beta-1,2-glucan synthase (EC 2.4.1.-)
 Cyclic beta-1,2-glucan synthase (EC 2.4.1.-)
 Cyclic beta-1,2-glucan synthase (EC 2.4.1.-)
 Cyclic beta-1,2-glucan synthase (EC 2.4.1.-)
 Cyclic beta-1,2-glucan synthase (EC 2.4.1.-)
 Cyclic beta-1,2-glucan synthase (EC 2.4.1.-)
 Cyclic beta-1,2-glucan synthase (EC 2.4.1.-)

 RNA polymerase sigma-70 factor, ECF subfamily
 macromolecule metabolism; macromolecule synthesis, modification; dna - replication, repair, restr./modif.
 RNA polymerase sigma-54 factor RpoN
 RNA polymerase sigma-70 factor, ECF subfamily
 macromolecule metabolism; macromolecule synthesis, modification; dna - replication, repair, restr./modif.
 DNA-directed RNA polymerase specialized sigma subunit, sigma24-like
 RNA polymerase sigma-54 factor RpoN
 RNA polymerase sigma-54 factor RpoN
 RNA polymerase sigma-54 factor RpoN
 RNA polymerase sigma-54 factor RpoN
 RNA polymerase sigma-70 factor, ECF subfamily
 RNA polymerase sigma-70 factor, ECF family
 RNA polymerase sigma-70 factor, ECF subfamily

 TRAP-type C4-dicarboxylate transport system, large permease component
 TRAP-type C4-dicarboxylate transport system, periplasmic component
 TRAP-type C4-dicarboxylate transport system, large permease component

TRAP-type uncharacterized transport system, fused permease component
 TRAP-type C4-dicarboxylate transport system, large permease component
 TRAP-type C4-dicarboxylate transport system, periplasmic component
 TRAP-type C4-dicarboxylate transport system, large permease component
 TRAP-type C4-dicarboxylate transport system, periplasmic component
 TRAP-type C4-dicarboxylate transport system, periplasmic component
 TRAP-type C4-dicarboxylate transport system, periplasmic component
 TRAP-type C4-dicarboxylate transport system, large permease component
 Putative tricarboxylic transport TctC

Glycerophosphoryl diester phosphodiesterase (EC 3.1.4.46)
 Glycerol-3-phosphate ABC transporter, ATP-binding protein UgpC (TC 3.A.1.1.3)
 Glycerol kinase (EC 2.7.1.30)
 Glycerol kinase (EC 2.7.1.30)
 Glycerol kinase (EC 2.7.1.30)
 Glycerol-3-phosphate dehydrogenase (EC 1.1.5.3)
 Glycerophosphoryl diester phosphodiesterase (EC 3.1.4.46)
 Glycerol-3-phosphate dehydrogenase (EC 1.1.5.3)
 Glycerol-3-phosphate ABC transporter, ATP-binding protein UgpC (TC 3.A.1.1.3)
 Glycerol-3-phosphate dehydrogenase [NAD(P)+] (EC 1.1.1.94)
 Glycerophosphoryl diester phosphodiesterase (EC 3.1.4.46)
 Glycerol-3-phosphate ABC transporter, ATP-binding protein UgpC (TC 3.A.1.1.3)
 Glycerol uptake facilitator protein
 Glycerol kinase (EC 2.7.1.30)
 Glycerol-3-phosphate ABC transporter, periplasmic glycerol-3-phosphate-binding protein (TC 3.A.1.1.3)
 Glycerol-3-phosphate ABC transporter, periplasmic glycerol-3-phosphate-binding protein (TC 3.A.1.1.3)
 Glycerol-3-phosphate ABC transporter, periplasmic glycerol-3-phosphate-binding protein (TC 3.A.1.1.3)
 Glycerol-3-phosphate ABC transporter, ATP-binding protein UgpC (TC 3.A.1.1.3)
 Glycerol-3-phosphate dehydrogenase [NAD(P)+] (EC 1.1.1.94)
 Glycerol kinase (EC 2.7.1.30)
 Possible Glycerol-3-phosphate dehydrogenase (EC 1.1.5.3)
 Glycerophosphoryl diester phosphodiesterase (EC 3.1.4.46)
 Glycerophosphoryl diester phosphodiesterase (EC 3.1.4.46)
 Glycerol uptake facilitator protein
 Glycerophosphoryl diester phosphodiesterase (EC 3.1.4.46)
 Glycerol-3-phosphate ABC transporter, permease protein UgpE (TC 3.A.1.1.3)
 Glycerol-3-phosphate ABC transporter, periplasmic glycerol-3-phosphate-binding protein (TC 3.A.1.1.3)
 Glycerol-3-phosphate dehydrogenase [NAD(P)+] (EC 1.1.1.94)

Type IV fimbriae expression regulatory protein PilR
 Twitching motility protein PilT
 Type IV fimbriae expression regulatory protein PilR
 3-dehydroquinate synthase (EC 4.2.3.4) # AroB
 Type IV fimbrial assembly protein PilC
 Type IV pilin PilA
 Twitching motility protein PilT
 Twitching motility protein PilT
 3-dehydroquinate synthase (EC 4.2.3.4) # AroB
 Twitching motility protein PilT

Multimodular transpeptidase-transglycosylase (EC 2.4.1.129) (EC 3.4.-.-)
 Multimodular transpeptidase-transglycosylase (EC 2.4.1.129) (EC 3.4.-.-)
 Type IV pilus biogenesis protein PilM
 Leader peptidase (Prepilin peptidase) (EC 3.4.23.43) / N-methyltransferase (EC 2.1.1.-)
 Twitching motility protein PilT
 Type IV fimbrial assembly protein PilC
 Type IV pilus biogenesis protein PilQ
 3-dehydroquinate synthase (EC 4.2.3.4) # AroB
 Type IV fimbriae expression regulatory protein PilR
 Twitching motility protein PilT
 Type IV fimbrial biogenesis protein PilY1
 Multimodular transpeptidase-transglycosylase (EC 2.4.1.129) (EC 3.4.-.-)
 Type IV pilus biogenesis protein PilO
 Twitching motility protein PilT
 Multimodular transpeptidase-transglycosylase (EC 2.4.1.129) (EC 3.4.-.-)
 Multimodular transpeptidase-transglycosylase (EC 2.4.1.129) (EC 3.4.-.-)
 Type IV fimbrial assembly, ATPase PilB

Serine hydroxymethyltransferase (EC 2.1.2.1)
 Serine hydroxymethyltransferase (EC 2.1.2.1)
 D-3-phosphoglycerate dehydrogenase (EC 1.1.1.95)
 D-3-phosphoglycerate dehydrogenase (EC 1.1.1.95)
 Serine hydroxymethyltransferase (EC 2.1.2.1)
 D-3-phosphoglycerate dehydrogenase (EC 1.1.1.95)
 Serine hydroxymethyltransferase (EC 2.1.2.1)
 Serine hydroxymethyltransferase (EC 2.1.2.1)
 Phosphoserine aminotransferase (EC 2.6.1.52)
 D-3-phosphoglycerate dehydrogenase (EC 1.1.1.95)
 D-3-phosphoglycerate dehydrogenase (EC 1.1.1.95)
 Serine hydroxymethyltransferase (EC 2.1.2.1)
 D-3-phosphoglycerate dehydrogenase (EC 1.1.1.95)
 D-3-phosphoglycerate dehydrogenase (EC 1.1.1.95)
 Serine hydroxymethyltransferase (EC 2.1.2.1)
 Phosphoserine phosphatase (EC 3.1.3.3)
 Phosphoserine aminotransferase (EC 2.6.1.52)
 Serine hydroxymethyltransferase (EC 2.1.2.1)
 D-3-phosphoglycerate dehydrogenase (EC 1.1.1.95)
 D-3-phosphoglycerate dehydrogenase (EC 1.1.1.95)
 Phosphoserine aminotransferase (EC 2.6.1.52)
 D-3-phosphoglycerate dehydrogenase (EC 1.1.1.95)
 D-3-phosphoglycerate dehydrogenase (EC 1.1.1.95)
 D-3-phosphoglycerate dehydrogenase (EC 1.1.1.95)
 D-3-phosphoglycerate dehydrogenase (EC 1.1.1.95)

RNA polymerase sigma factor RpoD
 RNA polymerase sigma factor RpoD
 RNA polymerase sigma factor RpoD
 RNA polymerase sigma factor RpoD
 RNA polymerase sigma factor RpoD

Cyanobacteria-specific RpoD-like sigma factor, type-3 @ Group 2 RNA polymerase sigma factor
 Group 2 RNA polymerase sigma factor @ Cyanobacteria-specific RpoD-like sigma factor, type-7
 RNA polymerase sigma factor RpoD
 RNA polymerase sigma factor RpoD
 Group 2 RNA polymerase sigma factor @ Cyanobacteria-specific RpoD-like sigma factor, type-7
 Group 2 RNA polymerase sigma factor @ RNA polymerase sigma factor RpoD
 RNA polymerase sigma factor RpoD

Cytochrome c oxidase polypeptide I (EC 1.9.3.1)
 probable cytochrome oxidase (cbb3-type)
 Cytochrome c oxidase polypeptide III (EC 1.9.3.1)
 Cytochrome c oxidase subunit CcoO (EC 1.9.3.1)
 Cytochrome c oxidase subunit CcoN (EC 1.9.3.1)
 Cytochrome c oxidase polypeptide I (EC 1.9.3.1)
 Cytochrome c oxidase polypeptide II (EC 1.9.3.1)
 probable cytochrome oxidase (cbb3-type)
 Type cbb3 cytochrome oxidase biogenesis protein CcoG, involved in Cu oxidation
 Cytochrome c oxidase subunit CcoN (EC 1.9.3.1) / Cytochrome c oxidase subunit CcoO (EC 1.9.3.1)
 Cytochrome c oxidase polypeptide II (EC 1.9.3.1)
 Cytochrome c oxidase polypeptide II (EC 1.9.3.1)
 Cytochrome c oxidase subunit CcoN (EC 1.9.3.1)
 Cytochrome c oxidase subunit CcoN (EC 1.9.3.1)
 Cytochrome c oxidase subunit CcoO (EC 1.9.3.1)
 Cytochrome c oxidase polypeptide I (EC 1.9.3.1) / Cytochrome c oxidase polypeptide III (EC 1.9.3.1) ## putative

Cobalt-zinc-cadmium resistance protein CzcA; Cation efflux system protein CusA
 Cobalt-zinc-cadmium resistance protein CzcA; Cation efflux system protein CusA
 Cobalt-zinc-cadmium resistance protein CzcA; Cation efflux system protein CusA
 Cobalt-zinc-cadmium resistance protein CzcD
 Cobalt-zinc-cadmium resistance protein CzcA; Cation efflux system protein CusA
 Cobalt-zinc-cadmium resistance protein CzcA; Cation efflux system protein CusA
 Cobalt-zinc-cadmium resistance protein CzcA; Cation efflux system protein CusA
 Cobalt-zinc-cadmium resistance protein CzcA; Cation efflux system protein CusA
 Cobalt-zinc-cadmium resistance protein CzcA; Cation efflux system protein CusA
 Cobalt-zinc-cadmium resistance protein CzcA; Cation efflux system protein CusA
 Cobalt-zinc-cadmium resistance protein CzcA; Cation efflux system protein CusA
 Cobalt-zinc-cadmium resistance protein CzcD
 Cobalt-zinc-cadmium resistance protein CzcA; Cation efflux system protein CusA
 Cobalt-zinc-cadmium resistance protein CzcA; Cation efflux system protein CusA
 Cobalt-zinc-cadmium resistance protein CzcA; Cation efflux system protein CusA
 Cobalt-zinc-cadmium resistance protein CzcD
 Cobalt-zinc-cadmium resistance protein CzcA; Cation efflux system protein CusA
 Cobalt-zinc-cadmium resistance protein CzcA; Cation efflux system protein CusA
 Zn(II) and Co(II) transmembrane diffusion facilitator
 Probable Co/Zn/Cd efflux system membrane fusion protein
 Probable Co/Zn/Cd efflux system membrane fusion protein
 Transcriptional regulator, MerR family

Cobalt-zinc-cadmium resistance protein CzcA; Cation efflux system protein CusA
 Cobalt-zinc-cadmium resistance protein CzcA; Cation efflux system protein CusA
 Heavy metal RND efflux outer membrane protein, CzcC family
 Cobalt-zinc-cadmium resistance protein CzcA; Cation efflux system protein CusA
 Cobalt-zinc-cadmium resistance protein CzcA; Cation efflux system protein CusA

SSU ribosomal protein S4p (S9e)
 SSU ribosomal protein S2p (SAe)
 SSU ribosomal protein S7p (S5e)
 SSU ribosomal protein S7p (S5e)
 SSU ribosomal protein S8p (S15Ae)
 SSU ribosomal protein S8p (S15Ae)
 SSU ribosomal protein S5p (S2e)
 SSU ribosomal protein S5p (S2e)
 SSU ribosomal protein S7p (S5e)
 SSU ribosomal protein S3p (S3e)
 SSU ribosomal protein S2p (SAe)
 SSU ribosomal protein S2p (SAe)
 SSU ribosomal protein S2p (SAe)
 SSU ribosomal protein S21p
 SSU ribosomal protein S4p (S9e)
 SSU ribosomal protein S4p (S9e)
 SSU ribosomal protein S5p (S2e)
 SSU ribosomal protein S15p (S13e)
 SSU ribosomal protein S5p (S2e)
 SSU ribosomal protein S18p
 SSU ribosomal protein S1p
 SSU ribosomal protein S1p
 SSU ribosomal protein S14p (S29e)
 SSU ribosomal protein S12p (S23e)
 SSU ribosomal protein S1p
 SSU ribosomal protein S4p (S9e)
 SSU ribosomal protein S3p (S3e)
 SSU ribosomal protein S19p (S15e)
 SSU ribosomal protein S14p (S29e) ## Zinc-independent
 SSU ribosomal protein S8p (S15Ae)
 SSU ribosomal protein S10p (S20e)
 SSU ribosomal protein S1p
 SSU ribosomal protein S9p (S16e)
 SSU ribosomal protein S1p
 SSU ribosomal protein S5p (S2e)
 SSU ribosomal protein S12p (S23e)
 SSU ribosomal protein S20p
 SSU ribosomal protein S1p

e-value	score	identity
4.00E-04	43 bits (111)	22/35 (63%)
4.00E-17	86 bits (222)	42/85 (49%)
3.00E+02	23 bits (60)	12/14 (86%)
9.00E-48	188 bits (484)	100/138 (72%)
4.00E-10	63 bits (162)	32/46 (70%)
8.00E-02	35 bits (90)	17/20 (85%)
3.00E-17	86 bits (223)	40/56 (71%)
7.00E-03	39 bits (100)	21/29 (72%)
3.00E-05	47 bits (121)	21/29 (72%)
3.00E-04	43 bits (112)	21/29 (72%)
3.00E-03	40 bits (103)	19/27 (70%)
3.00E-56	216 bits (557)	107/142 (75%)
1.00E+02	25 bits (63)	13/14 (93%)
3.00E-03	40 bits (103)	19/23 (83%)
7.00E-14	75 bits (194)	33/47 (70%)
6.00E-13	72 bits (186)	35/40 (88%)
5.00E-16	82 bits (212)	42/74 (57%)
1.00E-25	115 bits (295)	56/92 (61%)
2.00E-08	57 bits (148)	28/37 (76%)
7.00E-03	39 bits (100)	21/27 (78%)
2.00E-16	84 bits (216)	43/69 (62%)
2.00E-78	289 bits (747)	142/164 (87%)
9.00E-25	111 bits (287)	56/80 (70%)
1.00E-23	108 bits (277)	56/73 (77%)
7.00E-10	62 bits (160)	27/36 (75%)
1.00E-02	38 bits (98)	18/22 (82%)
3.00E-05	47 bits (121)	22/34 (65%)
4.00E-15	79 bits (205)	40/68 (59%)
3.00E-04	43 bits (112)	21/32 (66%)
3.00E-04	43 bits (112)	22/33 (67%)
9.00E-06	48 bits (125)	24/34 (71%)
5.00E-06	49 bits (127)	26/41 (63%)
2.00E-08	57 bits (147)	28/48 (58%)
2.00E-06	50 bits (130)	24/33 (73%)
2.00E-21	100 bits (258)	52/87 (60%)
2.00E-11	67 bits (173)	35/61 (57%)
1.00E-08	58 bits (150)	27/40 (68%)
2.00E-11	67 bits (173)	35/61 (57%)
2.00E-11	67 bits (173)	35/61 (57%)
7.00E-22	102 bits (262)	46/69 (67%)
8.00E-26	115 bits (297)	57/89 (64%)
1.00E-68	257 bits (663)	118/156 (76%)
1.00E-33	141 bits (363)	67/85 (79%)
4.00E-02	36 bits (93)	18/24 (75%)

3.00E-04 43 bits (112)	22/33 (67%)
8.00E-05 45 bits (117)	24/30 (80%)
6.00E-03 39 bits (101)	17/22 (77%)
7.00E-18 88 bits (228)	46/60 (77%)
2.00E-07 54 bits (139)	29/49 (59%)
4.00E-18 89 bits (230)	41/55 (75%)
2.00E-26 117 bits (303)	62/69 (90%)
2.00E-15 81 bits (208)	39/54 (72%)
6.00E-09 59 bits (152)	25/40 (63%)
7.00E-14 75 bits (194)	35/47 (74%)
2.00E-09 61 bits (157)	32/44 (73%)
1.00E-05 48 bits (124)	24/42 (57%)
1.00E-23 108 bits (278)	53/62 (85%)
2.00E-20 97 bits (250)	50/66 (76%)
5.00E-09 59 bits (153)	28/49 (57%)
4.00E-07 53 bits (136)	23/36 (64%)
5.00E-14 76 bits (195)	39/61 (64%)
9.00E-25 111 bits (287)	55/66 (83%)
2.00E-40 163 bits (421)	80/93 (86%)
2.00E-03 41 bits (105)	20/23 (87%)
2.00E-08 57 bits (148)	28/47 (60%)
4.00E-10 63 bits (162)	31/45 (69%)
4.00E-10 63 bits (162)	29/37 (78%)
2.00E-14 77 bits (198)	38/43 (88%)
2.00E-26 117 bits (303)	58/76 (76%)
3.00E-15 80 bits (206)	37/46 (80%)
7.00E-06 49 bits (126)	25/40 (63%)
4.00E-06 49 bits (128)	24/36 (67%)
1.00E-02 38 bits (98)	18/27 (67%)
9.00E-06 48 bits (125)	23/31 (74%)
9.00E-10 62 bits (159)	30/44 (68%)
1.00E-12 71 bits (184)	35/57 (61%)
6.00E-20 95 bits (246)	46/59 (78%)
1.00E-04 45 bits (116)	22/33 (67%)
7.00E-06 49 bits (126)	24/28 (86%)
4.00E-21 99 bits (256)	49/74 (66%)
1.00E-05 48 bits (123)	26/39 (67%)
6.00E-15 79 bits (203)	38/47 (81%)
1.00E-03 41 bits (106)	22/38 (58%)
3.00E-09 60 bits (154)	30/45 (67%)
1.00E+03 21 bits (54)	10/10 (100%)
1.00E-06 51 bits (132)	25/33 (76%)
4.00E-10 63 bits (162)	34/48 (71%)
7.00E-06 49 bits (126)	22/29 (76%)
9.00E-08 55 bits (142)	26/31 (84%)

2.00E-23	107 bits (275)	54/59 (92%)
1.00E-19	95 bits (244)	48/59 (81%)
4.00E-12	69 bits (179)	35/64 (55%)
3.00E-03	40 bits (103)	18/23 (78%)
5.00E-06	49 bits (127)	24/44 (55%)
2.00E-09	60 bits (156)	30/39 (77%)
8.00E-26	115 bits (297)	50/62 (81%)
9.00E-08	55 bits (142)	25/43 (58%)
2.00E-06	50 bits (130)	26/43 (60%)
1.00E-20	98 bits (252)	46/85 (54%)
3.00E-03	40 bits (104)	22/34 (65%)
2.00E-04	44 bits (113)	20/30 (67%)
3.00E-11	67 bits (172)	34/60 (57%)
7.00E-12	69 bits (177)	31/46 (67%)
5.00E-16	82 bits (212)	39/43 (91%)
4.00E-02	36 bits (93)	15/23 (65%)
2.00E-27	120 bits (311)	62/77 (81%)
5.00E-09	59 bits (153)	31/53 (58%)
7.00E-03	39 bits (100)	20/30 (67%)
7.00E-06	49 bits (126)	24/37 (65%)
3.00E-03	40 bits (104)	22/35 (63%)
3.00E-02	37 bits (94)	18/28 (64%)
2.00E-04	44 bits (113)	22/34 (65%)
4.00E-18	89 bits (230)	44/72 (61%)
5.00E-04	42 bits (110)	23/38 (61%)
2.00E-18	90 bits (233)	46/74 (62%)
1.00E-13	74 bits (192)	35/57 (61%)
2.00E-06	51 bits (131)	25/37 (68%)
1.00E-06	51 bits (132)	26/30 (87%)
8.00E-07	52 bits (134)	26/43 (60%)
1.00E-17	88 bits (227)	43/76 (57%)
1.00E-01	34 bits (88)	19/26 (73%)
7.00E-06	49 bits (126)	23/40 (58%)
3.00E-04	43 bits (112)	22/28 (79%)
3.00E-03	40 bits (103)	22/31 (71%)
6.00E-02	35 bits (91)	18/22 (82%)
5.00E+01	26 bits (66)	13/13 (100%)
7.00E-06	49 bits (126)	31/54 (57%)
2.00E-03	41 bits (105)	21/33 (64%)
1.00E-02	38 bits (97)	19/22 (86%)
1.00E-04	45 bits (116)	22/28 (79%)
7.00E-08	55 bits (143)	29/49 (59%)
1.00E-04	45 bits (116)	23/27 (85%)
4.00E-05	46 bits (119)	22/34 (65%)
5.00E-09	59 bits (153)	30/41 (73%)
4.00E-01	33 bits (84)	17/26 (65%)
9.00E-04	42 bits (108)	23/36 (64%)

3.00E-17	86 bits (223)	41/57 (72%)
7.00E-03	39 bits (100)	21/34 (62%)
9.00E-08	55 bits (142)	26/34 (76%)
7.00E-16	82 bits (211)	44/58 (76%)
4.00E-03	39 bits (102)	20/27 (74%)
4.00E-04	43 bits (111)	21/28 (75%)

2.00E-11	67 bits (173)	31/46 (67%)
2.00E-08	57 bits (147)	27/43 (63%)
6.00E-21	99 bits (254)	44/61 (72%)
1.00E+01	28 bits (71)	13/19 (68%)
7.00E-04	42 bits (109)	24/43 (56%)
9.00E-04	42 bits (108)	21/29 (72%)
7.00E-37	152 bits (391)	76/83 (92%)
7.00E-08	55 bits (143)	27/29 (93%)
2.00E-06	50 bits (130)	25/28 (89%)
3.00E-09	60 bits (154)	28/31 (90%)
7.00E-12	69 bits (177)	35/45 (78%)

6.00E-26	115 bits (298)	58/81 (72%)
1.00E-06	51 bits (133)	25/32 (78%)
6.00E-26	115 bits (298)	61/80 (76%)
7.00E-22	102 bits (262)	49/80 (61%)
6.00E-26	115 bits (298)	58/81 (72%)
6.00E-26	115 bits (298)	61/80 (76%)

3.00E-11	67 bits (172)	33/40 (83%)
2.00E-06	51 bits (131)	27/38 (71%)
3.00E-03	40 bits (104)	19/24 (79%)
2.00E-11	67 bits (173)	37/57 (65%)
4.00E-22	102 bits (264)	49/72 (68%)

2.00E-11	67 bits (173)	32/41 (78%)
8.00E-26	115 bits (297)	54/72 (75%)
1.00E-19	94 bits (243)	48/59 (81%)
5.00E-17	86 bits (221)	45/74 (61%)
1.00E-25	115 bits (295)	57/85 (67%)
5.00E+03	19 bits (49)	10/11 (91%)
1.00E-06	51 bits (133)	27/45 (60%)
3.00E-03	40 bits (103)	20/29 (69%)
4.00E-03	39 bits (102)	19/22 (86%)
8.00E-24	108 bits (279)	54/76 (71%)
3.00E-06	50 bits (129)	24/39 (62%)
1.00E-15	81 bits (209)	39/60 (65%)
7.00E-06	49 bits (126)	22/36 (61%)
1.00E-02	38 bits (98)	19/23 (83%)

6.00E-22	102 bits (263)	49/63 (78%)
1.00E-03	41 bits (106)	21/31 (68%)
5.00E-25	112 bits (289)	52/69 (75%)
8.00E-26	115 bits (297)	54/82 (66%)
2.00E-10	63 bits (164)	30/37 (81%)
5.00E-15	79 bits (204)	41/64 (64%)
6.00E-01	32 bits (83)	15/18 (83%)
2.00E-10	63 bits (164)	30/40 (75%)
7.00E-12	69 bits (177)	30/42 (71%)
6.00E-03	39 bits (101)	21/24 (88%)
2.00E-07	54 bits (140)	24/28 (86%)
4.00E-03	39 bits (102)	22/35 (63%)
3.00E-05	46 bits (120)	21/32 (66%)
2.00E-11	67 bits (173)	31/48 (65%)
2.00E-08	57 bits (148)	26/46 (57%)
2.00E-06	51 bits (131)	24/26 (92%)
2.00E-08	57 bits (147)	25/34 (74%)
5.00E-27	119 bits (307)	55/82 (67%)
3.00E-04	43 bits (112)	23/37 (62%)
3.00E-13	73 bits (189)	35/48 (73%)
2.00E-10	63 bits (164)	33/50 (66%)
2.00E-23	107 bits (275)	54/68 (79%)
9.00E-06	48 bits (125)	26/42 (62%)
5.00E-09	59 bits (153)	30/40 (75%)
2.00E-11	67 bits (174)	36/44 (82%)
3.00E-13	73 bits (189)	36/47 (77%)
3.00E-04	43 bits (112)	19/22 (86%)
1.00E-06	51 bits (132)	25/34 (74%)
1.00E-14	78 bits (201)	37/54 (69%)
3.00E-10	63 bits (163)	32/53 (60%)
2.00E-02	37 bits (96)	17/22 (77%)
3.00E-18	90 bits (231)	42/55 (76%)
2.00E-02	37 bits (96)	17/22 (77%)
1.00E-06	51 bits (132)	23/26 (88%)
2.00E-07	54 bits (140)	25/33 (76%)
3.00E-02	37 bits (94)	19/26 (73%)
2.00E-14	77 bits (199)	35/47 (74%)
3.00E-03	40 bits (103)	18/27 (67%)
6.00E-03	39 bits (101)	20/34 (59%)
4.00E-03	39 bits (102)	20/24 (83%)
4.00E-23	106 bits (273)	52/88 (59%)
1.00E-25	115 bits (295)	53/79 (67%)
1.00E-02	38 bits (97)	20/25 (80%)
2.00E-06	51 bits (131)	21/32 (66%)
2.00E-16	84 bits (216)	40/65 (62%)
5.00E-19	92 bits (238)	43/54 (80%)
7.00E-03	39 bits (100)	18/30 (60%)

7.00E-16	82 bits (211)	44/58 (76%)
6.00E-03	39 bits (101)	20/34 (59%)
1.00E-02	38 bits (98)	21/32 (66%)
1.00E-18	91 bits (234)	45/71 (63%)
2.00E-08	57 bits (148)	28/38 (74%)
2.00E-04	44 bits (113)	21/27 (78%)
2.00E-09	60 bits (156)	30/39 (77%)
8.00E-26	115 bits (297)	50/62 (81%)
2.00E-08	57 bits (147)	25/34 (74%)
2.00E-04	44 bits (113)	23/23 (100%)
2.00E-08	57 bits (148)	28/34 (82%)
1.00E-12	71 bits (184)	35/46 (76%)
1.00E-20	98 bits (252)	46/85 (54%)
6.00E-45	178 bits (460)	90/105 (86%)
3.00E-01	33 bits (85)	17/28 (61%)
4.00E-03	39 bits (102)	20/28 (71%)
1.00E-18	91 bits (234)	42/65 (65%)
5.00E-17	86 bits (221)	42/69 (61%)
2.00E-27	120 bits (311)	62/77 (81%)
7.00E-12	69 bits (177)	33/44 (75%)
6.00E-20	95 bits (246)	47/72 (65%)
2.00E-08	57 bits (147)	29/49 (59%)
7.00E-12	69 bits (177)	35/61 (57%)
2.00E-04	44 bits (113)	22/34 (65%)
9.00E-14	75 bits (193)	39/52 (75%)
2.00E-06	51 bits (131)	28/37 (76%)
8.00E-05	45 bits (117)	21/26 (81%)
2.00E-06	51 bits (131)	25/37 (68%)
6.00E-02	35 bits (91)	18/23 (78%)
6.00E-07	52 bits (135)	24/40 (60%)
1.00E-06	51 bits (132)	25/34 (74%)
7.00E-06	49 bits (126)	23/40 (58%)
3.00E-04	43 bits (112)	19/25 (76%)
2.00E-08	57 bits (147)	30/36 (83%)
3.00E-03	40 bits (103)	22/31 (71%)
3.00E-03	40 bits (104)	21/23 (91%)
7.00E-06	49 bits (126)	31/54 (57%)
8.00E-05	45 bits (117)	23/32 (72%)
1.00E-04	45 bits (116)	22/28 (79%)
2.00E-18	90 bits (233)	51/82 (62%)
4.00E-22	102 bits (264)	54/84 (64%)
5.00E-14	76 bits (195)	38/53 (72%)
1.00E-04	45 bits (116)	23/38 (61%)
4.00E-03	39 bits (102)	18/28 (64%)
6.00E-18	89 bits (229)	41/51 (80%)
1.00E-37	154 bits (398)	75/90 (83%)
5.00E-14	76 bits (195)	35/55 (64%)

1.00E-12	71 bits (183)	35/48 (73%)
2.00E-25	114 bits (293)	56/75 (75%)
7.00E+01	25 bits (65)	15/17 (88%)
7.00E-16	82 bits (211)	41/71 (58%)
2.00E-04	44 bits (114)	21/27 (78%)
8.00E+00	28 bits (73)	15/17 (88%)
1.00E+02	25 bits (63)	13/15 (87%)
2.00E-10	63 bits (164)	28/42 (67%)
3.00E+00	30 bits (77)	15/20 (75%)
5.00E-04	42 bits (110)	22/34 (65%)
2.00E-06	51 bits (131)	24/35 (69%)
7.00E-06	49 bits (126)	24/36 (67%)
4.00E-04	43 bits (111)	23/29 (79%)
8.00E-02	35 bits (90)	22/33 (67%)
2.00E-05	47 bits (122)	22/27 (81%)
6.00E-05	46 bits (118)	21/26 (81%)
2.00E-22	104 bits (267)	52/64 (81%)
7.00E-08	55 bits (143)	28/37 (76%)
1.00E-06	51 bits (133)	26/42 (62%)
9.00E-25	111 bits (287)	49/67 (73%)
2.00E+00	30 bits (78)	16/21 (76%)
4.00E+01	26 bits (67)	14/15 (93%)
1.00E-05	48 bits (124)	23/30 (77%)
7.00E-03	39 bits (100)	22/32 (69%)
2.00E-08	57 bits (147)	26/37 (70%)
2.00E-06	50 bits (130)	28/41 (68%)
1.00E-06	51 bits (133)	24/36 (67%)
2.00E+02	24 bits (61)	12/12 (100%)
8.00E-05	45 bits (117)	22/34 (65%)
5.00E-30	129 bits (333)	58/69 (84%)
1.00E-19	95 bits (244)	41/47 (87%)
6.00E-22	102 bits (263)	48/57 (84%)
4.00E-05	46 bits (119)	24/27 (89%)
1.00E-06	51 bits (132)	30/37 (81%)
3.00E-07	53 bits (137)	26/39 (67%)
1.00E-05	48 bits (124)	24/35 (69%)
9.00E-25	111 bits (287)	54/84 (64%)
1.00E-16	84 bits (217)	45/60 (75%)
1.00E-01	34 bits (88)	14/20 (70%)
1.00E-06	51 bits (133)	27/39 (69%)
7.00E-01	32 bits (82)	15/23 (65%)
2.00E-06	51 bits (131)	27/45 (60%)
2.00E-04	44 bits (113)	26/39 (67%)
1.00E-01	35 bits (89)	18/19 (95%)
2.00E-15	81 bits (208)	37/52 (71%)
1.00E-02	38 bits (98)	21/32 (66%)
1.00E-03	41 bits (106)	20/30 (67%)

7.00E-08	55 bits (143)	25/36 (69%)
1.00E-06	51 bits (132)	22/32 (69%)
1.00E-03	41 bits (106)	18/22 (82%)
4.00E-15	79 bits (205)	41/46 (89%)
1.00E+00	31 bits (80)	15/18 (83%)
2.00E-14	77 bits (199)	43/64 (67%)
1.00E-06	51 bits (132)	27/39 (69%)
2.00E-11	67 bits (174)	31/57 (54%)
1.00E-09	61 bits (158)	27/36 (75%)
5.00E-09	59 bits (153)	28/36 (78%)
2.00E-06	51 bits (131)	27/33 (82%)
4.00E-05	46 bits (119)	19/26 (73%)
2.00E-06	51 bits (131)	28/47 (60%)
1.00E-18	91 bits (234)	40/58 (69%)
4.00E-18	89 bits (230)	38/58 (66%)
1.00E-05	48 bits (124)	21/31 (68%)
3.00E-04	43 bits (112)	21/24 (88%)
7.00E-03	39 bits (100)	19/23 (83%)
1.00E-14	78 bits (201)	41/49 (84%)
1.00E-23	108 bits (278)	59/73 (81%)
6.00E-09	59 bits (152)	29/32 (91%)
5.00E-04	42 bits (110)	21/33 (64%)
8.00E-26	115 bits (297)	53/65 (82%)
4.00E-13	73 bits (188)	36/47 (77%)
1.00E-40	164 bits (423)	76/88 (86%)
2.00E-13	74 bits (191)	40/47 (85%)
1.00E-16	84 bits (217)	40/53 (75%)
2.00E-18	90 bits (233)	51/82 (62%)
1.00E-18	91 bits (235)	45/56 (80%)
4.00E-03	39 bits (102)	20/32 (63%)
7.00E-16	82 bits (211)	41/71 (58%)
5.00E-16	82 bits (212)	42/56 (75%)
8.00E-07	52 bits (134)	23/32 (72%)
1.00E-23	108 bits (277)	51/66 (77%)
6.00E-02	35 bits (91)	17/21 (81%)
6.00E-03	39 bits (101)	19/21 (90%)
2.00E-19	94 bits (242)	48/63 (76%)
4.00E-19	93 bits (239)	47/57 (82%)
4.00E-04	43 bits (111)	22/29 (76%)
1.00E-03	41 bits (106)	20/25 (80%)
3.00E-04	43 bits (112)	19/22 (86%)
1.00E-03	41 bits (107)	18/22 (82%)
7.00E-06	49 bits (126)	23/27 (85%)
7.00E-03	39 bits (100)	20/29 (69%)
5.00E-08	56 bits (144)	27/35 (77%)
1.00E-03	41 bits (107)	21/28 (75%)
3.00E-05	47 bits (121)	23/30 (77%)

2.00E+00	30 bits (78)	16/28 (57%)
3.00E-07	53 bits (137)	24/33 (73%)
1.00E-16	84 bits (217)	43/70 (61%)
2.00E-07	54 bits (139)	27/37 (73%)
3.00E-09	60 bits (155)	26/33 (79%)
6.00E-13	72 bits (186)	36/43 (84%)
2.00E-01	34 bits (87)	16/23 (70%)
1.00E-10	65 bits (167)	30/48 (63%)
<hr/>		
2.00E-08	57 bits (147)	28/40 (70%)
2.00E-07	54 bits (139)	24/33 (73%)
6.00E-36	148 bits (383)	77/84 (92%)
3.00E-29	126 bits (326)	60/72 (83%)
5.00E-04	42 bits (110)	20/21 (95%)
1.00E-10	64 bits (166)	33/42 (79%)
4.00E-22	102 bits (264)	48/66 (73%)
1.00E-08	58 bits (149)	31/40 (78%)
5.00E-06	49 bits (127)	22/31 (71%)
5.00E-04	42 bits (110)	22/40 (55%)
<hr/>		
4.00E+02	23 bits (59)	12/16 (75%)
3.00E-08	56 bits (146)	26/34 (76%)
2.00E-04	44 bits (113)	19/34 (56%)
4.00E-03	39 bits (102)	21/29 (72%)
4.00E-07	53 bits (136)	25/38 (66%)
1.00E-06	51 bits (132)	23/37 (62%)
2.00E-07	54 bits (140)	26/40 (65%)
1.00E-03	41 bits (106)	19/27 (70%)
7.00E-03	39 bits (100)	17/24 (71%)
4.00E+02	23 bits (59)	11/12 (92%)
1.00E-06	51 bits (133)	25/35 (71%)
1.00E-07	55 bits (141)	31/52 (60%)
<hr/>		
2.00E-06	51 bits (131)	24/37 (65%)
5.00E-08	56 bits (144)	31/42 (74%)
4.00E-10	63 bits (162)	33/50 (66%)
6.00E-11	65 bits (169)	33/49 (67%)
1.00E-16	85 bits (218)	46/70 (66%)
5.00E-08	56 bits (144)	28/31 (90%)
1.00E-01	35 bits (89)	19/23 (83%)
2.00E-04	44 bits (114)	22/35 (63%)
4.00E-17	86 bits (222)	40/63 (63%)
3.00E-03	40 bits (103)	20/25 (80%)
1.00E-14	78 bits (201)	41/50 (82%)
4.00E-10	63 bits (162)	32/52 (62%)
9.00E-04	42 bits (108)	22/33 (67%)
<hr/>		
3.00E-03	40 bits (103)	19/23 (83%)
1.00E-02	38 bits (98)	17/21 (81%)
4.00E-10	63 bits (162)	30/44 (68%)

2.00E-10	63 bits (164)	31/42 (74%)
2.00E-09	60 bits (156)	32/58 (55%)
5.00E-10	62 bits (161)	32/50 (64%)
4.00E-17	86 bits (222)	40/50 (80%)
2.00E+00	31 bits (79)	13/15 (87%)
9.00E-16	81 bits (210)	37/51 (73%)
3.00E-07	53 bits (137)	28/39 (72%)
2.00E-21	100 bits (258)	50/71 (70%)
1.00E-09	61 bits (158)	27/40 (68%)
6.00E-03	39 bits (101)	18/23 (78%)
4.00E-27	119 bits (308)	62/70 (89%)
1.00E-01	35 bits (89)	18/19 (95%)
2.00E-15	81 bits (208)	37/52 (71%)
3.00E+00	30 bits (77)	15/20 (75%)
5.00E-04	42 bits (110)	22/34 (65%)
1.00E-06	51 bits (133)	26/39 (67%)
4.00E-04	43 bits (111)	23/29 (79%)
4.00E-03	39 bits (102)	20/35 (57%)
7.00E-08	55 bits (143)	28/37 (76%)
3.00E-03	40 bits (103)	19/26 (73%)
1.00E+01	28 bits (71)	14/17 (82%)
4.00E-10	63 bits (162)	30/41 (73%)
4.00E+01	26 bits (67)	14/15 (93%)
2.00E-11	67 bits (173)	34/52 (65%)
2.00E-11	67 bits (174)	34/52 (65%)
2.00E-11	67 bits (174)	34/52 (65%)
1.00E-10	65 bits (167)	30/39 (77%)
2.00E-06	50 bits (130)	28/41 (68%)
2.00E+02	24 bits (61)	12/12 (100%)
8.00E-05	45 bits (117)	22/34 (65%)
1.00E-06	51 bits (133)	27/39 (69%)
2.00E+01	27 bits (70)	14/19 (74%)
3.00E-09	60 bits (154)	31/53 (58%)
6.00E-20	95 bits (246)	43/62 (69%)
2.00E-18	90 bits (233)	45/50 (90%)
5.00E-08	56 bits (144)	26/40 (65%)
1.00E-16	84 bits (217)	45/60 (75%)
3.00E-01	33 bits (85)	18/28 (64%)
1.00E-03	41 bits (107)	20/26 (77%)
2.00E-04	44 bits (114)	23/37 (62%)
1.00E-23	108 bits (277)	52/58 (90%)
4.00E-25	113 bits (290)	55/84 (65%)
2.00E-06	51 bits (131)	28/30 (93%)
1.00E-06	51 bits (132)	26/37 (70%)
8.00E-09	58 bits (151)	29/53 (55%)
2.00E-06	51 bits (131)	23/35 (66%)
4.00E-04	43 bits (111)	25/37 (68%)

2.00E-09	60 bits (156)	29/44 (66%)
1.00E-14	78 bits (201)	39/46 (85%)
9.00E+01	25 bits (64)	13/14 (93%)
5.00E-09	59 bits (153)	28/46 (61%)
1.00E-01	34 bits (88)	18/21 (86%)
4.00E-05	46 bits (119)	24/40 (60%)
9.00E-21	98 bits (253)	47/66 (71%)
1.00E-06	51 bits (132)	30/52 (58%)
3.00E-05	46 bits (120)	26/39 (67%)
4.00E-15	79 bits (205)	44/64 (69%)
9.00E-14	75 bits (193)	36/47 (77%)
2.00E-08	57 bits (147)	27/36 (75%)
1.00E-02	38 bits (98)	20/29 (69%)
2.00E-01	33 bits (86)	17/22 (77%)
9.00E-08	55 bits (142)	25/41 (61%)
2.00E-08	57 bits (147)	28/43 (65%)
6.00E-18	89 bits (229)	47/59 (80%)
3.00E-18	90 bits (231)	44/61 (72%)
5.00E-17	86 bits (221)	42/66 (64%)
3.00E-04	43 bits (112)	18/28 (64%)
4.00E-10	63 bits (162)	30/51 (59%)
1.00E-02	38 bits (98)	18/26 (69%)
1.00E-24	111 bits (286)	56/81 (69%)
1.00E-01	35 bits (89)	16/17 (94%)
2.00E-04	44 bits (114)	23/38 (61%)
2.00E-14	77 bits (199)	38/58 (66%)
5.00E-16	82 bits (212)	40/48 (83%)
2.00E-08	57 bits (147)	29/52 (56%)
9.00E-04	42 bits (108)	21/27 (78%)
7.00E-16	82 bits (211)	44/61 (72%)
5.00E-04	42 bits (110)	22/35 (63%)
1.00E-29	128 bits (330)	64/84 (76%)
2.00E-06	51 bits (131)	27/42 (64%)
5.00E-06	49 bits (127)	24/35 (69%)
2.00E+00	31 bits (79)	16/19 (84%)
3.00E-04	43 bits (112)	18/28 (64%)
1.00E-35	148 bits (381)	71/105 (68%)
3.00E-03	40 bits (104)	22/29 (76%)
1.00E-16	85 bits (218)	42/68 (62%)
4.00E-29	126 bits (325)	64/87 (74%)
3.00E-03	40 bits (103)	20/30 (67%)
3.00E-03	40 bits (103)	20/21 (95%)
2.00E-05	47 bits (122)	23/24 (96%)
3.00E+00	30 bits (77)	18/29 (62%)
1.00E-07	55 bits (141)	26/35 (74%)
1.00E-04	44 bits (115)	21/27 (78%)
3.00E-06	50 bits (129)	22/30 (73%)

4.00E-12	69 bits (179)	35/62 (56%)
2.00E+02	24 bits (61)	12/15 (80%)
6.00E-02	35 bits (91)	17/28 (61%)
9.00E-08	55 bits (142)	28/29 (97%)
6.00E-05	46 bits (118)	24/27 (89%)
4.00E-04	43 bits (111)	24/25 (96%)
7.00E-14	75 bits (194)	33/53 (62%)
3.00E-09	60 bits (154)	28/30 (93%)
2.00E-06	51 bits (131)	25/30 (83%)
2.00E-10	63 bits (164)	28/34 (82%)
2.00E-12	70 bits (181)	30/37 (81%)
3.00E-03	40 bits (103)	18/21 (86%)
1.00E-05	48 bits (123)	21/27 (78%)
3.00E-07	53 bits (138)	24/30 (80%)
7.00E-14	75 bits (194)	35/53 (66%)
8.00E-05	45 bits (117)	23/38 (61%)
2.00E-11	67 bits (174)	30/39 (77%)
3.00E-04	43 bits (112)	21/31 (68%)
4.00E-22	102 bits (264)	49/67 (73%)
7.00E-16	82 bits (211)	38/45 (84%)
2.00E-06	50 bits (130)	22/30 (73%)
4.00E-06	49 bits (128)	25/31 (81%)
4.00E+00	30 bits (76)	14/22 (64%)
2.00E-19	94 bits (242)	43/80 (54%)
7.00E-16	82 bits (211)	42/65 (65%)
9.00E-04	42 bits (108)	22/33 (67%)
1.00E-06	51 bits (133)	24/34 (71%)
3.00E-17	86 bits (223)	42/46 (91%)
2.00E-08	57 bits (147)	30/40 (75%)
2.00E-14	77 bits (198)	36/53 (68%)
1.00E-12	71 bits (183)	36/49 (73%)
6.00E-09	59 bits (152)	28/49 (57%)
7.00E-06	49 bits (126)	23/28 (82%)
3.00E-16	83 bits (214)	41/55 (75%)
4.00E-06	49 bits (128)	26/32 (81%)
4.00E-03	39 bits (102)	23/28 (82%)
2.00E-08	57 bits (147)	27/38 (71%)
7.00E-06	49 bits (126)	25/39 (64%)
5.00E-04	42 bits (110)	20/31 (65%)
5.00E-14	76 bits (195)	38/61 (62%)
3.00E-03	40 bits (104)	21/29 (72%)
2.00E+03	20 bits (52)	11/13 (85%)
1.00E-03	41 bits (107)	21/32 (66%)
6.00E-09	59 bits (152)	28/42 (67%)
3.00E-10	63 bits (163)	30/37 (81%)
2.00E+04	17 bits (44)	9/10 (90%)
3.00E-04	43 bits (112)	20/26 (77%)

5.00E-06	49 bits (127)	25/31 (81%)
4.00E-17	86 bits (222)	45/59 (76%)
5.00E-04	42 bits (110)	22/30 (73%)
8.00E-02	35 bits (90)	18/23 (78%)
1.00E-03	41 bits (107)	19/27 (70%)
3.00E-04	43 bits (112)	20/24 (83%)
3.00E-09	60 bits (154)	30/43 (70%)
3.00E-07	53 bits (137)	25/35 (71%)
9.00E-10	62 bits (159)	29/48 (60%)
7.00E-16	82 bits (211)	34/52 (65%)
7.00E-14	75 bits (194)	40/68 (59%)
8.00E-05	45 bits (117)	23/33 (70%)
1.00E-06	51 bits (132)	26/43 (60%)
4.00E-06	49 bits (128)	25/35 (71%)
3.00E-04	43 bits (112)	19/20 (95%)
1.00E-06	51 bits (132)	24/27 (89%)
1.00E-14	78 bits (201)	40/67 (60%)
1.00E-08	58 bits (149)	28/38 (74%)
3.00E-07	53 bits (137)	26/42 (62%)
4.00E-04	43 bits (111)	21/31 (68%)
7.00E-10	62 bits (160)	33/58 (57%)
4.00E-03	39 bits (102)	21/30 (70%)
1.00E-19	94 bits (243)	47/53 (89%)
5.00E-02	36 bits (92)	20/23 (87%)
3.00E-09	60 bits (154)	29/41 (71%)
2.00E-21	100 bits (258)	49/60 (82%)
1.00E-05	48 bits (123)	24/34 (71%)
1.00E-04	45 bits (116)	21/33 (64%)
3.00E-10	63 bits (163)	30/31 (97%)
2.00E-18	90 bits (232)	42/62 (68%)
2.00E-18	90 bits (233)	42/53 (79%)
5.00E-06	49 bits (127)	20/26 (77%)
4.00E-27	119 bits (308)	57/62 (92%)
7.00E-22	102 bits (262)	53/81 (65%)
2.00E-06	51 bits (131)	24/42 (57%)
6.00E-09	59 bits (152)	31/32 (97%)
6.00E-01	32 bits (83)	15/18 (83%)
7.00E-06	49 bits (126)	26/42 (62%)
8.00E-07	52 bits (134)	24/31 (77%)
2.00E+05	14 bits (35)	7/7 (100%)
8.00E-13	72 bits (185)	36/39 (92%)
4.00E-10	63 bits (162)	34/51 (67%)
4.00E-06	49 bits (128)	27/29 (93%)