

NRC Publications Archive Archives des publications du CNRC

Impact of climate change-induced sea ice retreat on Arctic storm surges

Kim, Joseph; Nistor, Ioan; Murphy, Enda; Ferguson, Sean; Provan, Mitchel

This publication could be one of several versions: author's original, accepted manuscript or the publisher's version. / La version de cette publication peut être l'une des suivantes : la version prépublication de l'auteur, la version acceptée du manuscrit ou la version de l'éditeur.

For the publisher's version, please access the DOI link below. / Pour consulter la version de l'éditeur, utilisez le lien DOI ci-dessous.

Publisher's version / Version de l'éditeur:

<https://doi.org/10.9753/icce.v37.management.96>

Proceedings of 37th Conference on Coastal Engineering, Sydney, Australia, 2022, Coastal Engineering Proceedings, 2023-09-01

NRC Publications Archive Record / Notice des Archives des publications du CNRC :

<https://nrc-publications.canada.ca/eng/view/object/?id=ec8060f4-66de-450d-8bab-f95408902875>

<https://publications-cnrc.canada.ca/fra/voir/objet/?id=ec8060f4-66de-450d-8bab-f95408902875>

Access and use of this website and the material on it are subject to the Terms and Conditions set forth at

<https://nrc-publications.canada.ca/eng/copyright>

READ THESE TERMS AND CONDITIONS CAREFULLY BEFORE USING THIS WEBSITE.

L'accès à ce site Web et l'utilisation de son contenu sont assujettis aux conditions présentées dans le site

<https://publications-cnrc.canada.ca/fra/droits>

LISEZ CES CONDITIONS ATTENTIVEMENT AVANT D'UTILISER CE SITE WEB.

Questions? Contact the NRC Publications Archive team at

PublicationsArchive-ArchivesPublications@nrc-cnrc.gc.ca. If you wish to email the authors directly, please see the first page of the publication for their contact information.

Vous avez des questions? Nous pouvons vous aider. Pour communiquer directement avec un auteur, consultez la première page de la revue dans laquelle son article a été publié afin de trouver ses coordonnées. Si vous n'arrivez pas à les repérer, communiquez avec nous à PublicationsArchive-ArchivesPublications@nrc-cnrc.gc.ca.

IMPACT OF CLIMATE CHANGE-INDUCED SEA ICE RETREAT ON ARCTIC STORM SURGES

Joseph Kim, Dept. of Civil Engineering, University of Ottawa, CANADA, jkim245@uottawa.ca
Ioan Nistor, Dept. of Civil Engineering, University of Ottawa, CANADA, inistor@uottawa.ca
Enda Murphy, National Research Council Canada, CANADA, enda.murphy@nrc-cnrc.gc.ca
Sean Ferguson, National Research Council Canada, CANADA, sean.ferguson@nrc-cnrc.gc.ca
Mitchel Provan, National Research Council Canada, CANADA, mitchel.provan@nrc-cnrc.gc.ca

INTRODUCTION

Canada's Arctic coastline is significantly affected by climate change factors such as relative sea-level rise, thawing permafrost, sea ice retreat, accelerating coastal erosion and increasingly extreme wave climate (Environment Canada, 2019). These factors exacerbate the impacts of storm surges and associated coastal flooding of Arctic communities. While there have been studies studying the impact of sea ice retreat on wave climate (Casas-Prat & Wang, 2020; Waseda et al., 2021), there have not been any studies on its effect on storm surge development.

OBJECTIVES AND NOVELTY

This is the first study quantifying the projected increase in storm surge hazard along the coast of the Beaufort Sea due to climate change-induced sea ice retreat and shortening of ice season duration through numerical modelling.

METHODOLOGY

A numerical hydrodynamic model that solves the Saint-Venant equations was developed using the TELEMAC-2D platform (Hervouet, 2007). The computational domain spans approximately 1000km east-west and 800km north-south and encompasses the maximum extent of open water observed in the Beaufort Sea between 1979 and 2019 (Figure 1).




Figure 1 - Computational mesh with mapped ice concentrations for the January 10, 2005, storm surge.

An unstructured mesh with 1.4 million elements was developed with characteristic edge lengths varying from 50km offshore to 500m nearshore. A k-ε turbulence model, Coriolis forces, and constant bed friction were

applied. The model was forced by spatially and temporally varying surface winds and pressures from the ERA5 reanalysis to simulate storm surge. The presence of sea ice was accounted for by adjusting the wind drag coefficient (C_d) as per Kim et al. (2021) and Provan et al. (2022) using the parameterization proposed by Joyce et al. (2019). Ice concentrations were obtained from the Canadian Ice Service (CIS, 2006).

Fifty historical storm surge events were identified through a peaks-over-threshold (POT) analysis of water level residuals from a tide gauge located at Tuktoyaktuk, Northwest Territories, Canada. These fifty historical events were hindcasted under actual (historical) ice conditions and an open-water scenario representing future climate conditions with reduced sea ice.

RESULTS AND CONCLUSIONS

The mean percent difference between modelled and measured peak residual (μ) was 14% with a standard deviation (σ) of 52% for the future open-water scenario. μ improved to -7% with a σ of 26% after correcting for sea ice. On average, it was found that winter storm surges modelled under future open-water conditions were 96% higher than when using actual (historical) ice conditions. The event with the most significant difference is seen in Figure 2, indicating that storm surges could potentially increase as much as three times in magnitude under future open-water scenarios at Tuktoyaktuk. Additional analysis at other tide gauges in the Beaufort Sea is to be performed.




Figure 2 - Storm surge residual plot at CHS Gauge 6485. Residuals are assumed to be representative of storm surges.

REFERENCES

- Casas-Prat, & Wang, (2020). Projections of Extreme Ocean Waves in the Arctic and Potential Implications for Coastal Inundation and Erosion. *Journal of Geophysical Research: Oceans*, 125(8), e2019JC015745.
<https://doi.org/10.1029/2019JC015745>
- CIS. (2006). *CANADIAN ICE SERVICE DIGITAL ARCHIVE - REGIONAL CHART: HISTORY, ACCURACY, AND CAVEATS*. https://ice-glaces.ec.gc.ca/IA_DOC/cisads_no_001_e.pdf
- Environment Canada, (2019). *Canada's changing climate report*.
http://publications.gc.ca/collections/collection_2019/eccc/En4-368-2019-eng.pdf
- Flather, (1976). *Results from a storm surge prediction model of the north-west European continental shelf for April, November and December 1973. IOS Report No.24.*
- Joyce, Pringle, Wirasaet, Westerink, , Van der Westhuysen, Grumbine, & Feyen, (2019). High resolution modeling of western Alaskan tides and storm surge under varying sea ice conditions. *Ocean Modelling*, 141, 101421.
<https://doi.org/10.1016/j.ocemod.2019.101421>
- Lüpkes, Gryanik, Hartmann, & Andreas, (2012). A parametrization, based on sea ice morphology, of the neutral atmospheric drag coefficients for weather prediction and climate models. *Journal of Geophysical Research: Atmospheres*, 117(D13).
<https://doi.org/10.1029/2012JD017630>
- Waseda, Nose, Kodaira, Sasmal, & Webb, (2021). Climatic trends of extreme wave events caused by Arctic Cyclones in the western Arctic Ocean. *Polar Science*, 27, 100625.
<https://doi.org/10.1016/j.polar.2020.100625>